

B4

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
1 November 2001 (01.11.2001)

PCT

(10) International Publication Number  
**WO 01/81363 A1**

(51) International Patent Classification<sup>7</sup>: **C07H 21/04**,  
C12P 21/06, C12N 9/00, 1/20, 15/00

(21) International Application Number: PCT/US01/13360

(22) International Filing Date: 26 April 2001 (26.04.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
60/199,963 27 April 2000 (27.04.2000) US  
60/203,336 11 May 2000 (11.05.2000) US  
60/207,087 25 May 2000 (25.05.2000) US  
60/207,546 26 May 2000 (26.05.2000) US

(71) Applicants (for all designated States except US):  
**SMITHKLINE BEECHAM CORPORATION**  
[US/US]; One Franklin Plaza, Philadelphia, PA 19103  
(US). **SMITHKLINE BEECHAM P.L.C.** [GB/GB]; New  
Horizons Court, Great West Road, Brentford, Middlesex  
TW8 9EP (GB).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **AGARWAL, Pankaj** [IN/US]; 251 West DeKalb Pike, King of Prussia, PA 19406 (US). **MURDOCK, Paul, R.** [GB/GB]; New Frontiers Science Park South, Third Avenue, Harlow, Essex CM19 5AW (GB). **RIZVI, Safia, K.** [PK/US]; 4617 Pine Street, Philadelphia, PA 19143 (US). **SMITH, Randall, F.** [US/US]; 4138 Presidential Drive, Lafayette

Hill, PA 19444 (US). **XIANG, Zhaoying** [CN/US]; 2413 Ridgeway, Fort Lee, NJ 07024 (US). **KABNICK, Karen, S.** [US/US]; 4138 Presidential Drive, Lafayette Hill, PA 19444 (US). **LAI, Ying-Ta** [—/US]; 516 Spruce Avenue, Upper Darby, PA 19082 (US). **XIE, Qing** [CN/US]; 310 Sawmill Lane, Horsham, PA 19044 (US).

(74) Agents: **GIMMI, Edward, R.** et al.; SmithKline Beecham Corporation, Corporate Intellectual Property, UW2220, 709 Swedeland Road, P.O. Box 1539, King of Prussia, PA 19406-0939 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: NOVEL COMPOUNDS

(57) Abstract: Polypeptides and polynucleotides of the genes set forth in Table I and methods for producing such polypeptides by recombinant techniques are disclosed. Also disclosed are methods for utilizing polypeptides and polynucleotides of the genes set forth in Table I in diagnostic assays.

WO 01/81363 A1

## Novel Compounds

### Field of Invention

This invention relates to newly identified polypeptides and polynucleotides encoding such polypeptides, to their use in diagnosis and in identifying compounds that may be agonists, antagonists that are potentially useful in therapy, and to production of such polypeptides and polynucleotides. The polynucleotides and polypeptides of the present invention also relate to proteins with signal sequences which allow them to be secreted extracellularly or membrane-associated (hereinafter often referred collectively as secreted proteins or secreted polypeptides).

### Background of the Invention

The drug discovery process is currently undergoing a fundamental revolution as it embraces "functional genomics", that is, high throughput genome- or gene-based biology. This approach as a means to identify genes and gene products as therapeutic targets is rapidly superseding earlier approaches based on "positional cloning". A phenotype, that is a biological function or genetic disease, would be identified and this would then be tracked back to the responsible gene, based on its genetic map position.

Functional genomics relies heavily on high-throughput DNA sequencing technologies and the various tools of bioinformatics to identify gene sequences of potential interest from the many molecular biology databases now available. There is a continuing need to identify and characterise further genes and their related polypeptides/proteins, as targets for drug discovery.

Proteins and polypeptides that are naturally secreted into blood, lymph and other body fluids, or secreted into the cellular membrane are of primary interest for pharmaceutical research and development. The reason for this interest is the relative ease to target protein therapeutics into their place of action (body fluids or the cellular membrane). The natural pathway for protein secretion into extracellular space is the endoplasmic reticulum in eukaryotes and the inner membrane in prokaryotes (Palade, 1975, Science, 189, 347; Milstein, Brownlee, Harrison, and Mathews, 1972, Nature New Biol., 239, 117; Blobel, and Dobberstein, 1975, J. Cell. Biol., 67, 835). On the other hand, there is no known natural pathway for exporting a protein from the exterior of the cells into the cytosol (with the exception of pinocytosis, a mechanism of snake venom toxin intrusion into cells). Therefore targeting protein therapeutics into cells poses extreme difficulties.

The secreted and membrane-associated proteins include but are not limited to all peptide hormones and their receptors (including but not limited to insulin, growth hormones, chemokines, cytokines, neuropeptides, integrins, kallikreins, lamins, melanins, natriuretic hormones, neuropsin, neurotrophins, pituitary hormones, pleiotropins, prostaglandins, secretogranins, selectins, thromboglobulins, thymosins), the breast and colon cancer gene products, leptin, the obesity gene protein and its receptors, serum albumin, superoxide dismutase, spliceosome proteins, 7TM (transmembrane) proteins also called as G-protein coupled receptors, immunoglobulins, several families of serine proteinases (including but not limited to proteins of the blood coagulation cascade, digestive enzymes), deoxyribonuclease I, etc.

Therapeutics based on secreted or membrane-associated proteins approved by FDA or foreign agencies include but are not limited to insulin, glucagon, growth hormone, chorionic gonadotropin, follicle stimulating hormone, luteinizing hormone, calcitonin, adrenocorticotrophic hormone (ACTH), vasopressin, interleukines, interferones, immunoglobulins, lactoferrin (diverse products marketed by several companies), tissue-type plasminogen activator (Alteplase by Genentech), hyaluronidase (Wydase by Wyeth-Ayerst), dornase alpha (Pulmozyme by Genentech), Chymodiactin (chymopapain by Knoll), alglucerase (Ceredase by Genzyme), streptokinase (Kabikinase by Pharmacia) (Streptase by Astra), etc. This indicates that secreted and membrane-associated proteins have an established, proven history as therapeutic targets. Clearly, there is a need for identification and characterization of further secreted and membrane-associated proteins which can play a role in preventing, ameliorating or correcting dysfunction or disease, including but not limited to diabetes, breast-, prostate-, colon cancer and other malignant tumors, hyper- and hypotension, obesity, bulimia, anorexia, growth abnormalities, asthma, manic depression, dementia, delirium, mental retardation, Huntington's disease, Tourette's syndrome, schizophrenia, growth, mental or sexual development disorders, and dysfunctions of the blood cascade system including those leading to stroke. The proteins of the present invention which include the signal sequences are also useful to further elucidate the mechanism of protein transport which at present is not entirely understood, and thus can be used as research tools.

### **Summary of the Invention**

The present invention relates to particular polypeptides and polynucleotides of the genes set forth in Table I, including recombinant materials and methods for their production. Such polypeptides and polynucleotides are of interest in relation to methods of treatment of certain diseases, including, but not limited to, the diseases set forth in Tables III and V, hereinafter referred to as "diseases of the invention". In a further aspect, the invention relates to methods for identifying agonists and antagonists (*e.g.*, inhibitors) using the materials provided by the invention, and treating conditions associated with imbalance of polypeptides and/or polynucleotides of the genes set forth in Table I with the identified compounds. In still a further aspect, the invention relates to diagnostic assays for detecting diseases associated with inappropriate activity or levels the genes set forth in Table I. Another aspect of the invention concerns a polynucleotide comprising any of the nucleotide sequences set forth in the Sequence Listing and a polypeptide comprising a polypeptide encoded by the nucleotide sequence. In another aspect, the invention relates to a polypeptide comprising any of the polypeptide sequences set forth in the Sequence Listing and recombinant materials and methods for their production. Another aspect of the invention relates to methods for using such polypeptides and polynucleotides. Such uses include the treatment of diseases, abnormalities and disorders (hereinafter simply referred to as diseases) caused by abnormal expression, production, function and or metabolism of the genes of this invention, and such diseases are readily apparent by those skilled in the art from the homology to other proteins disclosed for each attached sequence. In still another aspect, the invention relates to methods to identify agonists and antagonists using the materials provided by the invention, and treating conditions associated with the imbalance with the identified compounds. Yet another aspect of the invention relates to diagnostic assays for detecting diseases associated with inappropriate activity or levels of the secreted proteins of the present invention.

### **Description of the Invention**

In a first aspect, the present invention relates to polypeptides the genes set forth in Table I. Such polypeptides include:

- (a) an isolated polypeptide encoded by a polynucleotide comprising a sequence set forth in the Sequence Listing, herein when referring to polynucleotides or polypeptides of the Sequence Listing, a reference is also made to the Sequence Listing referred to in the Sequence Listing;
- (b) an isolated polypeptide comprising a polypeptide sequence having at least 95%, 96%, 97%, 98%, or 99% identity to a polypeptide sequence set forth in the Sequence Listing;



- (c) an isolated polypeptide comprising a polypeptide sequence set forth in the Sequence Listing;
- (d) an isolated polypeptide having at least 95%, 96%, 97%, 98%, or 99% identity to a polypeptide sequence set forth in the Sequence Listing;
- 5 (e) a polypeptide sequence set forth in the Sequence Listing; and
- (f) an isolated polypeptide having or comprising a polypeptide sequence that has an Identity Index of 0.95, 0.96, 0.97, 0.98, or 0.99 compared to a polypeptide sequence set forth in the Sequence Listing;
- (g) fragments and variants of such polypeptides in (a) to (f).
- 10 Polypeptides of the present invention are believed to be members of the gene families set forth in Table II. They are therefore of therapeutic and diagnostic interest for the reasons set forth in Tables III and V. The biological properties of the polypeptides and polynucleotides of the genes set forth in Table I are hereinafter referred to as "the biological activity" of polypeptides and polynucleotides of the genes set forth in Table I. Preferably, a
- 15 polypeptide of the present invention exhibits at least one biological activity of the genes set forth in Table I.

Polypeptides of the present invention also include variants of the aforementioned polypeptides, including all allelic forms and splice variants. Such polypeptides vary from the reference polypeptide by insertions, deletions, and substitutions that may be

20 conservative or non-conservative, or any combination thereof. Particularly preferred variants are those in which several, for instance from 50 to 30, from 30 to 20, from 20 to 10, from 10 to 5, from 5 to 3, from 3 to 2, from 2 to 1 or 1 amino acids are inserted, substituted, or deleted, in any combination.

Preferred fragments of polypeptides of the present invention include an isolated

25 polypeptide comprising an amino acid sequence having at least 30, 50 or 100 contiguous amino acids from an amino acid sequence set forth in the Sequence Listing, or an isolated polypeptide comprising an amino acid sequence having at least 30, 50 or 100 contiguous amino acids truncated or deleted from an amino acid sequence set forth in the Sequence Listing. Preferred fragments are biologically active fragments that mediate the biological

30 activity of polypeptides and polynucleotides of the genes set forth in Table I, including those with a similar activity or an improved activity, or with a decreased undesirable activity. Also preferred are those fragments that are antigenic or immunogenic in an animal, especially in a human.

Fragments of a polypeptide of the invention may be employed for producing the

35 corresponding full-length polypeptide by peptide synthesis; therefore, these variants may be

employed as intermediates for producing the full-length polypeptides of the invention. A polypeptide of the present invention may be in the form of the "mature" protein or may be a part of a larger protein such as a precursor or a fusion protein. It is often advantageous to include an additional amino acid sequence that contains secretory or leader sequences, pro-  
5 sequences, sequences that aid in purification, for instance multiple histidine residues, or an additional sequence for stability during recombinant production.

Polypeptides of the present invention can be prepared in any suitable manner, for instance by isolation from naturally occurring sources, from genetically engineered host cells comprising expression systems (*vide infra*) or by chemical synthesis, using for instance  
10 automated peptide synthesizers, or a combination of such methods. Means for preparing such polypeptides are well understood in the art.

In a further aspect, the present invention relates to polynucleotides of the genes set forth in Table I. Such polynucleotides include:

- (a) an isolated polynucleotide comprising a polynucleotide sequence having at least 95%,  
15 96%, 97%, 98%, or 99% identity to a polynucleotide sequence set forth in the Sequence Listing;
- (b) an isolated polynucleotide comprising a polynucleotide set forth in the Sequence Listing;
- (c) an isolated polynucleotide having at least 95%, 96%, 97%, 98%, or 99% identity to a  
20 polynucleotide set forth in the Sequence Listing;
- (d) an isolated polynucleotide set forth in the Sequence Listing;
- (e) an isolated polynucleotide comprising a polynucleotide sequence encoding a polypeptide sequence having at least 95%, 96%, 97%, 98%, or 99% identity to a polypeptide sequence set forth in the Sequence Listing;
- 25 (f) an isolated polynucleotide comprising a polynucleotide sequence encoding a polypeptide set forth in the Sequence Listing;
- (g) an isolated polynucleotide having a polynucleotide sequence encoding a polypeptide sequence having at least 95%, 96%, 97%, 98%, or 99% identity to a polypeptide sequence set forth in the Sequence Listing;
- 30 (h) an isolated polynucleotide encoding a polypeptide set forth in the Sequence Listing;
- (i) an isolated polynucleotide having or comprising a polynucleotide sequence that has an Identity Index of 0.95, 0.96, 0.97, 0.98, or 0.99 compared to a polynucleotide sequence set forth in the Sequence Listing;

- (j) an isolated polynucleotide having or comprising a polynucleotide sequence encoding a polypeptide sequence that has an Identity Index of 0.95, 0.96, 0.97, 0.98, or 0.99 compared to a polypeptide sequence set forth in the Sequence Listing; and polynucleotides that are fragments and variants of the above mentioned polynucleotides or that are complementary to above mentioned polynucleotides, over the entire length thereof.

Preferred fragments of polynucleotides of the present invention include an isolated polynucleotide comprising an nucleotide sequence having at least 15, 30, 50 or 100 contiguous nucleotides from a sequence set forth in the Sequence Listing, or an isolated polynucleotide comprising a sequence having at least 30, 50 or 100 contiguous nucleotides truncated or deleted from a sequence set forth in the Sequence Listing.

Preferred variants of polynucleotides of the present invention include splice variants, allelic variants, and polymorphisms, including polynucleotides having one or more single nucleotide polymorphisms (SNPs).

Polynucleotides of the present invention also include polynucleotides encoding polypeptide variants that comprise an amino acid sequence set forth in the Sequence Listing and in which several, for instance from 50 to 30, from 30 to 20, from 20 to 10, from 10 to 5, from 5 to 3, from 3 to 2, from 2 to 1 or 1 amino acid residues are substituted, deleted or added, in any combination.

In a further aspect, the present invention provides polynucleotides that are RNA transcripts of the DNA sequences of the present invention. Accordingly, there is provided an RNA polynucleotide that:

- (a) comprises an RNA transcript of the DNA sequence encoding a polypeptide set forth in the Sequence Listing;
- (b) is a RNA transcript of a DNA sequence encoding a polypeptide set forth in the Sequence Listing;
- (c) comprises an RNA transcript of a DNA sequence set forth in the Sequence Listing; or
- (d) is a RNA transcript of a DNA sequence set forth in the Sequence Listing; and RNA polynucleotides that are complementary thereto.

The polynucleotide sequences set forth in the Sequence Listing show homology with the polynucleotide sequences set forth in Table II. A polynucleotide sequence set forth in the Sequence Listing is a cDNA sequence that encodes a polypeptide set forth in the Sequence Listing. A polynucleotide sequence encoding a polypeptide set forth in the Sequence Listing may be identical to a polypeptide encoding a sequence set forth in the Sequence Listing or it may be a sequence other than a sequence set forth in the Sequence

Listing, which, as a result of the redundancy (degeneracy) of the genetic code, also encodes a polypeptide set forth in the Sequence Listing. A polypeptide of a sequence set forth in the Sequence Listing is related to other proteins of the gene families set forth in Table II, having homology and/or structural similarity with the polypeptides set forth in Table II. Preferred polypeptides and polynucleotides of the present invention are expected to have, *inter alia*, similar biological functions/properties to their homologous polypeptides and polynucleotides. Furthermore, preferred polypeptides and polynucleotides of the present invention have at least one activity of the genes set forth in Table I.

Polynucleotides of the present invention may be obtained using standard cloning and screening techniques from a cDNA library derived from mRNA from the tissues set forth in Table IV (see for instance, Sambrook *et al.*, Molecular Cloning: A Laboratory Manual, 2nd Ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y. (1989)). Polynucleotides of the invention can also be obtained from natural sources such as genomic DNA libraries or can be synthesized using well known and commercially available techniques.

When polynucleotides of the present invention are used for the recombinant production of polypeptides of the present invention, the polynucleotide may include the coding sequence for the mature polypeptide, by itself, or the coding sequence for the mature polypeptide in reading frame with other coding sequences, such as those encoding a leader or secretory sequence, a pre-, or pro- or prepro- protein sequence, or other fusion peptide portions. For example, a marker sequence that facilitates purification of the fused polypeptide can be encoded. In certain preferred embodiments of this aspect of the invention, the marker sequence is a hexa-histidine peptide, as provided in the pQE vector (Qiagen, Inc.) and described in Gentz *et al.*, Proc Natl Acad Sci USA (1989) 86:821-824, or is an HA tag. A polynucleotide may also contain non-coding 5' and 3' sequences, such as transcribed, non-translated sequences, splicing and polyadenylation signals, ribosome binding sites and sequences that stabilize mRNA.

Polynucleotides that are identical, or have sufficient identity to a polynucleotide sequence set forth in the Sequence Listing, may be used as hybridization probes for cDNA and genomic DNA or as primers for a nucleic acid amplification reaction (for instance, PCR). Such probes and primers may be used to isolate full-length cDNAs and genomic clones encoding polypeptides of the present invention and to isolate cDNA and genomic clones of other genes (including genes encoding paralogs from human sources and orthologs and paralogs from other species) that have a high sequence similarity to sequences set forth in the Sequence Listing, typically at least 95% identity. Preferred probes and primers will

generally comprise at least 15 nucleotides, preferably, at least 30 nucleotides and may have at least 50, if not at least 100 nucleotides. Particularly preferred probes will have between 30 and 50 nucleotides. Particularly preferred primers will have between 20 and 25 nucleotides.

5           A polynucleotide encoding a polypeptide of the present invention, including homologs from other species, may be obtained by a process comprising the steps of screening a library under stringent hybridization conditions with a labeled probe having a sequence set forth in the Sequence Listing or a fragment thereof, preferably of at least 15 nucleotides; and isolating full-length cDNA and genomic clones containing the  
10 polynucleotide sequence set forth in the Sequence Listing. Such hybridization techniques are well known to the skilled artisan. Preferred stringent hybridization conditions include overnight incubation at 42°C in a solution comprising: 50% formamide, 5xSSC (150mM NaCl, 15mM trisodium citrate), 50 mM sodium phosphate (pH 7.6), 5x Denhardt's solution, 10 % dextran sulfate, and 20 microgram/ml denatured, sheared salmon sperm DNA;  
15 followed by washing the filters in 0.1x SSC at about 65°C. Thus the present invention also includes isolated polynucleotides, preferably with a nucleotide sequence of at least 100, obtained by screening a library under stringent hybridization conditions with a labeled probe having the sequence set forth in the Sequence Listing or a fragment thereof, preferably of at least 15 nucleotides.

20           The skilled artisan will appreciate that, in many cases, an isolated cDNA sequence will be incomplete, in that the region coding for the polypeptide does not extend all the way through to the 5' terminus. This is a consequence of reverse transcriptase, an enzyme with inherently low "processivity" (a measure of the ability of the enzyme to remain attached to the template during the polymerisation reaction), failing to complete a DNA copy of the  
25 mRNA template during first strand cDNA synthesis.

          There are several methods available and well known to those skilled in the art to obtain full-length cDNAs, or extend short cDNAs, for example those based on the method of Rapid Amplification of cDNA ends (RACE) (see, for example, Frohman et al., Proc Nat Acad Sci USA 85, 8998-9002, 1988). Recent modifications of the technique, exemplified  
30 by the Marathon (trade mark) technology (Clontech Laboratories Inc.) for example, have significantly simplified the search for longer cDNAs. In the Marathon (trade mark) technology, cDNAs have been prepared from mRNA extracted from a chosen tissue and an 'adaptor' sequence ligated onto each end. Nucleic acid amplification (PCR) is then carried out to amplify the "missing" 5' end of the cDNA using a combination of gene specific and  
35 adaptor specific oligonucleotide primers. The PCR reaction is then repeated using 'nested'

primers, that is, primers designed to anneal within the amplified product (typically an adapter specific primer that anneals further 3' in the adaptor sequence and a gene specific primer that anneals further 5' in the known gene sequence). The products of this reaction can then be analyzed by DNA sequencing and a full-length cDNA constructed either by  
5 joining the product directly to the existing cDNA to give a complete sequence, or carrying out a separate full-length PCR using the new sequence information for the design of the 5' primer.

Recombinant polypeptides of the present invention may be prepared by processes well known in the art from genetically engineered host cells comprising expression systems.  
10 Accordingly, in a further aspect, the present invention relates to expression systems comprising a polynucleotide or polynucleotides of the present invention, to host cells which are genetically engineered with such expression systems and to the production of polypeptides of the invention by recombinant techniques. Cell-free translation systems can also be employed to produce such proteins using RNAs derived from the DNA constructs of  
15 the present invention.

For recombinant production, host cells can be genetically engineered to incorporate expression systems or portions thereof for polynucleotides of the present invention. Polynucleotides may be introduced into host cells by methods described in many standard laboratory manuals, such as Davis et al., Basic Methods in Molecular Biology (1986) and  
20 Sambrook *et al.*(*ibid*). Preferred methods of introducing polynucleotides into host cells include, for instance, calcium phosphate transfection, DEAE-dextran mediated transfection, transfection, micro-injection, cationic lipid-mediated transfection, electroporation, transduction, scrape loading, ballistic introduction or infection.

Representative examples of appropriate hosts include bacterial cells, such as  
25 *Streptococci*, *Staphylococci*, *E. coli*, *Streptomyces* and *Bacillus subtilis* cells; fungal cells, such as yeast cells and *Aspergillus* cells; insect cells such as *Drosophila* S2 and *Spodoptera* Sf9 cells; animal cells such as CHO, COS, HeLa, C127, 3T3, BHK, HEK 293 and Bowes melanoma cells; and plant cells.

A great variety of expression systems can be used, for instance, chromosomal,  
30 episomal and virus-derived systems, *e.g.*, vectors derived from bacterial plasmids, from bacteriophage, from transposons, from yeast episomes, from insertion elements, from yeast chromosomal elements, from viruses such as baculoviruses, papova viruses, such as SV40, vaccinia viruses, adenoviruses, fowl pox viruses, pseudorabies viruses and retroviruses, and vectors derived from combinations thereof, such as those derived from plasmid and  
35 bacteriophage genetic elements, such as cosmids and phagemids. The expression systems

may contain control regions that regulate as well as engender expression. Generally, any system or vector that is able to maintain, propagate or express a polynucleotide to produce a polypeptide in a host may be used. The appropriate polynucleotide sequence may be inserted into an expression system by any of a variety of well-known and routine

5 techniques, such as, for example, those set forth in Sambrook *et al.*, (*ibid*). Appropriate secretion signals may be incorporated into the desired polypeptide to allow secretion of the translated protein into the lumen of the endoplasmic reticulum, the periplasmic space or the extracellular environment. These signals may be endogenous to the polypeptide or they may be heterologous signals.

10 If a polypeptide of the present invention is to be expressed for use in screening assays, it is generally preferred that the polypeptide be produced at the surface of the cell. In this event, the cells may be harvested prior to use in the screening assay. If the polypeptide is secreted into the medium, the medium can be recovered in order to recover and purify the polypeptide. If produced intracellularly, the cells must first be lysed before  
15 the polypeptide is recovered.

Polypeptides of the present invention can be recovered and purified from recombinant cell cultures by well-known methods including ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, affinity chromatography,  
20 hydroxylapatite chromatography and lectin chromatography. Most preferably, high performance liquid chromatography is employed for purification. Well known techniques for refolding proteins may be employed to regenerate active conformation when the polypeptide is denatured during intracellular synthesis, isolation and/or purification.

Polynucleotides of the present invention may be used as diagnostic reagents,  
25 through detecting mutations in the associated gene. Detection of a mutated form of a gene is characterized by the polynucleotides set forth in the Sequence Listing in the cDNA or genomic sequence and which is associated with a dysfunction. Will provide a diagnostic tool that can add to, or define, a diagnosis of a disease, or susceptibility to a disease, which results from under-expression, over-expression or altered spatial or temporal expression of  
30 the gene. Individuals carrying mutations in the gene may be detected at the DNA level by a variety of techniques well known in the art.

Nucleic acids for diagnosis may be obtained from a subject's cells, such as from blood, urine, saliva, tissue biopsy or autopsy material. The genomic DNA may be used directly for detection or it may be amplified enzymatically by using PCR, preferably RT-  
35 PCR, or other amplification techniques prior to analysis. RNA or cDNA may also be used

in similar fashion. Deletions and insertions can be detected by a change in size of the amplified product in comparison to the normal genotype. Point mutations can be identified by hybridizing amplified DNA to labeled nucleotide sequences of the genes set forth in Table I. Perfectly matched sequences can be distinguished from mismatched duplexes by  
5 RNase digestion or by differences in melting temperatures. DNA sequence difference may also be detected by alterations in the electrophoretic mobility of DNA fragments in gels, with or without denaturing agents, or by direct DNA sequencing (see, for instance, Myers *et al.*, Science (1985) 230:1242). Sequence changes at specific locations may also be revealed by nuclease protection assays, such as RNase and S1 protection or the chemical cleavage  
10 method (see Cotton *et al.*, Proc Natl Acad Sci USA (1985) 85: 4397-4401).

An array of oligonucleotides probes comprising polynucleotide sequences or fragments thereof of the genes set forth in Table I can be constructed to conduct efficient screening of *e.g.*, genetic mutations. Such arrays are preferably high density arrays or grids. Array technology methods are well known and have general applicability and can be used to  
15 address a variety of questions in molecular genetics including gene expression, genetic linkage, and genetic variability, see, for example, M. Chee *et al.*, Science, 274, 610-613 (1996) and other references cited therein.

Detection of abnormally decreased or increased levels of polypeptide or mRNA expression may also be used for diagnosing or determining susceptibility of a subject to a disease of the  
20 invention. Decreased or increased expression can be measured at the RNA level using any of the methods well known in the art for the quantitation of polynucleotides, such as, for example, nucleic acid amplification, for instance PCR, RT-PCR, RNase protection, Northern blotting and other hybridization methods. Assay techniques that can be used to determine levels of a protein, such as a polypeptide of the present invention, in a sample  
25 derived from a host are well-known to those of skill in the art. Such assay methods include radio-immunoassays, competitive-binding assays, Western Blot analysis and ELISA assays.

Thus in another aspect, the present invention relates to a diagnostic kit comprising:  
(a) a polynucleotide of the present invention, preferably the nucleotide sequence set forth in the Sequence Listing, or a fragment or an RNA transcript thereof;  
30 (b) a nucleotide sequence complementary to that of (a);  
(c) a polypeptide of the present invention, preferably the polypeptide set forth in the Sequence Listing or a fragment thereof; or  
(d) an antibody to a polypeptide of the present invention, preferably to the polypeptide set forth in the Sequence Listing.



It will be appreciated that in any such kit, (a), (b), (c) or (d) may comprise a substantial component. Such a kit will be of use in diagnosing a disease or susceptibility to a disease, particularly diseases of the invention, amongst others.

The polynucleotide sequences of the present invention are valuable for chromosome localisation studies. The sequences set forth in the Sequence Listing are specifically targeted to, and can hybridize with, a particular location on an individual human chromosome. The mapping of relevant sequences to chromosomes according to the present invention is an important first step in correlating those sequences with gene associated disease. Once a sequence has been mapped to a precise chromosomal location, the physical position of the sequence on the chromosome can be correlated with genetic map data. Such data are found in, for example, V. McKusick, Mendelian Inheritance in Man (available on-line through Johns Hopkins University Welch Medical Library). The relationship between genes and diseases that have been mapped to the same chromosomal region are then identified through linkage analysis (co-inheritance of physically adjacent genes). Precise human chromosomal localisations for a genomic sequence (gene fragment etc.) can be determined using Radiation Hybrid (RH) Mapping (Walter, M. Spillett, D., Thomas, P., Weissenbach, J., and Goodfellow, P., (1994) A method for constructing radiation hybrid maps of whole genomes, *Nature Genetics* 7, 22-28). A number of RH panels are available from Research Genetics (Huntsville, AL, USA) e.g. the GeneBridge4 RH panel (*Hum Mol Genet* 1996 Mar;5(3):339-46 A radiation hybrid map of the human genome. Gyapay G, Schmitt K, Fizames C, Jones H, Vega-Czarny N, Spillett D, Muselet D, Prud'Homme JF, Dib C, Auffray C, Morissette J, Weissenbach J, Goodfellow PN). To determine the chromosomal location of a gene using this panel, 93 PCRs are performed using primers designed from the gene of interest on RH DNAs. Each of these DNAs contains random human genomic fragments maintained in a hamster background (human / hamster hybrid cell lines). These PCRs result in 93 scores indicating the presence or absence of the PCR product of the gene of interest. These scores are compared with scores created using PCR products from genomic sequences of known location. This comparison is conducted at <http://www.genome.wi.mit.edu/>.

The polynucleotide sequences of the present invention are also valuable tools for tissue expression studies. Such studies allow the determination of expression patterns of polynucleotides of the present invention which may give an indication as to the expression patterns of the encoded polypeptides in tissues, by detecting the mRNAs that encode them. The techniques used are well known in the art and include in situ hybridization techniques to clones arrayed on a grid, such as cDNA microarray hybridization (Schena *et al*, Science,

270, 467-470, 1995 and Shalon *et al*, Genome Res, 6, 639-645, 1996) and nucleotide amplification techniques such as PCR. A preferred method uses the TAQMAN (Trade mark) technology available from Perkin Elmer. Results from these studies can provide an indication of the normal function of the polypeptide in the organism. In addition,

5 comparative studies of the normal expression pattern of mRNAs with that of mRNAs encoded by an alternative form of the same gene (for example, one having an alteration in polypeptide coding potential or a regulatory mutation) can provide valuable insights into the role of the polypeptides of the present invention, or that of inappropriate expression thereof in disease. Such inappropriate expression may be of a temporal, spatial or simply  
10 quantitative nature.

A further aspect of the present invention relates to antibodies. The polypeptides of the invention or their fragments, or cells expressing them, can be used as immunogens to produce antibodies that are immunospecific for polypeptides of the present invention. The term "immunospecific" means that the antibodies have substantially greater affinity for the  
15 polypeptides of the invention than their affinity for other related polypeptides in the prior art.

Antibodies generated against polypeptides of the present invention may be obtained by administering the polypeptides or epitope-bearing fragments, or cells to an animal, preferably a non-human animal, using routine protocols. For preparation of monoclonal  
20 antibodies, any technique which provides antibodies produced by continuous cell line cultures can be used. Examples include the hybridoma technique (Kohler, G. and Milstein, C., Nature (1975) 256:495-497), the trioma technique, the human B-cell hybridoma technique (Kozbor *et al.*, Immunology Today (1983) 4:72) and the EBV-hybridoma technique (Cole *et al.*, Monoclonal Antibodies and Cancer Therapy, 77-96, Alan R. Liss,  
25 Inc., 1985).

Techniques for the production of single chain antibodies, such as those described in U.S. Patent No. 4,946,778, can also be adapted to produce single chain antibodies to polypeptides of this invention. Also, transgenic mice, or other organisms, including other mammals, may be used to express humanized antibodies.

30 The above-described antibodies may be employed to isolate or to identify clones expressing the polypeptide or to purify the polypeptides by affinity chromatography. Antibodies against polypeptides of the present invention may also be employed to treat diseases of the invention, amongst others.

Polypeptides and polynucleotides of the present invention may also be used as  
35 vaccines. Accordingly, in a further aspect, the present invention relates to a method for

inducing an immunological response in a mammal that comprises inoculating the mammal with a polypeptide of the present invention, adequate to produce antibody and/or T cell immune response, including, for example, cytokine-producing T cells or cytotoxic T cells, to protect said animal from disease, whether that disease is already established within the individual or not. An immunological response in a mammal may also be induced by a method comprises delivering a polypeptide of the present invention *via* a vector directing expression of the polynucleotide and coding for the polypeptide *in vivo* in order to induce such an immunological response to produce antibody to protect said animal from diseases of the invention. One way of administering the vector is by accelerating it into the desired cells as a coating on particles or otherwise. Such nucleic acid vector may comprise DNA, RNA, a modified nucleic acid, or a DNA/RNA hybrid. For use a vaccine, a polypeptide or a nucleic acid vector will be normally provided as a vaccine formulation (composition). The formulation may further comprise a suitable carrier. Since a polypeptide may be broken down in the stomach, it is preferably administered parenterally (for instance, subcutaneous, intra-muscular, intravenous, or intra-dermal injection). Formulations suitable for parenteral administration include aqueous and non-aqueous sterile injection solutions that may contain anti-oxidants, buffers, bacteriostats and solutes that render the formulation isotonic with the blood of the recipient; and aqueous and non-aqueous sterile suspensions that may include suspending agents or thickening agents. The formulations may be presented in unit-dose or multi-dose containers, for example, sealed ampoules and vials and may be stored in a freeze-dried condition requiring only the addition of the sterile liquid carrier immediately prior to use. The vaccine formulation may also include adjuvant systems for enhancing the immunogenicity of the formulation, such as oil-in water systems and other systems known in the art. The dosage will depend on the specific activity of the vaccine and can be readily determined by routine experimentation.

Polypeptides of the present invention have one or more biological functions that are of relevance in one or more disease states, in particular the diseases of the invention hereinbefore mentioned. It is therefore useful to identify compounds that stimulate or inhibit the function or level of the polypeptide. Accordingly, in a further aspect, the present invention provides for a method of screening compounds to identify those that stimulate or inhibit the function or level of the polypeptide. Such methods identify agonists or antagonists that may be employed for therapeutic and prophylactic purposes for such diseases of the invention as hereinbefore mentioned. Compounds may be identified from a variety of sources, for example, cells, cell-free preparations, chemical libraries, collections of chemical compounds, and natural product mixtures. Such agonists or antagonists so-

identified may be natural or modified substrates, ligands, receptors, enzymes, etc., as the case may be, of the polypeptide; a structural or functional mimetic thereof (see Coligan *et al.*, Current Protocols in Immunology 1(2):Chapter 5 (1991)) or a small molecule. Such small molecules preferably have a molecular weight below 2,000 daltons, more preferably  
5 between 300 and 1,000 daltons, and most preferably between 400 and 700 daltons. It is preferred that these small molecules are organic molecules.

The screening method may simply measure the binding of a candidate compound to the polypeptide, or to cells or membranes bearing the polypeptide, or a fusion protein thereof, by means of a label directly or indirectly associated with the candidate compound.  
10 Alternatively, the screening method may involve measuring or detecting (qualitatively or quantitatively) the competitive binding of a candidate compound to the polypeptide against a labeled competitor (*e.g.* agonist or antagonist). Further, these screening methods may test whether the candidate compound results in a signal generated by activation or inhibition of the polypeptide, using detection systems appropriate to the cells bearing the polypeptide.  
15 Inhibitors of activation are generally assayed in the presence of a known agonist and the effect on activation by the agonist by the presence of the candidate compound is observed. Further, the screening methods may simply comprise the steps of mixing a candidate compound with a solution containing a polypeptide of the present invention, to form a mixture, measuring an activity of the genes set forth in Table I in the mixture, and  
20 comparing activity of the mixture of the genes set forth in Table I to a control mixture which contains no candidate compound.

Polypeptides of the present invention may be employed in conventional low capacity screening methods and also in high-throughput screening (HTS) formats. Such HTS formats include not only the well-established use of 96- and, more recently, 384-well  
25 micotiter plates but also emerging methods such as the nanowell method described by Schullek *et al.*, Anal Biochem., 246, 20-29, (1997).

Fusion proteins, such as those made from Fc portion and polypeptide of the genes set forth in Table I, as hereinbefore described, can also be used for high-throughput screening assays to identify antagonists for the polypeptide of the present invention (see D. Bennett *et al.*, J  
30 Mol Recognition, 8:52-58 (1995); and K. Johanson *et al.*, J Biol Chem, 270(16):9459-9471 (1995)).

The polynucleotides, polypeptides and antibodies to the polypeptide of the present invention may also be used to configure screening methods for detecting the effect of added compounds on the production of mRNA and polypeptide in cells. For example, an ELISA  
35 assay may be constructed for measuring secreted or cell associated levels of polypeptide

using monoclonal and polyclonal antibodies by standard methods known in the art. This can be used to discover agents that may inhibit or enhance the production of polypeptide (also called antagonist or agonist, respectively) from suitably manipulated cells or tissues.

5 A polypeptide of the present invention may be used to identify membrane bound or soluble receptors, if any, through standard receptor binding techniques known in the art. These include, but are not limited to, ligand binding and crosslinking assays in which the polypeptide is labeled with a radioactive isotope (for instance,  $^{125}\text{I}$ ), chemically modified (for instance, biotinylated), or fused to a peptide sequence suitable for detection or purification, and incubated with a source of the putative receptor (cells, cell membranes, cell  
10 supernatants, tissue extracts, bodily fluids). Other methods include biophysical techniques such as surface plasmon resonance and spectroscopy. These screening methods may also be used to identify agonists and antagonists of the polypeptide that compete with the binding of the polypeptide to its receptors, if any. Standard methods for conducting such assays are well understood in the art.

15 Examples of antagonists of polypeptides of the present invention include antibodies or, in some cases, oligonucleotides or proteins that are closely related to the ligands, substrates, receptors, enzymes, etc., as the case may be, of the polypeptide, *e.g.*, a fragment of the ligands, substrates, receptors, enzymes, etc.; or a small molecule that bind to the polypeptide of the present invention but do not elicit a response, so that the activity of the  
20 polypeptide is prevented.

Screening methods may also involve the use of transgenic technology and the genes set forth in Table I. The art of constructing transgenic animals is well established. For example, the genes set forth in Table I may be introduced through microinjection into the male pronucleus of fertilized oocytes, retroviral transfer into pre- or post-implantation  
25 embryos, or injection of genetically modified, such as by electroporation, embryonic stem cells into host blastocysts. Particularly useful transgenic animals are so-called "knock-in" animals in which an animal gene is replaced by the human equivalent within the genome of that animal. Knock-in transgenic animals are useful in the drug discovery process, for target validation, where the compound is specific for the human target. Other useful transgenic  
30 animals are so-called "knock-out" animals in which the expression of the animal ortholog of a polypeptide of the present invention and encoded by an endogenous DNA sequence in a cell is partially or completely annulled. The gene knock-out may be targeted to specific cells or tissues, may occur only in certain cells or tissues as a consequence of the limitations of the technology, or may occur in all, or substantially all, cells in the animal. Transgenic  
35 animal technology also offers a whole animal expression-cloning system in which

introduced genes are expressed to give large amounts of polypeptides of the present invention

Screening kits for use in the above described methods form a further aspect of the present invention. Such screening kits comprise:

- 5 (a) a polypeptide of the present invention;  
(b) a recombinant cell expressing a polypeptide of the present invention;  
(c) a cell membrane expressing a polypeptide of the present invention; or  
(d) an antibody to a polypeptide of the present invention;

which polypeptide is preferably that set forth in the Sequence Listing.

- 10 It will be appreciated that in any such kit, (a), (b), (c) or (d) may comprise a substantial component.

### Glossary

- The following definitions are provided to facilitate understanding of certain terms used frequently hereinbefore.

"Antibodies" as used herein includes polyclonal and monoclonal antibodies, chimeric, single chain, and humanized antibodies, as well as Fab fragments, including the products of an

Fab or other immunoglobulin expression library.

- 20 "Isolated" means altered "by the hand of man" from its natural state, *i.e.*, if it occurs in nature, it has been changed or removed from its original environment, or both. For example, a polynucleotide or a polypeptide naturally present in a living organism is not "isolated," but the same polynucleotide or polypeptide separated from the coexisting materials of its natural state is "isolated", as the term is employed herein. Moreover, a  
25 polynucleotide or polypeptide that is introduced into an organism by transformation, genetic manipulation or by any other recombinant method is "isolated" even if it is still present in said organism, which organism may be living or non-living.

- "Secreted protein activity or secreted polypeptide activity" or "biological activity of the secreted protein or secreted polypeptide" refers to the metabolic or physiologic function  
30 of said secreted protein including similar activities or improved activities or these activities with decreased undesirable side-effects. Also included are antigenic and immunogenic activities of said secreted protein.

"Secreted protein gene" refers to a polynucleotide comprising any of the attached nucleotide sequences or allelic variants thereof and/or their complements.

"Polynucleotide" generally refers to any polyribonucleotide (RNA) or polydeoxribonucleotide (DNA), which may be unmodified or modified RNA or DNA.

"Polynucleotides" include, without limitation, single- and double-stranded DNA, DNA that is a mixture of single- and double-stranded regions, single- and double-stranded RNA, and RNA that is mixture of single- and double-stranded regions, hybrid molecules comprising DNA and RNA that may be single-stranded or, more typically, double-stranded or a mixture of single- and double-stranded regions. In addition, "polynucleotide" refers to triple-stranded regions comprising RNA or DNA or both RNA and DNA. The term "polynucleotide" also includes DNAs or RNAs containing one or more modified bases and DNAs or RNAs with backbones modified for stability or for other reasons. "Modified" bases include, for example, tritylated bases and unusual bases such as inosine. A variety of modifications may be made to DNA and RNA; thus, "polynucleotide" embraces chemically, enzymatically or metabolically modified forms of polynucleotides as typically found in nature, as well as the chemical forms of DNA and RNA characteristic of viruses and cells. "Polynucleotide" also embraces relatively short polynucleotides, often referred to as oligonucleotides.

"Polypeptide" refers to any polypeptide comprising two or more amino acids joined to each other by peptide bonds or modified peptide bonds, i.e., peptide isosteres.

"Polypeptide" refers to both short chains, commonly referred to as peptides, oligopeptides or oligomers, and to longer chains, generally referred to as proteins. Polypeptides may contain amino acids other than the 20 gene-encoded amino acids. "Polypeptides" include amino acid sequences modified either by natural processes, such as post-translational processing, or by chemical modification techniques that are well known in the art. Such modifications are well described in basic texts and in more detailed monographs, as well as in a voluminous research literature. Modifications may occur anywhere in a polypeptide, including the peptide backbone, the amino acid side-chains and the amino or carboxyl termini. It will be appreciated that the same type of modification may be present to the same or varying degrees at several sites in a given polypeptide. Also, a given polypeptide may contain many types of modifications. Polypeptides may be branched as a result of ubiquitination, and they may be cyclic, with or without branching. Cyclic, branched and branched cyclic polypeptides may result from post-translation natural processes or may be made by synthetic methods. Modifications include acetylation, acylation, ADP-ribosylation, amidation, biotinylation, covalent attachment of flavin, covalent attachment of a heme moiety, covalent attachment of a nucleotide or nucleotide derivative, covalent attachment of a lipid or lipid derivative, covalent attachment of phosphatidylinositol, cross-

linking, cyclization, disulfide bond formation, demethylation, formation of covalent cross-links, formation of cystine, formation of pyroglutamate, formylation, gamma-carboxylation, glycosylation, GPI anchor formation, hydroxylation, iodination, methylation, myristoylation, oxidation, proteolytic processing, phosphorylation, prenylation, racemization, selenoylation, sulfation, transfer-RNA mediated addition of amino acids to proteins such as arginylation, and ubiquitination (see, for instance, *Proteins - Structure and Molecular Properties*, 2nd Ed., T. E. Creighton, W. H. Freeman and Company, New York, 1993; Wold, F., Post-translational Protein Modifications: Perspectives and Prospects, 1-12, in *Post-translational Covalent Modification of Proteins*, B. C. Johnson, Ed., Academic Press, New York, 1983; Seifter *et al.*, "Analysis for protein modifications and nonprotein cofactors", *Meth Enzymol*, 182, 626-646, 1990, and Rattan *et al.*, "Protein Synthesis: Post-translational Modifications and Aging", *Ann NY Acad Sci*, 663, 48-62, 1992).

"Fragment" of a polypeptide sequence refers to a polypeptide sequence that is shorter than the reference sequence but that retains essentially the same biological function or activity as the reference polypeptide. "Fragment" of a polynucleotide sequence refers to a polynucleotide sequence that is shorter than the reference sequence set forth in the Sequence Listing.

"Variant" refers to a polynucleotide or polypeptide that differs from a reference polynucleotide or polypeptide, but retains the essential properties thereof. A typical variant of a polynucleotide differs in nucleotide sequence from the reference polynucleotide. Changes in the nucleotide sequence of the variant may or may not alter the amino acid sequence of a polypeptide encoded by the reference polynucleotide. Nucleotide changes may result in amino acid substitutions, additions, deletions, fusions and truncations in the polypeptide encoded by the reference sequence, as discussed below. A typical variant of a polypeptide differs in amino acid sequence from the reference polypeptide. Generally, alterations are limited so that the sequences of the reference polypeptide and the variant are closely similar overall and, in many regions, identical. A variant and reference polypeptide may differ in amino acid sequence by one or more substitutions, insertions, deletions in any combination. A substituted or inserted amino acid residue may or may not be one encoded by the genetic code. Typical conservative substitutions include Gly, Ala; Val, Ile, Leu; Asp, Glu; Asn, Gln; Ser, Thr; Lys, Arg; and Phe and Tyr. A variant of a polynucleotide or polypeptide may be naturally occurring such as an allele, or it may be a variant that is not known to occur naturally. Non-naturally occurring variants of polynucleotides and polypeptides may be made by mutagenesis techniques or by direct synthesis. Also included as variants are polypeptides having one or more post-translational modifications, for



instance glycosylation, phosphorylation, methylation, ADP ribosylation and the like. Embodiments include methylation of the N-terminal amino acid, phosphorylations of serines and threonines and modification of C-terminal glycines.

5 "Allele" refers to one of two or more alternative forms of a gene occurring at a given locus in the genome.

"Polymorphism" refers to a variation in nucleotide sequence (and encoded polypeptide sequence, if relevant) at a given position in the genome within a population.

"Single Nucleotide Polymorphism" (SNP) refers to the occurrence of nucleotide variability at a single nucleotide position in the genome, within a population. An SNP may  
10 occur within a gene or within intergenic regions of the genome. SNPs can be assayed using Allele Specific Amplification (ASA). For the process at least 3 primers are required. A common primer is used in reverse complement to the polymorphism being assayed. This common primer can be between 50 and 1500 bps from the polymorphic base. The other two (or more) primers are identical to each other except that the final 3' base wobbles to match  
15 one of the two (or more) alleles that make up the polymorphism. Two (or more) PCR reactions are then conducted on sample DNA, each using the common primer and one of the Allele Specific Primers.

"Splice Variant" as used herein refers to cDNA molecules produced from RNA molecules initially transcribed from the same genomic DNA sequence but which have  
20 undergone alternative RNA splicing. Alternative RNA splicing occurs when a primary RNA transcript undergoes splicing, generally for the removal of introns, which results in the production of more than one mRNA molecule each of that may encode different amino acid sequences. The term splice variant also refers to the proteins encoded by the above cDNA molecules.

25 "Identity" reflects a relationship between two or more polypeptide sequences or two or more polynucleotide sequences, determined by comparing the sequences. In general, identity refers to an exact nucleotide to nucleotide or amino acid to amino acid correspondence of the two polynucleotide or two polypeptide sequences, respectively, over the length of the sequences being compared.

30 "% Identity" - For sequences where there is not an exact correspondence, a "% identity" may be determined. In general, the two sequences to be compared are aligned to give a maximum correlation between the sequences. This may include inserting "gaps" in either one or both sequences, to enhance the degree of alignment. A % identity may be determined over the whole length of each of the sequences being compared (so-called global  
35 alignment), that is particularly suitable for sequences of the same or very similar length, or

over shorter, defined lengths (so-called local alignment), that is more suitable for sequences of unequal length.

"Similarity" is a further, more sophisticated measure of the relationship between two polypeptide sequences. In general, "similarity" means a comparison between the amino acids of two polypeptide chains, on a residue by residue basis, taking into account not only exact correspondences between a between pairs of residues, one from each of the sequences being compared (as for identity) but also, where there is not an exact correspondence, whether, on an evolutionary basis, one residue is a likely substitute for the other. This likelihood has an associated "score" from which the "% similarity" of the two sequences can then be determined.

Methods for comparing the identity and similarity of two or more sequences are well known in the art. Thus for instance, programs available in the Wisconsin Sequence Analysis Package, version 9.1 (Devereux J et al, Nucleic Acids Res, 12, 387-395, 1984, available from Genetics Computer Group, Madison, Wisconsin, USA), for example the programs BESTFIT and GAP, may be used to determine the % identity between two polynucleotides and the % identity and the % similarity between two polypeptide sequences. BESTFIT uses the "local homology" algorithm of Smith and Waterman (J Mol Biol, 147,195-197, 1981, Advances in Applied Mathematics, 2, 482-489, 1981) and finds the best single region of similarity between two sequences. BESTFIT is more suited to comparing two polynucleotide or two polypeptide sequences that are dissimilar in length, the program assuming that the shorter sequence represents a portion of the longer. In comparison, GAP aligns two sequences, finding a "maximum similarity", according to the algorithm of Needleman and Wunsch (J Mol Biol, 48, 443-453, 1970). GAP is more suited to comparing sequences that are approximately the same length and an alignment is expected over the entire length. Preferably, the parameters "Gap Weight" and "Length Weight" used in each program are 50 and 3, for polynucleotide sequences and 12 and 4 for polypeptide sequences, respectively. Preferably, % identities and similarities are determined when the two sequences being compared are optimally aligned.

Other programs for determining identity and/or similarity between sequences are also known in the art, for instance the BLAST family of programs (Altschul S F et al, J Mol Biol, 215, 403-410, 1990, Altschul S F et al, Nucleic Acids Res., 25:389-3402, 1997, available from the National Center for Biotechnology Information (NCBI), Bethesda, Maryland, USA and accessible through the home page of the NCBI at [www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov)) and FASTA (Pearson W R, Methods in Enzymology, 183, 63-99,

1990; Pearson W R and Lipman D J, Proc Nat Acad Sci USA, 85, 2444-2448, 1988, available as part of the Wisconsin Sequence Analysis Package).

Preferably, the BLOSUM62 amino acid substitution matrix (Henikoff S and Henikoff J G, Proc. Nat. Acad Sci. USA, 89, 10915-10919, 1992) is used in polypeptide  
5 sequence comparisons including where nucleotide sequences are first translated into amino acid sequences before comparison.

Preferably, the program BESTFIT is used to determine the % identity of a query polynucleotide or a polypeptide sequence with respect to a reference polynucleotide or a polypeptide sequence, the query and the reference sequence being optimally aligned and the  
10 parameters of the program set at the default value, as hereinbefore described.

"Identity Index" is a measure of sequence relatedness which may be used to compare a candidate sequence (polynucleotide or polypeptide) and a reference sequence. Thus, for instance, a candidate polynucleotide sequence having, for example, an Identity Index of 0.95 compared to a reference polynucleotide sequence is identical to the reference  
15 sequence except that the candidate polynucleotide sequence may include on average up to five differences per each 100 nucleotides of the reference sequence. Such differences are selected from the group consisting of at least one nucleotide deletion, substitution, including transition and transversion, or insertion. These differences may occur at the 5' or 3' terminal  
20 positions of the reference polynucleotide sequence or anywhere between these terminal positions, interspersed either individually among the nucleotides in the reference sequence or in one or more contiguous groups within the reference sequence. In other words, to obtain a polynucleotide sequence having an Identity Index of 0.95 compared to a reference polynucleotide sequence, an average of up to 5 in every 100 of the nucleotides of the in the reference sequence may be deleted, substituted or inserted, or any combination thereof, as  
25 hereinbefore described. The same applies *mutatis mutandis* for other values of the Identity Index, for instance 0.96, 0.97, 0.98 and 0.99.

Similarly, for a polypeptide, a candidate polypeptide sequence having, for example, an Identity Index of 0.95 compared to a reference polypeptide sequence is identical to the reference sequence except that the polypeptide sequence may include an average of up to  
30 five differences per each 100 amino acids of the reference sequence. Such differences are selected from the group consisting of at least one amino acid deletion, substitution, including conservative and non-conservative substitution, or insertion. These differences may occur at the amino- or carboxy-terminal positions of the reference polypeptide sequence or anywhere between these terminal positions, interspersed either individually  
35 among the amino acids in the reference sequence or in one or more contiguous groups

within the reference sequence. In other words, to obtain a polypeptide sequence having an Identity Index of 0.95 compared to a reference polypeptide sequence, an average of up to 5 in every 100 of the amino acids in the reference sequence may be deleted, substituted or inserted, or any combination thereof, as hereinbefore described. The same applies *mutatis*  
 5 *mutandis* for other values of the Identity Index, for instance 0.96, 0.97, 0.98 and 0.99.

The relationship between the number of nucleotide or amino acid differences and the Identity Index may be expressed in the following equation:

$$n_a \leq x_a - (x_a \cdot I),$$

in which:

10  $n_a$  is the number of nucleotide or amino acid differences,

$x_a$  is the total number of nucleotides or amino acids in a sequence set forth in the Sequence Listing,

$I$  is the Identity Index,

$\cdot$  is the symbol for the multiplication operator, and

15 in which any non-integer product of  $x_a$  and  $I$  is rounded down to the nearest integer prior to subtracting it from  $x_a$ .

"Homolog" is a generic term used in the art to indicate a polynucleotide or polypeptide sequence possessing a high degree of sequence relatedness to a reference sequence. Such relatedness may be quantified by determining the degree of identity and/or  
 20 similarity between the two sequences as hereinbefore defined. Falling within this generic term are the terms "ortholog", and "paralog". "Ortholog" refers to a polynucleotide or polypeptide that is the functional equivalent of the polynucleotide or polypeptide in another species. "Paralog" refers to a polynucleotide or polypeptide that within the same species which is functionally similar.

25 "Fusion protein" refers to a protein encoded by two, often unrelated, fused genes or fragments thereof. In one example, EP-A-0 464 533-A discloses fusion proteins comprising various portions of constant region of immunoglobulin molecules together with another human protein or part thereof. In many cases, employing an immunoglobulin Fc region as a part of a fusion protein is advantageous for use in therapy and diagnosis resulting in, for  
 30 example, improved pharmacokinetic properties [see, *e.g.*, EP-A 0232 262]. On the other hand, for some uses it would be desirable to be able to delete the Fc part after the fusion protein has been expressed, detected and purified.

All publications and references, including but not limited to patents and patent applications, cited in this specification are herein incorporated by reference in their entirety  
 35 as if each individual publication or reference were specifically and individually indicated to

be incorporated by reference herein as being fully set forth. Any patent application to which this application claims priority is also incorporated by reference herein in its entirety in the manner described above for publications and references.

**Table I.**

Gene Name	GSK Gene ID	Nucleic Acid SEQ ID NO's	Corresponding Protein SEQ ID NO's
sbg318680DNase	318680	SEQ ID NO:1	SEQ ID NO:40
sbg237038SA	237038	SEQ ID NO:2 SEQ ID NO:3	SEQ ID NO:41 SEQ ID NO:42
sbg340871GPV	340871	SEQ ID NO:4	SEQ ID NO:43
sbg293416HNKS	293416	SEQ ID NO:5 SEQ ID NO:6	SEQ ID NO:44 SEQ ID NO:45
sbg257418ZP	257418	SEQ ID NO:7	SEQ ID NO:46
sbg319185CDa	319185	SEQ ID NO:8 SEQ ID NO:9	SEQ ID NO:47 SEQ ID NO:48
sbg323307KIAAa	323307	SEQ ID NO:10	SEQ ID NO:49
sbg315953GPPa	315953	SEQ ID NO:11 SEQ ID NO:12	SEQ ID NO:50 SEQ ID NO:51
sbg318486ONC	318486	SEQ ID NO:13	SEQ ID NO:52
sbg299359LIPO	299359	SEQ ID NO:14	SEQ ID NO:53
sbg230022NGa	230022	SEQ ID NO:15 SEQ ID NO:16	SEQ ID NO:54 SEQ ID NO:55
sbg297169BGP	297169	SEQ ID NO:17 SEQ ID NO:18	SEQ ID NO:56 SEQ ID NO:57

5

sbg253919HSCCAa	253919	SEQ ID NO:19 SEQ ID NO:20	SEQ ID NO:58 SEQ ID NO:59
sbg228137OLF	228137	SEQ ID NO:21 SEQ ID NO:22	SEQ ID NO:60 SEQ ID NO:61
sbg378514Netrin	378514	SEQ ID NO:23 SEQ ID NO:24	SEQ ID NO:62 SEQ ID NO:63
sbg253227.mucous matrix glycoprotein	253227	SEQ ID NO:25 SEQ ID NO:26	SEQ ID NO:64 SEQ ID NO:65
sbg262831SIAa	262831	SEQ ID NO:27 SEQ ID NO:28	SEQ ID NO:66 SEQ ID NO:67
sbg233728LIPASE	233728	SEQ ID NO:29	SEQ ID NO:68
sbg400455.CRF	400455	SEQ ID NO:30	SEQ ID NO:69
sbg400612KINASEa	400612	SEQ ID NO:31	SEQ ID NO:70
sbg381373ACRP	381373	SEQ ID NO:32	SEQ ID NO:71
sbg401294MEX-3	401294	SEQ ID NO:33 SEQ ID NO:34	SEQ ID NO:72 SEQ ID NO:73
sbg247722Cadherin	247722	SEQ ID NO:35 SEQ ID NO:36	SEQ ID NO:74 SEQ ID NO:75
sbg391057THIPa	391057	SEQ ID NO:37 SEQ ID NO:38	SEQ ID NO:76 SEQ ID NO:77
sbg378067TGFC	378067	SEQ ID NO:39	SEQ ID NO:78

Table II

Gene Name	Gene Family	Closest Polynucleotide by homology	Closest Polypeptide by homology	Cell Localization (by homology)
sbg318680-DNase	DNase I	GB:AC022471 Submitted (04-FEB-2000) by Lita Annenberg Hazen Genome Sequencing Center, Cold Spring Harbor Laboratory, 1 Bungtown Road, Cold Spring Harbor, NY 11724, USA.	Human DNase I-like endonuclease, gi:5803007 Parrish JE, Ciccodicola A, Wehhert M, Cox GF, Chen E, and Nelson DL; 1995; Hum. Mol. Genet. 4:1557-1564.	Secreted
sbg237038-SA	SA protein	GB:AC023292 Submitted (11-FEB-2000) by Whitehead Institute/MIT Center for Genome Research, 320 Charles Street, Cambridge, MA 02141, USA.	Human SA gene, gi:2988399 Loftus,B.J. et al. Genomics 60 (3), 295-308 (1999)	Secreted
sbg340871-GPV	Platelet glycoprotein (GPV)	GB:AC025389 Submitted (08-MAR-2000) by Whitehead Institute/MIT Center for Genome Research, 320 Charles Street, Cambridge, MA 02141, USA.	Rat platelet glycoprotein V (GPV) precursor, gi:6980974 Ravanat C, Morales M, Azorsa DO, Moog S, Schuhler S, Grunert P, Loew D, Van Dorselaer A, Cazenave JP, Lanza F; 1997; Blood 89:3253-62.	Secreted
sbg293416-HNKS	HNK-1 sulfotransferase	JGI:LLNL-R_241B6 Joint Genome Institute, Department of Energy, USA	Human GalNAc 4-sulfotransferase, gi:11990885 Okuda,T., Mita,S., Yamauchi,S., Fukuta,M., Nakano,H., Sawada,T. and Habuchi,O. J. Biol. Chem. 275 (51), 40605-40613 (2000)	Secreted
sbg257418-ZP	Zona pellucida protein	GB:AP000777 Submitted (25-NOV-1999) to the DDBJ/EMBL/GenBank databases. Masahira Hattori, The Institute of Physical and Chemical Research (RIKEN), Genomic Sciences Center (GSC); Kitasato Univ., 1-15-1 Kitasato, Sagamihara, Kanagawa 228-8555, Japan.	Mouse zona pellucida glycoprotein, gi:6677653 Epifano,O., Liang,L.F., Familiar,M., Moos,M.C. Jr. and Dean,J.; 1995; Development 121:1947-1956.	Secreted

Table II (cont).

Gene Name	Gene Family	Cl sest P lynucl tid by homology	Closest P lypeptide by homology	Cell Localization (by homology)
sbg319185-CDa	Leukocyte differentiation antigen	GB:AC024004 Submitted (20-FEB-2000) by Whitehead Institute/MIT Center for Genome Research, 320 Charles Street, Cambridge, MA 02141, USA	Human leukocyte differentiation antigen CD84 isoform CD84s, gi:6650112 Submitted (20-MAR-1998) by Servei d'Immunologia, Hospital Clinic, Villarroel 170, Barcelona 08036, Spain	Secreted
sbg323307-KIAAa	Slit-like	GB:AL160156, Submitted (10-MAR-2000) by Sanger Centre, Hinxton, Cambridgeshire, CB10 1SA, UK.	Human unnamed protein, gi:10439289 Submitted (29-AUG-2000) by Sumio Sugano, Institute of Medical Science, University of Tokyo, Laboratory of Genome Structure Analysis, Human Genome Center, Shirokane-dai, 4-6-1, Minato-ku, Tokyo 108-8639, Japan	Secreted
sbg315953-GPPa	Granulocyte peptide A	GB:AC011666 Submitted (09-OCT-1999) by Department Of Chemistry And Biochemistry, The University Of Oklahoma, 620 Parrington Oval, Room 208, Norman, OK 73019, USA	Human hypothetical protein SBB167, gi:9966869 Submitted (08-MAR-2000) by Department of Immunology, Second Military Medical University & Shanghai Brilliance Biotechnology Institute, 800 Xiangyin Rd., Shanghai 200433, P.R. China	Secreted
sbg318486-ONC	Oncotrophoblast glycoprotein	GB:AC022045 Submitted (25-JAN-2000) by tehead Institute/MIT Center for Genome Research, 320 Charles Street, Cambridge, MA 02141, USA.	Canine 5T4 tumour-associated antigen' geneseqp:Y94351 Submitted by OXFORD BIOMEDICA UK LTD Publication number and date: WO200029428-A2, 25-MAY-00	Secreted

Table II (cont).

Gene Name	Gen Family	Closest Polynucleotide by homology	Closest Polypeptide by homology	Cell Localization (by homology)
sbg29935 9-LIPO	Lipocalin	SC:AL139041 Submitted (16-NOV-2000) by Sanger Centre, Hinxton, Cambridgeshire, CB10 1SA, UK	Mouse major urinary protein (MUP) 4, gi:6678968 Shahan K, Gilmartin M, and Derman E; 1987; Mol Cell Biol 7:1938- 1946.	Secreted
sbg23002 2-NGa	Plasmacytoma -associated neuronal glycoprotein	GB:AC066608 GB:AC022002 Submitted (25-APR-2000) and (24-JAN-2000) by Human Genomic Center, Institute of Genetics, Chinese Academy of Sciences, Datun Road, Beijing, Beijing 100101, P.R.China	Rat neural cell adhesion protein BIG-2 precursor, gi :1016012 Yoshihara, Y., Kawasaki, M., Tamada, A., Nagata, S., Kagamiyama, H. and Mori, K. J. Neurobiol. 28 (1), 51-69 (1995)	Membrane- bound
sbg29716 9-BGP	Biliary glycoprotein (BGP)	JGI: CITB- E1_2616J11 Submitted by Joint Genome Institute, Department of Energy, USA	Mouse biliary glycoprotein (BGP), gi:312584 McCuaig K, Rosenberg M, Nedellec P, Turbide C, and Beauchemin N; 1993; Gene 127:173- 83.	Secreted
sbg25391 9- HSCCAa	Human squamous cell carcinoma antigen (SCCA)	GB:AC019355 Submitted (02-JAN-2000) by Whitehead Institute/MIT Center for Genome Research, 320 Charles Street, Cambridge, MA 02141, USA	Human squamous cell carcinoma antigen 2 (SCCA-2) (LEUPIN). gi:1710877. Schneider, S.S., Schick, C., Fish, K.E., Miller, E., Pena, J.C., Treter, S.D., Hui, S.M. and Silverman, G.A. Proc. Natl. Acad. Sci. U.S.A. 92 (8), 3147- 3151 (1995).	Secreted
sbg22813 7-OLF	Olfactomedin -related protein	GB:AC022606 Submitted (06- FEB-2000) by Whitehead Institute/MIT Center for Genome Research, 320 Charles Street, Cambridge, MA 02141, USA	Rat neuronal olfactomedin-related protein precursor, gi:3024210 Danielson, P.E., Forss- Petter, S., Battenberg, E.L., deLecea, L., Bloom, F.E., and Sutcliffe, J.G., 1994, J. Neurosci. Res. 38:468- 478.	Secreted



Table II (cont).

Gene Name	Gene Family	Cl est Polynuclotide by homology	Closest Polypeptide by homol gy	Cell Localization (by homology)
sbg378514- Netrin	Netrin precursor	SC:BA5N16 Submitted (09-APR-2001) by Sanger Centre, Hinxton, Cambridgeshire, CB10 1SA, UK.	Mouse Netrin-G1a protein gi:9909148 Nakashiba,T., Ikeda,T., Nishimura,S., Tashiro,K., Honjo,T., Culotti,J.G. and Itohara,S. J. Neurosci. 20 (17), 6540-6550 (2000)	Secreted
sbg253227. mucous matrix glycoprotein	Extracellular mucous matrix glycoprotein (EMMG)	GB:AC011647 Submitted (08-OCT-1999) by Whitehead Institute/MIT Center for Genome Research, 320 Charles Street, Cambridge, MA 02141, USA	Human colon specific protein, geneseqp:Y54368 Submitted by DIADEXUS LLC Publication number and date: WO9960161-A1, 25-NOV-99	Secreted
sbg262831- SIAa	Sialoadhesin	JGI:CITB- E1_3073N11 Found at Joint Genome Institute	Human sialic acid binding immunoglobulin-like lectin 8 long splice variant, gi: 9837433 Foussias,G., Yousef,G.M. and Diamandis,E.P. Biochem. Biophys. Res. Commun. 278 (3), 775- 781 (2000)	Secreted
sbg233728- LIPASE	Pancreatic lipase	GB:AC011098 Submitted (01-OCT-1999) by Whitehead Institute/MIT Center for Genome Research, 320 Charles Street, Cambridge, MA 02141, USA.	Human pancreatic lipase precursor, gi:126318 Lowe ME, Rosenblum JL, and Strauss AW; 1989; J Biol Chem 264:20042-8.	Secreted
sbg400455. -CRF	C1q-related factor (CRF)	GB:AC024339 Submitted (28-FEB-2000) by Whitehead Institute/MIT Center for Genome Research, 320 Charles Street, Cambridge, MA 02141, USA	MouseGliacolin, gi:10566471 Koide,T., Aso,A., Yorihuzi,T. and Nagata,K. J. Biol. Chem. 275 (36), 27957- 27963 (2000)	Secreted

Table II (cont).

Gene Nam	Gene Family	Closest Polynucleotide by homology	Closest Polypeptid by homology	Cell Localization (by homol gy)
sbg400612-KINASEa	Protein kinase	GB:AP001615 Submitted (04-APR-2000) to the DDBJ/EMBL/GenBank databases. Nobuyoshi Shimizu, Keio University, School of Medicine, Molecular Biology; 35 Shinanomachi, Shinjuku-ku, Tokyo 160-8582, Japan	Murine protein kinase/ankyrin homologue, gene seq: Y76079 Submitted by GENESIS RES & DEV CORP LTD Publication number and date: WO9955865-A1 04-NOV-99	Secreted
sbg381373-ACRP	Adipocyte complement-related protein (ACRP30)	JGI:RPCI-11_161M6 Found at Joint Genome Institute, Department of Energy, USA	Human adipocyte Complement-Related Protein (ACRP30R2), gene seq: Y44487. Submitted by SMITHKLINE BEECHAM CORP Publication number and date: WO9964629-A1, 16-DEC-99	Secreted
sbg401294-MEX-3	MEX-3(IAP)	GB:AC026956 Submitted (25-MAR-2000) by Whitehead Institute/MIT Center for Genome Research, 320 Charles Street, Cambridge, MA 02141, USA	Caenorhabditis elegans MEX-3, gi:1644450 Draper, B.W., Mello, C.C., Bowerman, B., Hardin, J. and Priess, J.R. Cell 87 (2), 205-216 (1996)	Cyto solic (RNA-binding protein)
sbg247722-Cadherin	OB-Cadherin	GB:AL132780 Submitted (02-NOV-1999) by Genoscope - Centre National de Sequencage : BP 191 91006 EVRY cedex - FRANCE	Human OB-cadherin-1, gi:1377894 Okazaki, M., Takeshita, S., Kawai, S., Kikuno, R., Tsujimura, A., Kudo, A. and Amann, E. J. Biol. Chem. 269 (16), 12092-12098 (1994)	Secreted

Table II (cont).

Gen Name	Gene Family	Closest Polynucleotide by homology	Closest Polypeptide by homology	Cell Localization (by homology)
sbg391057-THIPa	Thyroid hormone induced protein	SC:AL158153, SC:AL392044 Submitted (22-MAR-2001) and (02-MAR-2001) by Sanger Centre, Hinxton, Cambridgeshire, CB10 1SA, UK.	Human TANGO 239, geneseqp:B01432 Submitted by MILLENNIUM PHARM INC Publication number and date: WO200039284-A1, 06-JUL-00	Secreted
sbg378067-TGFC	TGF beta (transforming growth factor beta)	SC:AL162502 Submitted (06-APR-2001) by Sanger Centre, Hinxton, Cambridgeshire, CB10 1SA, UK.	Human persephin growth factor, geneseqp:Y16714 Submitted by UNIV WASHINGTON Publication number and date: WO9914235-A1 25-MAR-99	Secreted

Table III.

Gene Name	Uses	Associated Diseases
sbg318680-DNase	An embodiment of the invention is the use of sbg318680-DNase to treat respiratory diseases and target parasites or cancer cells as a chromosome degrading agent to cause death of those cells. Close homologues of sbg318680-DNase are DNases. DNase can be used to treat respiratory diseases, such as pneumonia, cystic fibrosis and asthma, by reducing viscosity of bronchopulmonary secretions (MacConnachie AM; 1999; Intensive Crit Care Nurs 14:101-2).	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing disorders, inflammation and respiratory diseases
sbg237038-SA	An embodiment of the invention is the use of sbg237038SA in blood pressure control. A close homologue of sbg237038SA is the rat SA gene. The SA gene is expressed at higher levels in the kidney of genetically hypertensive rats (Yang T, Hassan SA, Singh I, Smart A, Brosius FC, Holzman LB, Schnermann JB, Briggs JP; 1996; Hypertension 27:541-51).	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing disorders, inflammation, and hypertension
sbg340871-GPV	An embodiment of the invention is the use of sbg340871-GPV in hemostasis and platelet aggregation. A close homologue of sbg340871-GPV is platelet glycoprotein (GP) V. Platelet glycoprotein (GP) V is a major surface protein which is cleaved by thrombin during platelet activation, and associates with GPIb-IX complex to form GPIb-V-IX, a receptor for von Willebrand factor and thrombin. Its functional role in hemostasis is possibly related to thrombin-induced platelet aggregation (Ravanat C, Morales M, Azorsa DO, Moog S, Schuhler S, Grunert P, Loew D, Van Dorsselaer A, Cazenave JP, Lanza F; 1997; Blood 89:3253-62).	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing disorders, inflammation, and Bernard-Soulier disease
sbg293416-HNKS	An embodiment of the invention is the use of sbg293416-HNKS in cell interactions and the development of the nervous system. Close homologues of sbg293416-HNKS are sulfotransferases. Sulfotransferases are considered to be key enzymes in the biosynthesis of the HNK-1 carbohydrate epitope, which is expressed on several neural adhesion glycoproteins and as a glycolipid, and is involved in cell interactions (Bakker,H., Friedmann,I., Oka,S., Kawasaki,T., Nifant'ev,N., Schachner,M. and Mantei,N., 1997, J. Biol. Chem. 272:29942-29946). The HNK-1 epitope is spatially and temporally regulated during the development of the nervous system. The biological function of the HNK-1 sulfotransferase may be related to the development of the nervous system, and also may be involved in the preferential reinnervation of muscle nerves by motor axons after lesion (Jungalwala FB, 1994, Neurochem Res 19:945-57).	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing disorders, inflammation, and peripheral neuropathies

Table III (cont).

Gene Name	Uses	Associated Diseases
sbg257418-ZP	An embodiment of the invention is the use of sbg257418ZP in fertilization. A close homologue of sbg257418ZP is zona pellucida. Zona pellucida protein is an extracellular matrix that surrounds growing oocytes, ovulated eggs, and early embryos and it is critically involved in fertilization (Epifano, O., Liang, L.F., Familiar, M., Moos, M.C. Jr. and Dean, J.; 1995; Development 121:1947-1956). The zona pellucida also provides a post-fertilization block to polyspermy and protects the growing embryo as it passes down the oviduct (Rankin T, and Dean J; 1996; Mol Hum Reprod 2:889-94).	Infertility
sbg319185-CDa	An embodiment of the invention is the use of sbg319185CDa, a secreted protein, in the diagnosis and treatment of cancer and autoimmune disorders. Close homologues of sbg319185CDa are leukocyte differentiation antigen CD84 isoforms. CD84's are members of the immunoglobulin superfamily, show high homology with several molecules belonging to the CD2 family of differentiation antigens and is proposed to be useful in the diagnosis and treatment of cancer and autoimmune disorders (Palou E, Piroto F, Sole J, Freed JH, Peral B, Vilardell C, Vilella R, Vives J, Gaya A. Genomic characterization of CD84 reveals the existence of five isoforms differing in their cytoplasmic domains. Tissue Antigens 2000 Feb;55(2):118-27)).	Cancer, autoimmune disorders, wound healing disorders, infections and hematopoietic disorders
sbg323307-KIAAa	An embodiment of the invention is the use of sbg323307-KIAAa, a secreted protein, to regulate cell signaling, motility, and nucleic acid management. A close homologue of sbg323307-KIAAa is human KIAA0918 protein. Human KIAA0918 protein, a slit-like protein is functionally related to cell signaling/communication, cell structure/motility and nucleic acid management (Nagase, T., Ishikawa, K., Suyama, M., Kikuno, R., Hirose, M., Miyajima, N., Tanaka, A., Kotani, H., Nomura, N. and Ohara, O. KIAA0918 protein [Homo sapiens], DNA Res. 5 (6), 355-364 (1998)).	Cancer, autoimmune disorders, infections, wound healing disorders and hematopoietic disorders

Table III (cont).

Gene Name	Uses	Associated Diseases
sbg315953-GPPa	An embodiment of the invention is the use of sbg315953GPPa, a secreted protein, to treat disorders associated with lipopolysaccharides. A close homologue to sbg315953GPPa is Bovine granulocyte peptide A precursor. Bovine granulocyte peptide A precursors are used in human and veterinary medicine, particularly to treat disorders associated with lipopolysaccharides, e.g. sepsis and endotoxaemia (1. Selsted ME, Bovine granulocyte peptide A precursor (antimicrobial BGP-A). Accession Number W23722, Publication Date 21-AUG-97. 2. Yount NY, Yuan J, Tarver A, Castro T, Diamond G, Tran PA, Levy JN, McCullough C, Cullor JS, Bevins CL, Selsted ME. Cloning and expression of bovine neutrophil beta-defensins. Biosynthetic profile during neutrophilic maturation and localization of mature peptide to novel cytoplasmic dense granules. J Biol Chem 1999 Sep 10;274(37):26249-58)).	Infections, cancer, autoimmune disorders, wounder healing disorders and hematopoietic disorders.
sbg318486-ONC	An embodiment of the invention is the use of sbg318486ONC in the growth and invasion events of trophoblast and tumor cells. A close homologue to sbg318486ONC is oncotrophoblast glycoproteins. It has been shown that oncotrophoblast protein was expressed by tumor cells with metastatic spread, suggesting a role in invasion during cancer (King,K.W., Sheppard,F.C., Westwater,C., Stern,P.L. and Myers,K.A.; 1999; Biochim. Biophys. Acta 1445, 257-270).	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing disorders, and inflammation
sbg299359-LIPO	An embodiment of the invention is the use of sbg299359LIPO in sperm maturation, taste recognition, and transportation of some molecules across the blood brain barrier. A close homologue to sbg299359LIPO is Lipocalin. Lipocalins transport small hydrophobic molecules such as steroids, bilins, retinoids, and lipids, and they have various effects on a number of tissues. It has been shown that lipocalins are involved in sperm maturation, taste recognition, and transportation of some molecules across the blood brain barrier (Newcomer M.E.; 1993; Structure 1:7-18; Achen M.G., Harms P.J., Thomas T., Richardson S.J., Wettenhall R.E.H., Schreiber G.; 1992; J. Biol. Chem. 267:23170-23174)	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing disorders, and inflammation

Table III (cont).

Gen Name	Uses	Associated Diseases
sbg230022-NGa	An embodiment of the invention is the use of sbg230022Nga in the formation and maintenance of neuron type-specific networks in the brain. Close homologues to sbg230022Nga are mouse plasmacytoma-associated neuronal glycoprotein and rat BIG-1 protein. Mouse plasmacytoma-associated neuronal glycoprotein, is ectopically activated by intracisternal A-type particle long terminal repeats in murine plasmacytomas. Rat BIG-1 protein, is a TAG-1/F3-related member of the immunoglobulin superfamily with neurite outgrowth-promoting activity and involved in the formation and maintenance of neuron type-specific networks in the brain (1. Connelly MA, Grady RC, Mushinski JF, Marcu KB. PANG, a gene encoding a neuronal glycoprotein, is ectopically activated by intracisternal A-type particle long terminal repeats in murine plasmacytomas. Proc Natl Acad Sci U S A 1994 Feb 15;91(4):1337-41 2. Yoshihara Y, Kawasaki M, Tani A, Tamada A, Nagata S, Kagamiyama H, Mori K. BIG-1: a new TAG-1/F3-related member of the immunoglobulin superfamily with neurite outgrowth-promoting activity. Neuron 1994 Aug;13(2):415-26).	Cancer, infections, autoimmune disorders, wound healing disorders and hematopoietic disorders
sbg297169-BGP	An embodiment of the invention is the use of sbg297169BGP in renewal and/or differentiation of epithelial cells. A close homologue to sbg297169BGP is BGP protein. BGP proteins are expressed at the cell surface and function <i>in vitro</i> as cell adhesion molecules. The expression of the many BGP isoforms at the surface of epithelial cells, such as the colon, suggests that these proteins play a major role in renewal and/or differentiation of their epithelia (McCuaig K, Rosenberg M, Nedellec P, Turbide C, and Beauchemin N; 1993; Gene 127:173-83).	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing disorders, inflammation

Table III (cont).

Gene Name	Uses	Associated Diseases
sbg253919-HSCCAa	<p>An embodiment of the invention is the use of sbg253919-HSCCAa for treatment of cancer or psoriasis or in development of more aggressive squamous cell carcinomas. Close homologues of sbg253919-HSCCAa are Psoriastatin type II and a human leupin precursor. Psoriastatin type II, is claimed to modulate activity of psoriastatin type I and II genes, e.g. using (ant)agonists, useful for treatment of cancer or psoriasis. The other, a human leupin precursor, contains a tandem duplication of the human squamous cell carcinoma antigen gene playing a causal role in development of more aggressive squamous cell carcinomas (1. Goetinck PF, Hibino T, Takahashi T and Baciu PC. Modulating cell proliferation or apoptosis - by modulating activity of psoriastatin type I and II genes, e.g. using (ant) agonists, useful for treatment of cancer or psoriasis. Accession Number W15242, publication date 24-APR-97. 2. Schneider SS, Schick C, Fish KE, Miller E, Pena JC, Treter SD, Hui SM, Silverman GA. A serine proteinase inhibitor locus at 18q21.3 contains a tandem duplication of the human squamous cell carcinoma antigen gene. Proc Natl Acad Sci U S A 1995 Apr 11;92(8):3147-51. 3. Barnes RC, Worrall DM. Identification of a novel human serpin gene; cloning sequencing and expression of leupin. FEBS Lett 1995 Oct 2; 373 (1): 61-5).</p>	Cancers, such as squamous cell carcinomas
sbg228137-OLF	<p>An embodiment of the invention is the use of sbg228137OLF in functional roles in chemoreception and in the central nervous system. A close homologue to sbg228137OLF is olfactomedin. Olfactomedin is a glycoprotein, and reacts with proteins of olfactory cilia. It was originally discovered at the mucociliary surface of the amphibian olfactory neuroepithelium and subsequently found throughout the mammalian brain (Danielson, P.E., Forss-Petter, S., Battenberg, E.L., deLecea, L., Bloom, F.E., and Sutcliffe, J.G., 1994, J. Neurosci. Res. 38:468-478). Its noticeable deposition at the chemosensory surface of the olfactory neuroepithelium suggest a role for this protein in chemoreception (Snyder DA, Rivers AM, Yokoe H, Menco BP, and Anholt RR, 1991, Biochemistry 30:9143-53). The widespread occurrence of olfactomedin among mammals in the brains also suggests its new functions in the central nervous system (Karavanich CA, and Anholt RR, 1998, Mol Biol Evol 15:718-26).</p>	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing disorders, inflammation, and nervous system disorders



Table III (cont).

Gene Name	Uses	Associated Diseases
sbg378514-Netrin	An embodiment of the invention is the use of sbg378514-Netrin in roles of the central nervous system. A close homologue to sbg378514-Netrin is Netrin. Netrins possess commissural axon outgrowth-promoting activity, and control guidance of CNS commissural axons and peripheral motor axons (Serafini T, Kennedy TE, Galko MJ, Mirzayan C, Jessell TM, and Tessier-Lavigne M; 1994; Cell 78:409-24). Diffusible and substrate-bound cues, including netrins and their receptors, can guide axonal pathway choice via attractive and repulsive signals (Tear G; 1998; Essays Biochem 33:1-13).	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing disorders, inflammation, and nervous system disorder
sbg253227. mucous matrix glycoprotein	An embodiment of the invention is the use of sbg253227.-mucous matrix glycoprotein for the treatment of gastrointestinal disorders and cancer. Close homologues of sbg253227.mucous matrix glycoprotein have been used in combination for treatment of infections associated with EMMG. EMMG is useful for the treatment of gastrointestinal disorders and cancer, e.g. dysphagia, abdominal angina, pancreatitis, colonic carcinoma, Crohn's disease and the Mallory-Weiss syndrome (US5929033-A, CORLEY NC, TANG YT, Submitted by INCYTE PHARM INC. Reference number, WPI; 99-429518/36, 1999).	Hematopoietic disorder, wound healing disorder, viral and bacterial infection, cancer, autoimmune diseases Neurological disorders, gastrointestinal disorders, dysphagia, abdominal angina, pancreatitis, colonic carcinoma, Crohn's disease and the Mallory-Weiss syndrome.
sbg262831-SIAa	An embodiment of the invention is the use of sbg262831SIAa to mediate sialic acid-dependent ligand recognition and to function as an inhibitory receptor in human natural killer cells. A close homologue of sbg262831SIAa is human QA79 membrane protein. QA79 belongs to the sialoadhesin family and is proposed to mediate sialic acid-dependent ligand recognition and to function as an inhibitory receptor in human natural killer cells (Falco, M., Biassoni, R., Bottino, C., Vitale, M., Sivori, S., Augugliaro, R., Moretta, L. and Moretta, A. Identification and molecular cloning of p75/AIRM1, a novel member of the sialoadhesin family that functions as an inhibitory receptor in human natural killer cells. J Exp Med 1999 Sep 20;190(6):793-802).	Cancer, autoimmune disorders, infection, wound healing disorders, and hematopoietic disorders.

Table III (cont).

Gene Name	Uses	Associated Diseases
sbg233728-LIPASE	An embodiment of the invention is the use of sbg233728LIPASE to treat pancreatitis via replacement therapy. A close homologue of sbg233728-LIPASE is pancreatic lipase. Pancreatic lipase can be used as replacement enzymes for patients with chronic pancreatitis. Pancreatic lipase hydrolyzes dietary long chain triacylglycerol to free fatty acids and monoacylglycerols in the intestinal lumen (Lowe ME, Rosenblum JL, and Strauss AW; 1989; J Biol Chem 264:20042-8). Pancreatic steatorrhea and pancreatic diabetes are the dominant symptoms of patients in a certain stage of chronic pancreatitis. In this stage, the nutritional state is greatly disturbed and hypoglycemia and labile infection are involved. Pancreatic enzyme replacement therapy is the principal treatment method for pancreatic steatorrhea. (Nakamura T, Takeuchi T, and Tando Y; 1998; Pancreas 16:329-36).	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing disorders, inflammation, and pancreatitis.
sbg400455.-CRF	An embodiment of the invention is the use of sbg400455.CRF in the areas of the nervous system involved in motor function, such as the Purkinje cells of the cerebellum, the accessory olivary nucleus, the pons, and the red nucleus. Close homologues of sbg400455.CRF include CRF transcripts. CRF transcripts are most abundant in areas of the nervous system and have been used to develop products for modulating energy balance or insulin production in mammals ((W09639429-A2) Schere, P.E.; Submitted by Whithead Institute of Biomedical Research; Berube NG, Swanson XH, Bertram MJ, Kittle JD, Didenko V, Baskin DS, Smith JR and Pereira-Smith OM., Brain Res. Mol. Brain Res. 63 (2), 233-240 (1999)).	Hematopoietic disorder, wound healing disorder, viral and bacterial infection, cancer, autoimmune diseases, energy homeostasis disorder and obesity
sbg400612-KINASEa	An embodiment of the invention is the use of sbg400612-KINASEa in the treatment of inflammation, cancer, neurological diseases, growth and developmental defects, skin wounds, and hair follicle disorders. A close homologue of sbg400612-KINASEa is murine protein kinase/ ankyrin homologue. Murine protein kinase/ ankyrin homologue can stimulate the growth and motility of keratinocytes, inhibit the growth of cancer cells, modulate angiogenesis and tumour vascularisation, modulate skin inflammation and epithelial cell growth and inhibit binding of HIV-1 to leukocytes. Murine protein kinase/ ankyrin homologue can also be used to treat inflammation, cancer, neurological diseases, growth and developmental defects, skin wounds, and hair follicle disorders (Kumble A, Murison JG, Onrust R, Sleeman M, Strachan L and Watson JD. Novel polynucleotides useful for the treatment of various conditions including wounds and cancer. Accession Number: Y76079 Publication Date: 04-NOV-99).	Cancer, wound healing disorders, autoimmune disorders, hematopoietic disorders and infection

Table III (cont).

Gene Name	Uses	Associated Diseases
sbg381373-ACRP	An embodiment of the invention is the use of sbg381373-ACRP in the complex balanced system of energy homeostasis involving food intake, carbohydrate catabolism, and lipid catabolism. A close homologue of sbg381373-ACRP is ACRP30 protein. ACRP30 protein may be a factor that participates in the complex balanced system of energy homeostasis involving food intake, carbohydrate catabolism, and lipid catabolism. ACRP30 is structurally similar to complement factor C1q, and it forms large homo-oligomers that undergo a series of post-translational modifications (Scherer PE, Williams S, Fogliano M, Baldini G, Lodish HF; 1995; J Biol Chem 270:26746-9).	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing disorders, inflammation, obesity, and diabetes
sbg401294-MEX-3	An embodiment of the invention is the use of sbg401294-MEX-3 to develop products for diagnosis and therapy of disease states such as tumor formation, apoptosis regulation in cells to reduce or increase apoptosis and for pharmacological screening.	Hematopoietic disorder, wound healing disorder, viral and bacterial infection, cancer, tumor formation, autoimmune diseases, inhibition of apoptosis
sbg247722-Cadherin	An embodiment of the invention is the use of sbg247722-Cadherin for treatment and diagnosis of bone metabolic diseases. A close homologue of sbg247722-Cadherin is cadherin, a Ca <sup>2+</sup> dependent cell adhesion protein.	Hematopoietic disorder, wound healing disorder, viral and bacterial infection, cancer, autoimmune diseases, energy homeostasis disorder and bone metabolic disease
sbg391057-THIPa	An embodiment of the invention is the use of sbg391057-THIPa in controlling thyroid hormone synthesis. A close homologue of sbg391057-THIPa is xenopus laevis thyroid hormone-induced protein. Xenopus laevis thyroid hormone-induced protein has been implicated in controlling thyroid hormone synthesis in Xenopus tadpoles and provided insights into the biology of metamorphosis (Brown,D.D., Wang,Z., Furlow,J.D., Kanamori,A., Schwartzman, R.A., Remo,B.F. and Pinder,A. The thyroid hormone-induced tail resorption program during Xenopus laevis metamorphosis. Proc Natl Acad Sci U S A 1996 Mar 5;93(5):1924-9).	Autoimmune disorders, wound healing disorders, cancer, infection and hematopoietic disorders

Table III (cont).

Gene Name	Uses	Associated Diseases
sbg378067-TGFC	An embodiment of the invention is the use of sbg378067-TGFC in cellular growth control in the etiology of cancer and cell differentiation and development. The sbg378067-TGFC protein contains a close approximation of the prosite consensus pattern (PDOC00223) for TGF-beta family members. TGF-beta proteins have been known to be involved in growth control and hence the etiology of cancer ( <i>Anticancer Res</i> 1999 Nov-Dec;19(6A):4791-807), cell differentiation and development. A TGF-beta signaling pathway constitutes a tumor suppressor path ( <i>Cytokine Growth Factor Rev</i> 2000 Apr 1;11(1-2):159-168). A close homologue of sbg378067-TGFC is TGF-beta protein.	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing disorder, inflammation, preventing or treating cellular degeneration or insufficiency, e.g. neuronal degeneration resulting from peripheral neuropathy, amyotrophic lateral sclerosis, Alzheimer's disease, Parkinson's disease, Huntington's disease, ischemic stroke, acute brain injury, acute spinal cord injury, nervous system tumours, multiple sclerosis, or infection (viral, bacterial, fungal, parasitic), hematopoietic cell degeneration or insufficiency resulting from eosinopenia, anemias, thrombocytopenia, or stem-cell insufficiencies, cardiac muscle degeneration or insufficiency resulting from cardiomyopathy or congestive heart failure, peripheral nerve trauma or injury, exposure to neurotoxins, metabolic diseases such as diabetes or renal dysfunctions and damage caused by infectious agents

**Table IV. Quantitative, Tissue-specific mRNA expression detected using SybrMan**

Quantitative, tissue-specific, mRNA expression patterns of the genes were measured using SYBR-Green Quantitative PCR (Applied Biosystems, Foster City, CA; see Schmittgen T.D. et al., Analytical Biochemistry 285:194-204, 2000) and human cDNAs prepared from various human tissues. Gene-specific PCR primers were designed using the first nucleic acid sequence listed in the Sequence List for each gene. Results are presented as the number of copies of each specific gene's mRNA detected in 1ng mRNA pool from each tissue. Two replicate mRNA measurements were made from each tissue RNA.

Gene Name	Tissue-Specific mRNA Expression (copies per ng mRNA; avg. $\pm$ range for 2 data points per tissue)									
	Brain	Heart	Lung	Liver	Kidney	Skeletal muscle	Intestine	Spleen/lymph	Placenta	Testis
sbg237038SA	14 $\pm$ 1	27 $\pm$ 1	39 $\pm$ 1	14 $\pm$ 0	18 $\pm$ 1	12 $\pm$ 0	21 $\pm$ 3	45 $\pm$ 2	19 $\pm$ 3	40 $\pm$ 9
sbg340871-GPV	0 $\pm$ 0	200 $\pm$ 46	363 $\pm$ 10	-9 $\pm$ 6	33 $\pm$ 13	93 $\pm$ 17	74 $\pm$ 9	305 $\pm$ 9	2902 $\pm$ 114	36 $\pm$ 4
sbg293416-HNKS	553 $\pm$ 15	65 $\pm$ 1	39 $\pm$ 4	27 $\pm$ 4	39 $\pm$ 1	38 $\pm$ 1	53 $\pm$ 4	225 $\pm$ 9	43 $\pm$ 0	108 $\pm$ 9
sbg257418ZP	37 $\pm$ 3	28 $\pm$ 6	6 $\pm$ 0	-12 $\pm$ 3	-4 $\pm$ 2	19 $\pm$ 7	15 $\pm$ 2	5 $\pm$ 2	10 $\pm$ 2	605 $\pm$ 10
sbg319185-CDa	54 $\pm$ 5	113 $\pm$ 3	696 $\pm$ 140	95 $\pm$ 37	317 $\pm$ 31	708 $\pm$ 30	540 $\pm$ 64	5987 $\pm$ 158	326 $\pm$ 2	258 $\pm$ 31
sbg323307-KIAAa	293 $\pm$ 8	633 $\pm$ 15	1269 $\pm$ 58	15 $\pm$ 1	136 $\pm$ 5	26 $\pm$ 6	1400 $\pm$ 91	33 $\pm$ 12	632 $\pm$ 12	196 $\pm$ 10
sbg315953-GPPa	232 $\pm$ 31	16 $\pm$ 0	54 $\pm$ 2	1 $\pm$ 6	14 $\pm$ 7	4 $\pm$ 8	15 $\pm$ 3	99 $\pm$ 4	61 $\pm$ 7	126 $\pm$ 6
sbg318486-ONC	52 $\pm$ 7	3 $\pm$ 2	8 $\pm$ 0	4 $\pm$ 0	4 $\pm$ 2	2 $\pm$ 1	6 $\pm$ 2	1 $\pm$ 7	4 $\pm$ 1	122 $\pm$ 9
sbg299359-LIPO	1701 $\pm$ 95	39 $\pm$ 0	60 $\pm$ 14	21 $\pm$ 1	135 $\pm$ 13	41 $\pm$ 3	49 $\pm$ 2	26 $\pm$ 7	40 $\pm$ 5	138 $\pm$ 2

Table IV (cont.)

Gene Name	Tissue-Specific mRNA Expression (copies per ng mRNA; avg. $\pm$ range for 2 data points per tissue)									
	Brain	Heart	Lung	Liver	Kidney	Skeletal muscle	Intestine	Spleen /lymph	Placenta	Testis
sbg230022-NGa	3443 $\pm$ 112	684 $\pm$ 2	386 $\pm$ 7	712 $\pm$ 16	1956 $\pm$ 63	36 $\pm$ 0	588 $\pm$ 7	1293 $\pm$ 17	43 $\pm$ 7	358 $\pm$ 2
sbg297169-BGP	417 $\pm$ 29	141 $\pm$ 8	236 $\pm$ 5	170 $\pm$ 11	322 $\pm$ 0	74 $\pm$ 4	231 $\pm$ 1	370 $\pm$ 0	223 $\pm$ 3	968 $\pm$ 32
sbg253919-HSCCAa	-5 $\pm$ 1	1 $\pm$ 1	2 $\pm$ 1	-14 $\pm$ 2	-10 $\pm$ 0	-4 $\pm$ 3	0 $\pm$ 1	6 $\pm$ 1	4 $\pm$ 3	119 $\pm$ 9
sbg228137-OLF	5174 $\pm$ 138	58 $\pm$ 4	99 $\pm$ 5	9 $\pm$ 3	63 $\pm$ 7	167 $\pm$ 12	98 $\pm$ 0	719 $\pm$ 9	32 $\pm$ 8	67 $\pm$ 4
sbg253227-mucous matrix glycoprotein	5 $\pm$ 0	11 $\pm$ 1	21 $\pm$ 1	0 $\pm$ 1	28 $\pm$ 2	1 $\pm$ 0	13 $\pm$ 2	24 $\pm$ 3	26 $\pm$ 4	118 $\pm$ 1
sbg262831-SIAa	9 $\pm$ 1	6 $\pm$ 1	59 $\pm$ 1	59 $\pm$ 1	5 $\pm$ 0	-4 $\pm$ 2	134 $\pm$ 6	2657 $\pm$ 97	45 $\pm$ 4	25 $\pm$ 0
sbg233728-LIPASE	2 $\pm$ 1	6 $\pm$ 1	4 $\pm$ 2	6 $\pm$ 2	1 $\pm$ 0	4 $\pm$ 0	1 $\pm$ 3	1 $\pm$ 2	3 $\pm$ 2	28 $\pm$ 3
sbg400455-CRF	8735 $\pm$ 257	345 $\pm$ 14	434 $\pm$ 54	191 $\pm$ 14	4038 $\pm$ 147	705 $\pm$ 32	379 $\pm$ 1	847 $\pm$ 59	434 $\pm$ 8	97 $\pm$ 8
sbg400612-KINASEa	10 $\pm$ 0	24 $\pm$ 4	276 $\pm$ 87	145 $\pm$ 2	431 $\pm$ 10	7 $\pm$ 0	59 $\pm$ 5	23 $\pm$ 4	82 $\pm$ 9	34 $\pm$ 3
sbg381373-ACRP	112 $\pm$ 40	11 $\pm$ 3	15 $\pm$ 5	14 $\pm$ 5	10 $\pm$ 2	11 $\pm$ 8	14 $\pm$ 4	-3 $\pm$ 8	6 $\pm$ 2	11 $\pm$ 8
sbg401294-MEX-3	49 $\pm$ 8	39 $\pm$ 2	122 $\pm$ 1	35 $\pm$ 9	151 $\pm$ 8	6 $\pm$ 5	16 $\pm$ 1	15 $\pm$ 3	71 $\pm$ 8	683 $\pm$ 56
sbg247722-Cadherin	2626 $\pm$ 18	1140 $\pm$ 22	1733 $\pm$ 62	78 $\pm$ 4	2007 $\pm$ 12	213 $\pm$ 52	1175 $\pm$ 47	1701 $\pm$ 167	3487 $\pm$ 263	1814 $\pm$ 30
sbg391057-THIPa	332 $\pm$ 3	3010 $\pm$ 30	8567 $\pm$ 84	136 $\pm$ 1	1013 $\pm$ 90	1499 $\pm$ 172	2469 $\pm$ 86	3512 $\pm$ 23	1393 $\pm$ 32	2408 $\pm$ 174
sbg378067-TGFc	33 $\pm$ 8	58 $\pm$ 6	52 $\pm$ 4	3 $\pm$ 1	48 $\pm$ 1	49 $\pm$ 22	21 $\pm$ 4	116 $\pm$ 28	74 $\pm$ 24	59 $\pm$ 4

Table V. Additional diseases based on mRNA expression in specific tissues

Tissue Expression	Additional Diseases
Brain	Neurological and psychiatric diseases, including Alzheimers, parasupranuclear palsey, Huntington's disease, myotonic dystrophy, anorexia, depression, schizophrenia, headache, amnesias, anxiety disorders, sleep disorders, multiple sclerosis
Heart	Cardiovascular diseases, including congestive heart failure, dilated cardiomyopathy, cardiac arrhythmias, Hodgson's Disease, myocardial infarction, cardiac arrhythmias
Lung	Respiratory diseases, including asthma, Chronic Obstructive Pulmonary Disease, cystic fibrosis, acute bronchitis, adult respiratory distress syndrome
Liver	Dyslipidemia, hypercholesterolemia, hypertriglyceridemia, cirrhosis, hepatic encephalopathy, fatty hepatocirrhosis, viral and nonviral hepatitis, Type II Diabetes Mellitis, impaired glucose tolerance
Kidney	Renal diseases, including acute and chronic renal failure, acute tubular necrosis, cystinuria, Fanconi's Syndrome, glomerulonephritis, renal cell carcinoma, renovascular hypertension
Skeletal muscle	Eulenburg's Disease, hypoglycemia, obesity, tendinitis, periodic paralyses, malignant hyperthermia, paramyotonia congenita, myotonia congenita
Intestine	Gastrointestinal diseases, including Myotonia congenita, Ileus, Intestinal Obstruction, Tropical Sprue, Pseudomembranous Enterocolitis
Spleen/lymph	Lymphangiectasia, hypersplenism, angiomas, ankylosing spondylitis, Hodgkin's Disease, macroglobulinemia, malignant lymphomas, rheumatoid arthritis
Placenta	Choriocarcinoma, hydatidiform mole, placenta previa
Testis	Testicular cancer, male reproductive diseases, including low testosterone and male infertility
Pancreas	Diabetic ketoacidosis, Type 1 & 2 diabetes, obesity, impaired glucose tolerance

**What is claimed is:**

1. An isolated polypeptide selected from the group consisting of:
  - (a) an isolated polypeptide encoded by a polynucleotide comprising a sequence set forth in  
5 Table I;
  - (b) an isolated polypeptide comprising a polypeptide sequence set forth in Table I; and
  - (c) a polypeptide sequence of a gene set forth in Table I.
2. An isolated polynucleotide selected from the group consisting of:
  - 10 (a) an isolated polynucleotide comprising a polynucleotide sequence set forth in Table I;
  - (b) an isolated polynucleotide of a gene set forth in Table I;
  - (c) an isolated polynucleotide comprising a polynucleotide sequence encoding a polypeptide set forth in Table I;
  - (d) an isolated polynucleotide encoding a polypeptide set forth in Table I;
  - 15 (e) a polynucleotide which is an RNA equivalent of the polynucleotide of (a) to (d);  
or a polynucleotide sequence complementary to said isolated polynucleotide.
3. An expression vector comprising a polynucleotide capable of producing a polypeptide of  
claim 1 when said expression vector is present in a compatible host cell.  
20
4. A process for producing a recombinant host cell which comprises the step of introducing  
an expression vector comprising a polynucleotide capable of producing a polypeptide of claim  
1 into a cell such that the host cell, under appropriate culture conditions, produces said  
polypeptide.  
25
5. A recombinant host cell produced by the process of claim 4.
6. A membrane of a recombinant host cell of claim 5 expressing said polypeptide.
7. A process for producing a polypeptide which comprises culturing a host cell of claim 5  
30 under conditions sufficient for the production of said polypeptide and recovering said  
polypeptide from the culture.



## SEQUENCE LISTING

<110> SMITHKLINE BEECHAM CORPORATION  
SMITHKLINE BEECHAM p.l.c.

<120> NOVEL COMPOUNDS

<130> GP50025

<140> TO BE ASSIGNED

<141> 2001-04-26

<150> 60/199,963

<151> 2000-04-27

<150> 60/203,336

<151> 2000-05-11

<150> 60/207,087

<151> 2000-05-25

<150> 60/207,546

<151> 2000-05-26

<160> 78

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 831

<212> DNA

<213> Homo sapiens

<400> 1

atgcgtggcc ttgttatggc tcccctgctc attctcctgg ttggtgggac tgaagccttt	60
cgtatctgtg ctttcaatgc ccacagactg acactggcca agctaaccac ggagtcagt	120
atggatacct tagttcagat cctagcccga tgtgatataca tgggtgcttca ggaggtagta	180
gattcttccc agaatactgt cccctttctg cttcaaaaac ttaaaagttc caggagttac	240
agcttcctaa acagctcatt gctggggcgc agcacatata aggaaaagta tgtgtatatc	300
tacaggtctg acaagacaca ggtcctaaat ttctaccaat acaacgacac agatgatatt	360
tttgcccgag aaccatttgt ggcccatctt actctcccta gcaaaactct tocaagtgtg	420
gtgctgggtc ctctccacac cactcccaag gatgttgaga aggagctgaa tgccctctat	480
gatgtgtttc tggatgtcta ccagcgctgg cagaatgaga atgtgattct gcttggagac	540
ttcaatgcag actgtgcac gctgacaaaa aaacgtctga aaagcctgct actccggact	600
aaggcaggct tccactgggt gattcctgat ggggaggata ctacagtgcg ggccagtact	660
aactgtacct atgaccgaat tgtggtgcat ggacagggtc gccaaatgct gctgaaggct	720
gcagctacct ttgactttcc caagagggtt cagctgactg aggaagaggc tctccgcac	780
agtgaccatt atcctgtaga agtggaactg agccaggcca ctccactgag t	831

<210> 2

<211> 1443

<212> DNA

<213> Homo sapiens

<400> 2

atgctaggcc gatttcaacc cttctccttg gtccggagtt tcagactggg atttggagcc	60
tgctgctatc caaaccaaaa atgtgctact cagaccatca gacccctga ctccagggtc	120
ctagtccaag cagtttctca gaactttaat tttgcaaagg atgtgttga tcagtgggtc	180

cagctggaaa	aggacggact	cagagggcct	taccccgccc	tctggaaggt	tagtgccaaa	240
ggagaagagg	acaaatggag	ctttgaaagg	atgactcaac	tctccaagaa	ggccgccagc	300
atcctctcag	acacctgtgc	ccttagccat	ggagaccggc	tgatgataat	cttgccccc	360
acacctgaag	cctactggat	ctgcctggcc	tgtgtgcgct	tgggaatcac	ctttgtgcct	420
gggagccccc	agctgactgc	caagaaaatt	cgctatcaat	tacgcatgtc	taaggcccag	480
tgcattgtgg	ctaatgaagc	tatggcccca	gttgtaaact	ctgccgtgtc	cgactgcccc	540
accttgaaaa	ccaagtcctt	ggtgtcagat	aagagctatg	atgggtgggt	ggatttcaag	600
aagttgattc	aagttgcccc	tccaaagcag	acctacatga	ggacccaaaag	ccaagatcca	660
atggccatat	tcttcaccaa	gggtacaaca	ggagctccca	aatgggtcga	gtattcccag	720
tatggtttgg	gaatgggatt	cagccaggct	tccagacggg	ggatggatct	ccagccaaca	780
gatgtcttgt	ggagtctggg	tgatgccttt	ggtggatctt	tatccctgag	cgctgtcttg	840
ggaacttggg	tccaaggagc	ctgtgtgttt	ctgtgtcaca	tgccaacctt	ctgccctgag	900
actgttctaa	atgtcctgtc	cagatttccc	atcaccactc	tatctgcaaa	tccagagatg	960
taccaggaac	tgcttcagca	caagtgtttc	accagctaca	gattcaagag	tctgaagcag	1020
tgtgtggctg	caggaggacc	catcagccct	ggggtgattg	aggactggaa	acgcatcact	1080
aagttggaca	tctatgaagg	ctatgggcag	acggaaactg	gtctactctg	tgccacttcc	1140
aaaacaataa	aattgaagcc	aagctctctg	gggaagccat	tgccacctta	tattgtccag	1200
attgtggatg	aaaactcaaa	tctcctgcct	ccaggggaag	aaggaaatat	tgcaatccgc	1260
ataaaactaa	accaacctgc	ttctctgtac	tgtccacaca	tggtgagctg	ggaggaatat	1320
gcttcagcaa	gaggccacat	gctttacctc	acaggtgaca	gagggatcat	ggatgaagac	1380
ggctacttct	ggtggtctgg	tagagttgat	gatgttgcca	atgcattggg	tcagagattg	1440
tga						1443

&lt;210&gt; 3

&lt;211&gt; 1752

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 3

atgctagggc	gatttcaacc	cttctccttg	gtccggagtt	tcagactggg	atttgagacc	60
tgctgtctatc	caaaccacaaa	atgtgctact	cagaccatca	gacccctga	ctccaggtgc	120
ctagtccaag	cagtttctca	gaactttaat	tttgcaaagg	atgtgttga	tcagtgggtcc	180
cagctggaaa	aggacggact	cagagggcct	taccccgccc	tctggaaggt	tagtgccaaa	240
ggagaagagg	acaaatggag	ctttgaaagg	atgactcaac	tctccaagaa	ggccgccagc	300
atcctctcag	acacctgtgc	ccttagccat	ggagaccggc	tgatgataat	cttgccccc	360
acacctgaag	cctactggat	ctgcctggcc	tgtgtgcgct	tgggaatcac	ctttgtgcct	420
gggagccccc	agctgactgc	caagaaaatt	cgctatcaat	tacgcatgtc	taaggcccag	480
tgcattgtgg	ctaatgaagc	tatggcccca	gttgtaaact	ctgccgtgtc	cgactgcccc	540
accttgaaaa	ccaagtcctt	ggtgtcagat	aagagctatg	atgggtgggt	ggatttcaag	600
aagttgattc	aagttgcccc	tccaaagcag	acctacatga	ggacccaaaag	ccaagatcca	660
atggccatat	tcttcaccaa	gggtacaaca	ggagctccca	aatgggtcga	gtattcccag	720
tatggtttgg	gaatgggatt	cagccaggct	tccagacggg	ggatggatct	ccagccaaca	780
gatgtcttgt	ggagtctggg	tgatgccttt	ggtggatctt	tatccctgag	cgctgtcttg	840
ggaacttggg	tccaaggagc	ctgtgtgttt	ctgtgtcaca	tgccaacctt	ctgccctgag	900
actgttctaa	atgtcctgtc	cagatttccc	atcaccactc	tatctgcaaa	tccagagatg	960
taccaggaac	tgcttcagca	caagtgtttc	accagctaca	gattcaagag	tctgaagcag	1020
tgtgtggctg	caggaggacc	catcagccct	ggggtgattg	aggactggaa	acgcatcact	1080
aagttggaca	tctatgaagg	ctatgggcag	acggaaactg	gtctactctg	tgccacttcc	1140
aaaacaataa	aattgaagcc	aagctctctg	gggaagccat	tgccacctta	tattgtccag	1200
attgtggatg	aaaactcaaa	tctcctgcct	ccaggggaag	aaggaaatat	tgcaatccgc	1260
ataaaactaa	accaacctgc	ttctctgtac	tgtccacaca	tggtgagctg	ggaggaatat	1320
gcttcagcaa	gaggccacat	gctttacctc	acaggtgaca	gagggatcat	ggatgaagac	1380
ggctacttct	ggtggtctgg	tagagttgat	gatgttgcca	atgcattggg	tcagagattt	1440
tctcgccccc	ggcgccggc	ggcgccgaagt	gcggtgggag	cgccgctgg	aggctggcac	1500
tcattatgtg	cctctgttcc	cattctgcag	gtggtgaagc	cccctaagt	cctgactcca	1560
cagttcctgt	cccatgacca	gggccagctc	accaaagagc	tacagcagca	cataaagtca	1620
gtgacaggcc	catgcaagta	ccaaaggaag	gtggagtttg	tcccagagct	gccccaaacc	1680
gtcactggca	agattaaacg	ggaacttcaa	gtttggtcag	atgtagtcag	cagtgaactc	1740
agaaatgact	ga					1752

<210> 4  
 <211> 1746  
 <212> DNA  
 <213> Homo sapiens

<400> 4

atgccactga	agcattatct	ccttttgcgt	gtgggctgcc	aagcctgggg	tgcaggggtg	60
gcctaccatg	gctgccctag	cgagtgtacc	tgctccaggg	cctcccaggt	ggagtgcacc	120
ggggcacgca	ttgtggcggg	gcccaccct	ctgccctgga	acgccatgag	cctgcagatc	180
ctcaacacgc	acatcactga	actcaatgag	tccccgttcc	tcaatatttc	agccctcctc	240
gccctgagga	ttgagaagaa	tgagctgtcg	cgcatcacgc	ctggggcctt	ccgaaacctg	300
ggctcgctgc	gctatctcag	cctcgccaac	aacaagctgc	aggttctgcc	catcggcctc	360
ttccagggcc	tggaacgcct	tgagtctctc	cttctgtcca	gtaaccagct	gttgcagatc	420
cagccggccc	acttctccca	gtgcagcaac	ctcaaggagc	tgcaattgca	cggcaaccac	480
ctggaatata	tccctgacgg	agccttcgac	cacctggtag	gactcacgaa	gctcaatctg	540
ggcaagaata	gcctcaccga	catctcacc	agggctcttc	agcacctggg	caatctccag	600
gtcctccggc	tgtatgagaa	caggctcacg	gatatcccca	tgggcacttt	tgatgggctt	660
gttaacctgc	aggaactggc	tctacagcag	aaccagattg	gactgctctc	ccctgggtctc	720
ttccacaaca	accacaacct	ccagagactc	tacctgtcca	acaaccacat	ctcccagctg	780
ccaccagca	tcttcatgca	gctgccccag	ctcaaccgtc	ttactctctt	tgggaattcc	840
ctgaaggagc	tctctctggg	gatcttcggg	cccatgccca	acctgcggga	gctttggctc	900
tatgacaacc	acatctcttc	tctacccgac	aatgtcttca	gcaacctccg	ccagttgcag	960
gtcctgattc	ttagccgcaa	tcagatcagc	ttcatctccc	cgggtgcctt	caacgggcta	1020
acggagcttc	gggagctgtc	cctccacacc	aacgcactgc	aggacctgga	cgggaatgtc	1080
ttccgcatgt	tggccaacct	gcagaacatc	tccctgcaga	acaatcgcc	cagacagctc	1140
ccagggaata	tcttcgccaa	cgtcaatggc	ctcatggcca	tccagctgca	gaacaaccag	1200
ctggagaact	tgccctcggg	catcttcgat	cacctgggga	aactgtgtga	gctgcggtg	1260
tatgacaatc	cctggagggtg	tgactcagac	atccttcgcg	tccgcaactg	gctcctgtctc	1320
aaccagccta	ggtaggggac	ggacactgta	cctgtgtgtt	tcagcccagc	caatgtccga	1380
ggccagtccc	tcattatcat	caatgtcaac	gttgcgtgtc	caagcgtcca	tgtacctgag	1440
gtgcctagtt	accagaaac	accatggtac	ccagacacac	ccagttacc	tgacaccaca	1500
tccgtctctt	ctaccactga	gctaaccagc	cctgtggaag	actacactga	cttgactacc	1560
attcagggtca	ctgatgaccg	cagcgtttgg	ggcatgacct	atgcccatag	cgggctggcc	1620
attgccgcca	ttgtaattgg	cattgtcgcc	ctggcctgct	ccctggctgc	ctgcgtcggc	1680
tggtgctgct	gcaagaagag	gagccaagct	gtcctgatgc	agatgaaggc	acccaatgag	1740
tggttaa						1746

<210> 5  
 <211> 1887  
 <212> DNA  
 <213> Homo sapiens

<400> 5

atgcccgggtg	ctccagactg	gagccttaat	tcctccagaa	atgcacgcag	cctggagggg	60
ctgcctctgt	gtccgtgggtg	ggctctcttc	gtcccagagag	cagctgcgct	ggttggaactt	120
caaaggaagc	aggaaaacag	ctcagatata	ttcttttagct	ctcctttcac	ggtgacccca	180
gacgccttac	caacagccat	tacatgggag	cacattccgt	ttgcaaagct	ggcgggtcta	240
attgcagggc	ctttgggtgga	gatgtgcagg	cagaggctaa	gcaaagagtt	tgaggccttg	300
aaaggggaat	tcagggaacct	cgggcactgt	cttcaggagag	cccagcgagg	gaacagaatc	360
actaaacgaa	acaagtgcgg	tcagagccgt	caggcgctca	tcggccagag	acaggaagat	420
gcaggetccg	ctcctctgca	gatgcacccc	agtgtcgctg	cgctgggggc	aggagctgcg	480
ctgcgggaga	ttcagcccc	gcaaagggaa	ccagagctgt	catcagggcc	caggaacagc	540
cggctctctgt	gctggggcag	ccctgccacc	tggaaacccca	cgtaacctgtc	ccgtgtccta	600
gggcagcagg	tggccgtgac	tgtgacagag	gctgggtctcc	aggctgtgcc	ctggggaccc	660
agcagagaat	ttaatgccaa	gggctctagc	tcagcgagca	ttagagtggg	acagccccag	720
aagcttaggc	tcagagtcca	gagggtccagg	agacagtgtc	cccctgtcca	gtcctcacag	780
gacctccac	caggcggtc	ccaggatggg	gacttgaagg	aaccacacaga	gagggtcact	840
cgggacttat	ccagtggggc	cccagggggc	cgcaacctgc	cagcgctga	ccagcctcaa	900

cccccgctgc	agaggggaac	cgtctgcgg	ctccgccagc	gccgtcgccg	tctgctcatc	960
aagaaaatgc	cagctgcggc	gaccatccc	gccaacagct	cggacgcgcc	cttcatccgg	1020
ccgggacccg	ggacgctgga	tggccgctgg	gtcagcctgc	accggagcca	gcaggagcgc	1080
aagcgggtga	tgcaggaggc	ctgcgccaag	taccgggcga	gcagcagccg	ccggggccgtc	1140
acgccccgcc	acgtgtccc	tatcttcgtg	gaggaccgcc	accgcgtgct	ctactgcgag	1200
gtgcccgaag	ccggctgctc	caattggaag	cgggtgctca	tgggtgctggc	cggcctggcc	1260
tcgtccactg	ccgacatcca	gcacaacacc	gtccactatg	gcagcgtctc	caagcgctctg	1320
gacaccttcg	accgccagg	tatcttgca	cgtctcagca	cctacaccaa	gatgctcttt	1380
gtccgcgagc	ccttcgagag	gctgggtgtc	gccttccgcg	acaagtttga	gcaccccaac	1440
agctactatc	accgggtctt	cggcaaggcc	atcctggccc	ggtaccgcgc	caatgcctct	1500
cgggaggccc	tgcggaccgg	ctctgggggtg	cgttttccc	agttcgtcca	gtacctgctg	1560
gacgtgcacc	ggcccgtggg	gatggacatt	cactgggacc	atgtcagccg	gctctgcagc	1620
ccctgcctca	tcgactacga	tctcgtaggc	aagtctgaga	gcattggagga	cgatgccaac	1680
ttcttctctga	gcctcatccg	cgcgcgcgg	aacctgacct	tcccccggtt	caaggaccgg	1740
cactcgcagg	aggcgcggac	cacagcgagg	atcgcccacc	agtacttcgc	ccaactctcg	1800
gccttgcaaa	ggcagcgcac	ctacgacttc	tactacatgg	attacctgat	gttcaactat	1860
tccaagccct	ttgcagatct	gtactga				1887

&lt;210&gt; 6

&lt;211&gt; 1275

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 6

atgacctgc	gacctggaac	aatgcggctg	gcctgcatgt	tctcttccat	cctgctgttc	60
ggagctgcag	gcctcctcct	cttcatcagc	ctgcaggacc	ctacggagct	cgccccccag	120
cagggtgccag	gaataaagtt	caacatcagg	ccaaggcagc	cccaccacga	cctcccacca	180
ggcggctccc	aggatggtga	cttgaaggaa	cccacagaga	gggtcactcg	ggacttatcc	240
agtggggccc	cgagggggccg	caacctgcca	gcgcctgacc	agcctcaacc	cccgtgcag	300
aggggaaccc	gtctgcggct	ccgccagcgc	cgtcgccgtc	tgctcatcaa	gaaaatgcca	360
gctgcggcga	ccatcccggc	caacagctcg	gacgcgccct	tcattccggcc	gggaccggg	420
acgctggatg	gccgctgggt	cagcctgcac	cggagccagc	aggagcgcaa	gcgggtgatg	480
caggaggcct	gcgccaaagta	ccgggcgagc	agcagccgcc	gggcccgtcac	gccccgccac	540
gtgtcccga	tcttcgtgga	ggaccgccac	cgcgtgctct	actgcgaggt	gcccaggcc	600
ggctgctcca	attggaagcg	ggtgctcatg	gtgctggccg	gcctggcctc	gtccactgcc	660
gacatccagc	acaacaccgt	ccactatggc	agcgtcttca	agcgcctgga	caccttcgac	720
cgccagggtg	tcttgcaacc	tctcagcacc	tacaccaaga	tgctctttgt	ccgcgagccc	780
ttcgagaggc	tgggtgtccgc	cttccgcgac	aagtttgagc	acccaacag	ctactatcac	840
ccggtcttcg	gcaaggccat	cctggcccgg	taccgcgcca	atgcctctcg	ggaggccctg	900
cggaccggct	ctgggggtg	ttttcccag	ttcgtccagt	acctgctgga	cgtgcaccgg	960
cccgtgggga	tggacattca	ctgggacat	gtcagccggc	tctgcagcc	ctgcctcatc	1020
gactacgatt	tcgtaggcaa	gttcgagagc	atggaggacg	atgccaaact	cttctgagc	1080
ctcatccgcg	cgcgcgggaa	cctgaccttc	ccccggttca	aggaccggca	ctcgcaggag	1140
gcgcggacca	cagcgaggat	cgcaccaccg	tacttcgccc	aactctcggc	cctgcaaagg	1200
cagcgcacct	acgacttcta	ctacatggat	tacctgatgt	tcaactattc	caagcccttt	1260
gcagatctgt	actga					1275

&lt;210&gt; 7

&lt;211&gt; 1917

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 7

atggcaggag	gctcagccac	gacctggggt	taccctgtgg	ccctgctact	gctgggtgcc	60
accctggggc	tgggtagggtg	gtccagccc	gacctggcc	tcccaggcct	ccggcacagc	120
tacgactgtg	ggatcaagg	aatgcagctg	ctgggtgttc	ccaggccagg	ccagactctc	180
cgcttcaagg	tgggtggatga	atttgggaac	cgatttgatg	tcaacaactg	ctccatctgc	240
taccactggg	tcacctccag	gccgcaggag	cctgcagtct	tctcgccga	ttacagaggc	300
tgccacgtgc	tggagaagga	tgggcgtttc	cacctgagg	tgttcatgga	ggctgtgctg	360

cccaatggtc	gtgtggatgt	ggcacaagac	gctactctga	tctgtcccaa	acctgacccc	420
tcccggactc	tggaactcca	gctggcacca	cccgccatgt	tctctgtctc	aaccccacaa	480
accctttcct	tcctccccac	ctctggccat	acctcccaag	gctctggcca	tgcctttccc	540
agcccactgg	acccagggca	cagctctgtc	cacccaaccc	ctgctttacc	atcccctgga	600
cctggacctc	ccctcgccac	cctgggtcaa	ccccactggg	gcaccttgga	acactgggat	660
gtgaacaaac	gagattacat	aggtacccac	ctgagccagg	agcagtgcca	ggtggcctca	720
gggcacctcc	cctgcacgtg	gagaagaact	tcaaaagaag	cctgtcagca	ggctggctgc	780
tgctatgaca	acaccagaga	ggttccctgt	tactatggca	acacagctac	tgtccagtgc	840
ttcagagatg	gctacttcgt	cctcgtagtg	tccaagaaa	tggccttgac	acacaggatc	900
acactggcca	acatccacct	ggcctatgcc	cccaccagct	gctccccaac	acagcacacg	960
gaagctttcg	tggtcttcta	cttccctctc	acccactgtg	gaaccacaat	gcaggtggct	1020
ggcgaccaga	tcactctatg	gaactggctg	gtgtctggca	tccacatcca	aaagggggcca	1080
caggggtcca	tcacgcggga	cagcaccttc	cagcttcatg	tgcgctgtgt	cttcaacgcc	1140
agtgaattcc	tgcccattca	ggcatccatt	ttcccacccc	catcgctgc	tcctatgacc	1200
cagcccggcc	ccctgcgggt	tgagctgcgg	attgccaaag	acgagacctt	cagctcgtac	1260
tatggggagg	atgactatcc	catcgtgagg	ctgctccgag	aaccagtcca	tgtggagggtc	1320
cggcttctgc	agaggacaga	ccccaacctg	gtcctgctgc	tgcaccagtg	ctggggcgct	1380
cccagtgcca	accccttcca	gcagccccag	tggeccatcc	tgtcagacgg	atgccctttc	1440
aagggcgaca	gctacagaac	ccaaatggta	gccttgagcg	gggccacacc	tttccagtcg	1500
cactaccagc	gattcactgt	tgtaccttc	gccctcctgg	actcaggctc	ccagagagcc	1560
ctcagaggac	tggtttactt	gttctgcagc	acctctgcct	gccacacctc	agggtcggag	1620
acttgctcca	ctgcatgtag	cactggcact	acaagacagc	gacgatcctc	aggtcaccgt	1680
aatgacactg	ccaggcccca	ggacatcgtg	agctctccgg	ggccagtggg	ctttgaggat	1740
tcttatgggc	aggagcccac	acttggggcc	acagactcca	atgggaactc	cagcctgaga	1800
cctctccttt	gggcgggtcct	tttgetgcca	gctgttgccc	tggtccttgg	gtttgggtgc	1860
tttgtgggcc	tgagccagac	ctgggcccag	aagctctggg	aaagcaacag	acagtga	1917

&lt;210&gt; 8

&lt;211&gt; 687

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 8

atgaaacctc	ttgtcagct	tctcctcttt	ctcctccagt	ttcagaaagg	gaatctagtt	60
tcacaaagca	gctcaacccc	attgatgggtg	aatgggggttc	tgggggagtc	agtaactctt	120
cccctggagt	ttcctgcagg	agagaggatc	cagttcatca	cttggctttg	caatggaaca	180
tcttttgcct	tcctagaacc	ctatgaaggc	aaaagtccaa	aaatctacgt	gactcatccg	240
aaatggcaaa	agcgactgag	cttcacccag	tcctactccc	cgcagctcag	caacctggag	300
atggaaaaca	taggctttta	cagtgccccag	atagccacag	agacctctgc	aaagctgtcc	360
agttacactc	tgaggatatt	caagcagctg	ccaaggcctc	aagttagagt	ggattctatc	420
atctctgaaa	atgggatetg	taatgccatc	ttgagggtgt	ctgtggagga	aggaggagag	480
accatcacat	atgagtggac	atcaatggga	ccaggggctg	ctgtgtccca	cgtgggcctt	540
catgacctgg	attggatcta	cacttgacac	gctctgaatc	ctgttagcta	cagcaactct	600
actcttacct	ttgctgcaca	gctttgtgca	agtaagagtc	cccttctggg	ctctctagca	660
ccccttgga	atgttttgc	tggtctc				687

&lt;210&gt; 9

&lt;211&gt; 933

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 9

atgaaacctc	ttgtcagct	tctcctcttt	ctcctccagt	ttcagaaagg	gaatctagtt	60
tcacaaagca	gctcaacccc	attgatgggtg	aatgggggttc	tgggggagtc	agtaactctt	120
cccctggagt	ttcctgcagg	agagaggatc	cagttcatca	cttggctttg	caatggaaca	180
tcttttgcct	tcctagaacc	ctatgaaggc	aaaagtccaa	aaatctacgt	gactcatccg	240
aaatggcaaa	agcgactgag	cttcacccag	tcctactccc	cgcagctcag	caacctggag	300
atggaaaaca	taggctttta	cagtgccccag	atagccacag	agacctctgc	aaagctgtcc	360
agttacactc	tgaggatatt	caagcagctg	ccaaggcctc	aagttagagt	ggattctatc	420

atctctgaaa	atgggatctg	taatgccatc	ttgaggtgtt	ctgtggagga	aggaggagag	480
accatcacat	atgagtggac	atcaatggga	ccaggggctg	ctgtgtccca	cgtgggcctt	540
catgacctgg	attggatcta	cacttgcaca	gctctgaatc	ctgttagcta	cagcaactct	600
actcttacc	ttgctgcaca	gctttgtgca	agttccaagg	cagctgaagg	cacctattgc	660
ccagtgaat	ggattttcct	ggggaacagg	cttcttctcc	ttgtgttcct	tggtgtccta	720
cgaacttggc	atattcaggc	acaggtgctc	agcaaaccct	tgaggcctaa	ctcaggggaa	780
cttgtgaatc	tttctcctcaat	cccataccct	tggaaccat	ctcacacagc	tgatgccact	840
tggcttggga	agtgggtggg	aagtgagggg	gagagaaaga	gcacgtggaa	tataagcacc	900
acgaaaagac	actggaaaag	cttctataaa	taa			933

&lt;210&gt; 10

&lt;211&gt; 2526

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 10

atgaagctgt	ggattcatct	cttttattca	tctctccttg	cctgtatatc	tttactactcc	60
caaactccag	tgctctcatc	cagaggctct	tgtgattctc	tttgcaattg	tgaggaaaaa	120
gatggcacaa	tgctaataaa	ttgtgaagca	aaaggatatc	agatgggatc	tgaaaataagt	180
gtgccaccat	cagcaccttt	ccaactaagc	ttattaaata	acggcttgac	gatgcttcac	240
acaaatgact	tttctgggct	taccaatgct	atttcaatac	accttggatt	taacaatatt	300
gcagatattg	agatagggtgc	atttaattggc	cttggcctcc	tgaaacaact	tcatatcaat	360
cacaattctt	tagaaattct	taaagaggat	actttccatg	gactggaaaa	cctggaattc	420
ctgcaagcag	ataacaattt	tatcacagt	attgaaccaa	gtgccttttag	caagctcaac	480
agactcaaag	tgtaattttt	aatgacaat	gctattgaga	gtcttcctcc	aaacatcttc	540
cgatttggtc	ctttaaccca	tctagatctt	cgtggaaatc	aattacaaac	attgccttat	600
gttggttttc	tcgaacacat	tggccgaata	ttggatcttc	agttggagga	caacaaatgg	660
gcctgcaatt	gtgacttatt	gcagttaaaa	acttgggttg	agaacatgcc	tccacagtct	720
ataattggtg	atgtttgtctg	caacagccct	ccatttttta	aaggaagtat	actcagtaga	780
ctaaagaagg	aatctatttg	ccctactcca	ccagtgtatg	aagaacatga	ggatccttca	840
ggatcattac	atctggcagc	aacatcttca	ataaatgata	gtcgcagtgc	aactaagacc	900
acgtccattc	taaaaptacc	caccaaagca	ccaggtttga	taccttatat	tacaaagcca	960
tccactcaac	ttccaggacc	ttactgcctt	actcttgta	actgcaaagt	cctatcccca	1020
tcaggacttc	taatacattg	tcaggagcgc	aacattgaaa	gcttatcaga	tctgagacct	1080
cctccgcaaa	atcctagaaa	gctcattcta	gcgggaaata	ttattcacag	tttaatgaag	1140
tctgatctag	tggaatatatt	cacttttgaa	atgcttcact	tggaacaa	tcgtattgaa	1200
gttcttgaag	aaggatcggt	tatgaacct	acgagattac	aaaaactcta	tctaaatggg	1260
aaccacctga	ccaaattaag	taaaggcatg	ttccttggtc	tccataatct	tgaatactta	1320
tatcttgaat	acaatgccat	taaggaaata	ctgccaggaa	cctttaatcc	aatgcctaaa	1380
cttaaagtcc	tgtattttaa	taacaacctc	ctccaagttt	taccaccaca	tattttttca	1440
ggggttcctc	taactaagg	aaatctttaa	acaaaccagt	ttaccatct	acctgtaagt	1500
aatatttttg	atgatcttga	tttactaacc	cagattgacc	ttgaggataa	cccctgggac	1560
tgctcctgtg	acctgggttg	actgcagcaa	tggatacaaa	agttaagcaa	gaacacagt	1620
acagatgaca	tcctctgcac	ttccccggg	catctcgaca	aaaaggaatt	gaaagcccta	1680
aatagtgaat	ttctctgtcc	aggttttagta	aataacccat	ccatgccaac	acagactagt	1740
taccttatgg	tcaccactcc	tgcaacaaca	acaaatacgg	ctgatactat	tttacgatct	1800
cttacggacg	ctgtgccact	gtctgttcta	atattgggac	ttctgattat	gttcatcact	1860
attgttttct	gtgctgcagg	gatagtgggt	cttgttcttc	accgcaggag	aagatacaaa	1920
aagaaacaag	tagatgagca	aatgagagac	aacagtcctg	tgcatcttca	gtacagcatg	1980
tatggccata	aaaccactca	tcacactact	gaaagaccct	ctgcctcact	ctatgaacag	2040
cacatggtga	gccccatggt	tcagtgtctat	agaagtccat	cctttgggtcc	aaagcatctg	2100
gaagaggaag	aagagaggaa	tgagaaagaa	ggaagtgatg	caaaacatct	ccaaagaagt	2160
cttttggaa	aggaaaatca	ttcaccactc	acaggtgcaa	atatgaaata	caaaaccacg	2220
aaaaaatcaa	cagaattttt	atccttccaa	gatgccagct	cattgtacag	aaacatttta	2280
gaaaaagaaa	gggaacttca	gcaactggga	atcacagaat	acctaaggaa	aaacattgct	2340
cagctccagc	ctgatatgga	ggcacattat	cctggagccc	acgaagagct	gaagttaattg	2400
gaaacattaa	tgtactcacg	tccaaggaag	gtattagtgg	aacagacaaa	aatgagtat	2460
tttgaactta	aagctaattt	acatgctgaa	cctgactatt	tagaagtcct	ggagcagcaa	2520
acatag						2526

<210> 11  
 <211> 726  
 <212> DNA  
 <213> Homo sapiens

<400> 11  
 atgggaaacc ctggcctggc ctggctgggt ctgctgggct tgggtgctgct tctgagctct 60  
 ttcattggaga gaggaggcca cagtcccagc cctgctgccc tggcggccat ggaaaaccta 120  
 atcacctatg ctgtccagaa gggccacctg tcatccagtt atgttcagcc acttcttctg 180  
 aaaggcgaga actgcctggc ccctcggcag aagacaagcc tgaagaaggc ttgccccggc 240  
 gttgtccac ggtctgtgtg gggagccagg gagaccact gtcccaggat gactctccca 300  
 gcgaagtatg gcatcattat ccacactgcc gggaggacct gcaacatttc tgatgagtgc 360  
 cgcctgctgg tccgggacat ccagtccttc tacatagaca ggctcaagtc atgcgacatt 420  
 gggtataact tcttgggtgg ccaggatggc gccatttatg aagggtggg ctggaatgtc 480  
 caaggctcct ccacccctgg ctacgatgac attgccctgg gcattacctt catgggcacc 540  
 ttcacaggta taccacccaa tgctgcagca ctagaggcag cccaagacct gatccagtgt 600  
 gccatgggtc aagggtacct gactcccaac tacctgctgg tgggccacag tgatgtggcc 660  
 cgaaccttgt ctcttgggca ggctttgtac aacatcatca gcacctggcc tcatttcaaa 720  
 cactga 726

<210> 12  
 <211> 1110  
 <212> DNA  
 <213> Homo sapiens

<400> 12  
 atgctgccgt ggcttcttgt cttctctgct ctgggtctcc aggcctgggg tgattcctcc 60  
 tggaacaaaa cacaagctaa acaggatatca gaggggctcc agtacctatt tgagaacatc 120  
 tcccagctca ctgaaaaaga tgtctccacc acgggtctctc gcaaggcatg gggggcagaa 180  
 gctgttggtg gcagtattca gctgaccacg ccagtgaatg tccttggtat acaccatgtc 240  
 cctggactgg agtgtcacga ccggacagtc tgcagccaga gactgcggga actgcaggcc 300  
 catcatgtcc acaacaacag tgggtgtgat gtggcctaca acttcctggg tggggatgat 360  
 ggcaggggtg atgaaggtgt tggctggaat atccaaggag tgcacacca aggctacaac 420  
 aacatctccc tgggttttgc cttcttcggc actaagaaag gccacagtcc cagccctgct 480  
 gccctgtcgg ccatggaaaa cctaatacacc tatgctgtcc agaagggcc cctgtcatcc 540  
 agttatgttc agccacttct tgtgaaaggc gagaactgcc tggcccctcg gcagaagaca 600  
 agcctgaaga aggccttgccc cggcgttgtc ccacgggtctg tgtggggagc caggagacc 660  
 cactgtccca ggatgactct ccacgcgaag tatggcatca ttatccacac tgccgggagg 720  
 acctgcaaca tttctgatga gtgcgcctg ctgggtccggg acatccagtc tttctacata 780  
 gacaggctca agtcatgga cattggttat aacttcctgg tgggccagga tggcgccatt 840  
 tatgaagggg tgggttgga tgtccaaggc tctccaccc ctggctacga tgacattgcc 900  
 ctgggcatta cttcatggg cacttcaca ggtataccac ccaatgctgc agcactagag 960  
 gcagcccaag acctgatcca gtgtgccatg gtcaaagggt acctgactcc caactacctg 1020  
 ctggtggggc acagtgatgt ggcccgaacc ttgtctcctg ggcaggcttt gtacaacatc 1080  
 atcagcacct ggcctcattt caaacactga 1110

<210> 13  
 <211> 1149  
 <212> DNA  
 <213> Homo sapiens

<400> 13  
 atggccccgc gcgcgggaca gccggggctc caggggctgc tgctcgtggc ggcggcgctg 60  
 agccagcccg cggcaccctg cccctccag tgctactgct tggcgggccc caagctgctg 120  
 ctgcgctcgc cgtcgggagc cgagctccgc cagcctccgc gggacgtgcc gcccgacgcg 180  
 cgcaacctca ccatcgtagg cgccaacctg acgggtgctgc gcgcggccgc cttcgccggc 240  
 ggggacgggg acggcgacca ggcggcgggc gtgcgcctgc cgctcctgag cgcgctgcgc 300  
 ctacgcaca accacatcga ggtgggtggg gacggcgctc tcgacgggct gccagcctg 360

gcggcgctcg	acctcagcca	caaccgcgtg	cgcgccctgg	gcggcgggcg	cttccgcggg	420
ctgcccgcgc	tgcgtcgtct	gcagctcaac	cacgcgtgg	tgcgcggcgg	ccccgcgtg	480
ctggccgcgc	tggacgtgc	gctggcaccg	ctggccgagc	ttcgccctgct	gggcctagcg	540
ggcaacgcgc	tgagccgtct	gccgccagcc	gccctgcgcc	tggcgcgcct	ggagcagctg	600
gacgtgcgcc	tcaacgcgt	ggcgggctg	gaccccgacg	agctgcgcgc	gctggagcgc	660
gatggcgggc	tccccggg	gcgcctgctg	ctcgccgaca	acccctgcg	ctgcggctgt	720
gccgcacgcc	ccctgctggc	ctggctgcgc	aacgccacgg	agcgcgtgcc	cgactcgcgg	780
cgcctgcgt	gcgcgcgcgc	gcgggcgtg	ctagaccggc	cgctactgga	cctggacggg	840
gcgcggcttc	gctgcgcgga	cagcggcgcc	gacgtcgcg	gagaggaggc	ggaggccgcc	900
ggcccggagc	tggaagcctc	ctacgtgttc	ttcgggctgg	tgctggcact	catcggcctc	960
atcttctctca	tgggtgctcta	cctaaaccgc	cgcggcatcc	agcgtctggat	gcgcaacctg	1020
cgcgaggcgt	gccgggacca	gatggagggc	taccactacc	gctacgagca	ggacgccgac	1080
ccgcgcgcgc	cgcccgcgcc	cgcgcgcgcc	gcgggctccc	gcgccacctc	cccgggctcg	1140
gggtctga						1149

&lt;210&gt; 14

&lt;211&gt; 558

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 14

atgatgctgc	tgttgctgtg	tctgggggtg	accctcgtct	gtgccagga	ggaagaaaac	60
aatgatgctg	tgacaagcaa	cttcgatctg	tcaaagattt	caggagagtg	gtattcgggt	120
ctcttggcct	ctgactgcag	ggaaaagata	gaagaagatg	gaagcatgag	ggtttttgtc	180
aaacacattg	attacctggg	gaattcttct	ctgactttta	aattgcatga	aatagaaaat	240
ggaaactgta	ctgaaattaa	tttggcttgt	aaaccaacag	aaaagaatgc	catatgtagt	300
actgactata	acggacttaa	tgtcattgac	atacttgaaa	cggactatga	taattatata	360
tatttttata	acaagaatat	caagaatggg	gaaacattcc	taatgctgga	gctctatgtt	420
cgaacaccgg	atgtgagctc	acaactcaag	gagaggtttg	tgaatatattg	tgaagaacat	480
gggattgata	aggaaaacat	atttgacttg	accaaagttg	atcgctgtct	ccaggcccga	540
gatgagggag	cagcctag					558

&lt;210&gt; 15

&lt;211&gt; 1761

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 15

atgcattaca	accttcaggg	tcccacgaga	agaatcagaa	tttctttgtt	aaacgatgga	60
ggactcaaaa	tagccaatgt	gactaaagct	gatgctggaa	cttacacctg	catggcagaa	120
aaccagtttg	ggaaagcaaa	tggcacaaca	catttggttg	ttacggaacc	aacaagaata	180
actttggcac	catctaacat	ggatgtttct	gttggtgaaa	gcgtcatatt	gccctgccag	240
gtacaacatg	acccgctggt	agacatcatc	tttacctggt	atttcaatgg	ggcccttgca	300
gatttttaaga	aagatggatc	tcactttgag	aaagttgggtg	ggagttcatc	tgggtgattta	360
atgatcagaa	acattcagct	gaaacacagt	gggaaatatg	tttgtatggt	gcaaacgggg	420
gtggacagtg	tttcatctgc	tgtgacctc	atagtaagag	gttcacctgg	accaccagaa	480
aatgtgaagg	tagatgaaat	tacagacaca	acagcccaac	tctcttgga	agaaggtaaa	540
gacaaccata	gcccagttat	atcctattct	atccaggctc	ggacacctt	ctccgtgggt	600
tggcaaaccg	tcacaacagt	gcctgaggtc	atcgatggga	agacgcacac	agccactgta	660
gttgagttaa	acccatgggt	ggaatatgaa	tttcgggttg	tagccagtaa	caaaattgga	720
ggtggagaac	caagtttacc	ctcagaaaaa	gtaagaactg	aagaggcagt	tccagaagtg	780
cctccttctg	aagtcaatgg	aggaggcgga	agccggtctg	aacttgat	aacctgggat	840
ccagtccctg	aagaactaca	gaatggtgaa	ggttttgggt	atgttggtgc	tttccgccct	900
cttgggggtta	ccacctggat	ccagacagtg	gtgacatccc	ctgacacccc	aagatatgtc	960
tttaggaatg	aaagcatcgt	gccatattca	ccatatgaag	ttaaagtggg	tgtttataat	1020
aacaaagggtg	aaggaccatt	tagcccagtg	acaacagtg	tctctgcaga	agaagagcct	1080
acagtggccc	catctcaagt	ctctgcaa	agcctatctt	cctcagaaat	tgaggtttca	1140
tggaaacacca	ttccttgga	gttgagcaat	ggacatttac	tgggctatga	ggtgcggtac	1200
tggaatgggg	gtggaaagga	ggaatcatcc	agtaagatga	aagtggcagg	aaatgagaca	1260



tcagccagac	tacggggcct	gaagagcaac	ctggcctatt	acacggctgt	ccgggcttac	1320
aacagtgccg	gcgctgggcc	ttttagcgcc	acagttaatg	taaccaccaa	gaaaacgcct	1380
cccagtcagc	caccaggaaa	tggtgtttgg	aatgccacag	acactaaagt	gttacttaat	1440
tgggagcaag	ttaaagccat	ggagaatgag	tcagaagtaa	caggatataa	agttttctat	1500
aggactagca	gtcaaaataa	cgtacaagta	ctgaacacaa	ataaaacttc	agctgaactt	1560
gtgctgcccc	ttaaagagga	ctacattatt	gaagtcaagg	ccacaacaga	tgagggggat	1620
gggaccagta	gtgaacagat	caggattcca	cgaataacca	gtatggatgc	aagaggatcc	1680
acttcagcca	tctcgaatgt	ccaccctatg	tcaagttata	tgcttatagt	actgtttctta	1740
attgtatatg	tcctgtggtg	a				1761

&lt;210&gt; 16

&lt;211&gt; 3081

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 16

atgctggtgg	tggaagaggt	aatggttctt	cccattgggt	tcccccttgg	tgtgagtgat	60
gattccacac	tgcatggccc	gattttttatt	caagaaccaa	gtcctgtaat	gttccctttg	120
gattctgagg	agaaaaaagt	gaagctcaat	tgtgaagtta	aaggaaatcc	aaaacctcat	180
atcaggtgga	agttaaatgg	aacagatgtt	gacactggta	tggttttccg	ctacagtgtt	240
gttgaaggga	gcttgttgat	caataacccc	aataaaaccc	aagatgctgg	aacgtaccag	300
tgacacgcga	caaactcgtt	tggaacaatt	gttagcagag	aagcaaagct	tcagtttgct	360
tatcttgaca	acttttaaac	aagaacaaga	agcactgtgt	ctgtccgtcg	aggtcaagga	420
atggtgctac	tgtgtggccc	gccaccccat	tctggagagc	tgagttaatgc	ctggatcttc	480
aatgaatacc	cttcctatca	ggataatcgc	cgctttgttt	ctcaagagac	tggaatctg	540
tatattgcca	aagtagaaaa	atcagatgtt	gggaattata	cctgtgtggt	taccaatacc	600
gtgacaaacc	acaaggtcct	ggggccacct	acaccactaa	tattgagaaa	tgatggagtg	660
atgggtgaat	atgagcccaa	aatagaagtg	cagttcccg	aaacagttcc	gactgcaaaa	720
ggagcaacgg	tgaagctgga	atgctttgct	ttaggaaatc	cagtaccaac	tattatctgg	780
cgaagagctg	atggaaagcc	aatagcaagg	aaagccagaa	gacacaagtc	aaatggaatt	840
cttgagatcc	ctaattttca	gcaggaggat	gctggtttat	atgaatgtgt	agctgaaaaat	900
tccagagggga	aaaatgtagc	aaggggacag	ctaactttct	atgctcaacc	taattggatt	960
caaaaaataa	atgatattca	cgtggccatg	gaagaaaatg	tcttttggga	atgtaaagca	1020
aatggaaggc	ctaagcctac	atacaagtgg	ctaaaaaatg	gcgaacctct	gctaactcgg	1080
gatagaattc	aaattgagca	aggaacactc	aacataacaa	tagtgaacct	ctcagatgct	1140
ggcatgtatc	agtgtttggc	agagaataaa	catggagtta	tcttttccaa	cgcagagctt	1200
agtgttatag	ctgtaggtcc	agatttttca	agaacactct	tgaaaagagt	aactcttgct	1260
aaagtgggag	gtgaagtgtg	cattgagtgt	aagccaaaag	cgtctccaaa	acctgtttac	1320
acctggaaga	aaggaaggga	tatattaaaa	gaaaatgaaa	gaattaccat	ttctgaagat	1380
ggaaacctca	gaatcatcaa	cgttactaaa	tcagacgctg	ggagttatac	ctgtatagcc	1440
actaaccatt	ttggaactgc	tagcagtact	ggaaacttgg	tagtgaaaga	tccaacaagg	1500
gtaatggtac	ccccttccag	tatggatgtc	actgttggag	agagtattgt	tttaccgtgc	1560
caggtaacgc	atgatcactc	gctagacatc	gtgtttactt	ggtcatttaa	tggaacctg	1620
atagactttg	acagagatgg	ggaccacttt	gaaagagttg	gaggggattc	agctggtgat	1680
ttgatgatcc	gaaacatcca	actgaagcat	gctgggaaat	atgtctgcat	ggtccaaaca	1740
agtgtggaca	ggctatctgc	tgtgcagac	ctgattgtaa	gaggtcctcc	aggtccccc	1800
gaggctgtga	caatagacga	aatcacagat	accactgtc	agctctcctg	gagaccggg	1860
cctgacaacc	acagcccat	caccatgtat	gtcattcaag	ccaggactcc	attctccgtg	1920
ggctggcaag	cagtcagtac	agtcccagaa	ctcattgatg	ggaagacatt	cacagcgacc	1980
gtggtggggt	tgaacccttg	ggttgaatat	gaattccgca	cagttgcagc	caacgtgatt	2040
gggattgggg	agcccagccg	cccctcagag	aaacggagaa	cagaagaagc	tctccccgaa	2100
gtcacaccag	cgaatgtcag	tggtggcgga	ggcagcaaat	ctgaactggg	tataacctgg	2160
gagacggtcc	ctgaggaatt	acagaatggg	cgaggctttg	gttatgtggg	ggccttccgg	2220
ccctacggta	aaatgatctg	gatgctgaca	gtgctggcct	cagctgatgc	ctctagatac	2280
gtgttcagga	atgagagcgt	gcaccccttc	tctccctttg	aggttaaagt	aggtgtcttc	2340
aacaacaaag	gagaaggccc	tttcagtccc	accacggtgg	tgtattctgc	agaagaagaa	2400
cccaccaaac	caccagccag	tatctttgcc	agaagtcttt	ctgccacaga	tattgaagtt	2460
ttctgggcct	ccccactgga	gaagaataga	ggacgaatac	aaggttatga	ggttaaataat	2520
tgagagacatg	aagacaaaga	agaaaatgct	agaaaaatac	gaacagttgg	aaatcagaca	2580

tcaacaaaaa	tcacgaactt	aaaaggcagt	gtgctgtatc	acttagctgt	caaggcatat	2640
aattctgctg	ggacaggccc	ctctagtgc	acagtcaatg	tgacaacccg	aaagccacca	2700
ccaagtcaac	cccccgga	catcatatgg	aattcatcag	actccaaaat	tatcctgaat	2760
tgggatcaag	tgaaggccct	ggataatgag	tcggaagtaa	aaggatacaa	agtcttgtac	2820
agatggaaca	gacaaagcag	cacatctgtc	attgaaacaa	ataaaacatc	ggtggagctt	2880
tctttgcctt	tcgatgaaga	ttatataata	gaaattaagc	cattcagcga	cggaggagat	2940
ggcagcagca	gtgaacaaat	tcgaattcca	aagatatcaa	atgcctacgc	gagaggatct	3000
ggggcttcca	cttcgaatgc	atgtacgctg	tcagccatca	gtacaataat	gatttccttc	3060
acagctaggt	ccagtttatg	a				3081

&lt;210&gt; 17

&lt;211&gt; 2535

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 17

atggacaacc	cacaggctct	gccactcttc	ctactcctgg	cctccttggg	agggatcctc	60
accctcagag	cctcttctgg	acttcagcaa	accaacttct	cctctgcctt	ctcttcagac	120
tcaaagagct	cttcccagg	gctgggtgtg	gaagttccct	ccatcaaacc	tcccagctgg	180
aaagttccag	atcagttcct	ggattcaaaa	gcctctgctg	gaatctctga	ttccagctgg	240
tttctgagg	ccctgagttc	caacatgtct	gggtccttct	ggtcaaagt	ttctgctgag	300
ggccaagatt	tgagcccgg	ttcccccttc	tctgaaaccc	ctggttctga	agtatttctc	360
gatatttcgg	atcctcaagt	tctgccaaa	gaccccaagc	cttccttcac	tgtaagacc	420
ccagcttcaa	acatttctac	tcaagtctcc	cataccaaac	tgtctgttga	ggccccagat	480
tcaaaattct	ccccggatga	tatggatctt	aaactctctg	cccagagccc	tgaatccaaa	540
ttttctgcag	agaccactc	agctgcaagc	tttccccagc	agggtggggg	cccactcgct	600
gtgctggtgg	ggaccaccat	ccggctcccc	ctagtcccaa	tccccaaccc	tgggcccccc	660
acctctctgg	tggctctggc	ccggggctca	aaggtgctgg	cagctggggg	cctggggcca	720
ggggcacctc	tgatcagcct	ggaccctgct	caccgagacc	acctgcgatt	tgaccaggcc	780
cgggggggttc	tggagctcgc	ctctgcccag	ctggacgatg	caggggtcta	caaggctgag	840
gtcatccggg	caggggtctc	ccagcagact	cacgagttca	cgggtgggtg	gtatgagccc	900
ctaccccage	tgtcggttca	gcccgaaggc	ccagagacag	aggagggggc	ggccgagctc	960
cggctgcgct	gcctgggggt	ggggccagg	cgcggggagc	tgagctggag	ccgggacgga	1020
cgcgccttgg	aggcggcgga	atcggagggg	gccgagacgc	cccggatgcy	ctcagagggc	1080
gaccagctgc	tcactgtgcy	ccctgtgcy	agcgaccacg	cccggtagac	ttgccgcgtc	1140
cgcagccctt	tcggccacag	ggaggctgcc	gccgacgtca	gcgtcttcta	cggccccggac	1200
ccgccgacca	tcacggtctc	ctcggaccgc	gacgccgcgc	ctgcccgcct	tgaccaccgc	1260
ggcagtaacg	tgaccttgcy	ctgcgcgcgc	gcctcgcggc	cgcgcccgga	catcacgtgg	1320
agcctggcgg	accgggccga	ggccgcgggt	cccgcggggg	cgcgcctcct	gctgccgcgc	1380
gtcggaccgg	gccacgcagg	cacctacgcc	tgcctggcgg	cgaaccgcgc	taccggccgc	1440
cgcgcgcgct	cgctgctcaa	ccttacagtg	gcggacctgc	cccccggggc	cccacagtgc	1500
tcagttgaag	ggggtcccgg	ggaccgcagc	ctccgcttcc	gctgctcgtg	gcccggcggg	1560
gcccctgctg	cctccctgca	gttccagggt	ctccccgaag	gcatccgcgc	cgggccagtg	1620
tctctgtgct	tgttggcggc	cgccccgcgc	cacccccggc	tcagcggcgt	ccccatcacc	1680
tgccttgctc	gccacctgg	ggccacgcgt	acctgcacag	tcacgcgcga	ggccccccga	1740
gaggtgctgc	tgcacccgct	ggtggcagag	acacggttgg	gggaggcaga	ggtggcactg	1800
gaggcctctg	gttgtcccc	acctcacgg	gcacctggg	cccgggaagg	gaggcccttg	1860
gtccaggag	gcgggagtcg	cctgggctc	agtcaagatg	ggcggaact	ccacatcggc	1920
aacttcagcc	tggattggga	cctgggaaat	tactccgtgc	tgtgcagtgg	ggcgctgggt	1980
gctggcgggt	accagatcac	cctcattgat	gggctgtctc	tgggcaggac	ttccacctac	2040
agggactggg	tctcctgct	cactcctggg	cctcaggagc	ggtcagccgt	ggtgccctt	2100
ccacctcgga	accaggggac	ctggaccttt	cggatcctgc	ccatcctggg	gggccagcca	2160
gggactccat	cacaaagccg	ggtctaccgg	gccggcccca	cgttgagcca	tggggccatc	2220
gctggcatcg	tcctgggctc	cctgctgggc	ctggcgtgct	tagccgtact	tctcctcctt	2280
tgcatctgct	gcctgtgccc	ctttcgtgga	aagactcctg	agaaaaagaa	gcaccccttct	2340
accttgggtcc	ccgtgggtcac	cccctcagaa	aagaagatgc	atagtgtgac	cccagtggag	2400
atttcatggc	ctctggacct	caaagtcctt	ctggaggacc	acagctcaac	tagggcctac	2460
caagccacag	acccagtttc	agttgtctct	gtaggcggag	gctcaaagac	tgttcgcgca	2520
gccacacagg	tgtga					2535

<210> 18  
 <211> 2349  
 <212> DNA  
 <213> Homo sapiens

<400> 18

atggacaacc	cacaggetct	gccactcttc	ctactcctgg	cctccttggg	agggatcctc	60
accctcagag	cctcttctgg	acttcagcaa	accaacttct	cctctgcctt	ctcttcagac	120
tcaaagagct	cttcccaggg	gctgggtgtg	gaagttccct	ccatcaaacc	tcccagctgg	180
aaagttccag	atcagttcct	ggattcaaaa	gcctctgctg	gaatctctga	ttccagctgg	240
tttcttgagg	ccctgagttc	caacatgtct	gggtccttct	ggtcaaatgt	ttctgctgag	300
ggccaagatt	tgagcccggg	ttcccccttc	tctgaaaccc	ctgggttctga	agtatttcct	360
gatatttcgg	atcctcaagt	tccctgcaaa	gaccccaagc	cttccttcac	tgtaaagacc	420
ccagcttcaa	acattttctac	tcaagtctcc	cataccaac	tgtctgttga	ggccccagat	480
tcaaaattct	ccccggatga	tatggatctt	aaactctctg	cccagagccc	tgaatccaaa	540
ttttctgcag	agaccactc	agctgcaagc	tttccccagc	aggtgggggg	cccactcgct	600
gtgctgggtg	ggaccaccat	cgggtcctcc	ctagtcccaa	tccccaaacc	tggggcccccc	660
acctctctgg	tggtctggcg	cgggggtctc	aaggtgctgg	cagctggggg	cctggggcca	720
ggggcacctc	tgatcagcct	ggaccctgct	caccgagacc	acctgcgatt	tgaccaggcc	780
cgggggggtt	tggagctcgc	ctctgcccag	ctggacgatg	caggggtcta	cacggctgag	840
gtcatccggg	caggggtctc	ccagcagact	cacgagttca	cgggtgggtg	gtatgagccc	900
ctaccccgag	tgctcggtta	gcccagggt	ccagagacag	aggagggggc	ggccgagctc	960
cggctgcgct	gcctgggggt	ggggccaggt	cgcggggagc	tgagctggag	ccgggacgga	1020
cgcgccctgg	aggcggcgga	atcggaggga	gccgagacgc	cccggatgcg	ctcagagggc	1080
gaccagctgc	tcatcgtgcg	ccctgtgctc	agcgaccacg	cccgggtacac	ttgccgcgct	1140
cgcagcccct	tgggccacag	ggaggctgcc	gccgacgtca	gcgtcttcta	cggcccggac	1200
ccgccgacca	tcacggtctc	ctcggaccgc	gaagccgcgc	ctgcccgctt	tgtaaccgcg	1260
ggcagtaacg	tgaccttgcg	ctgcgcgcgc	gcctcgcggc	cgcgcgccga	catcacgtgg	1320
agcctggcgg	acccggccga	ggccgcgggt	cccgcggggg	cgcgcctcct	gctgcccgcg	1380
gtcggaccgg	gccacgcagg	cacctacgcc	tgcttgccgg	cgaaccgcgc	taccggccgc	1440
cgcgcgcgct	cgctgctcaa	ccttacagt	gcggacctgc	cccccggggc	cccacagtgc	1500
tcagttgaag	gggggtcccg	ggaccgcagc	ctccgcttcc	gctgctcgtg	gcccggcggg	1560
gccccctgct	cctccctgca	gttccagggt	ctccccgaag	gcatccgcgc	cgggccagtg	1620
tcctctgtgc	tgctggcggc	cgccccgcgc	cacccccggc	tcagcggcgt	ccccatcacc	1680
tgcttctgct	gccacctggt	ggccacgcgt	acctgcacag	tcacgccgga	ggccccccga	1740
gaggtgctgc	tgcatccgct	ggtggcagag	acacggttgg	gggaggcaga	ggtggcactg	1800
gaggcctctg	gttgctcccc	acctcacgg	gcctcctggg	cccgggaagg	gaggccccctg	1860
gtccaggag	gcgggagtcg	cctgcggctc	agtcaagatg	ggcggaaact	ccacatcggc	1920
aacttcagcc	tggattggga	cctgggaaat	tactccgtgc	tgtgcagtgg	ggcgctgggt	1980
gctggcgggt	accagatcac	cctcattggc	cccacgttga	gcatgggggc	catcgctggc	2040
atcgctcctg	gctccctgct	gggcctggcg	ctgctagccg	tacttctcct	cctttgcatc	2100
tgctgcctgt	gccgctttcg	tggaaagact	cctgagaaaa	agaagcatcc	ttctaccttg	2160
gtccccgtgg	tcacccccct	agaaaagaag	atgcatagtg	tgacccagat	ggagatttca	2220
tggcctctgg	acctcaaagt	ccctctggag	gaccacagct	caactagggc	ctaccaagcc	2280
acagacccca	gttcagttgt	ctctgtaggc	ggaggctcaa	agactgttcg	cgcagccaca	2340
caggtgtga						2349

<210> 19  
 <211> 789  
 <212> DNA  
 <213> Homo sapiens

<400> 19

atggactctc	ttgttacagc	aaacacaaaa	ttttgctttg	atctttttca	agagataggg	60
aaagatgatc	gtcataaaaa	catatttttc	tctccctga	gcctctcagc	tgccttgggt	120
atggtacgct	tgggtgctag	aagtgcagct	gcacatcaga	ttgatgaggg	tgggtcctta	180
aacaatgaga	gcggactggg	cagctgctac	tttgggcagc	ttctctccaa	attagacagg	240
atcaagactg	attacacact	gagtattgcc	aacaggcttt	atggagagca	ggaattccca	300

atctgtcagg	aatacttaga	tggtgtgatt	caatthttacc	acacgacgat	tgaaagtgtt	360
gatttccaaa	aaaaccctga	aaaatccaga	caagagatta	acttctgggt	tgaatgtcaa	420
tcccaaggta	aaatcaagga	actcttcagc	aaggacgcta	ttaatgtctga	gactgtgctg	480
gtactgggtga	atgctgttta	cttcaaggcc	aaatgggaaa	catactttga	ccatgaaaac	540
acggtggatg	cacctttctg	tctaaatgcg	aatgaaaaca	agagtgtgaa	gatgatgacg	600
caaaaaggcc	tctacagaat	tggcttcata	gaggagggtga	aggcacagat	cctggaaatg	660
aggtacacca	aggggaagct	cagcatgttc	gtgctgctgc	catctcactc	taaagataac	720
ctgaagggtc	tggaagaggt	aaatcttcat	ttccacatct	ctacaaaata	ttaaatgata	780
gatcttttag						789

&lt;210&gt; 20

&lt;211&gt; 1185

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 20

atggactctc	ttgttacagc	aaacacccaaa	ttttgctttg	atcttttttca	agagataggg	60
aaagatgac	gtcataaaaa	catattttttc	tctccctga	gcctctcagc	tgcccttggt	120
atggtacgct	tgggtgctag	aagtgcagct	gcacatcaga	ttgatgaggt	actacacttc	180
aacaaaacga	cagagcctct	ggatcagcag	gctgggtcct	taaacaatga	gagcggactg	240
gtcagctgct	actttgggca	gcttctctcc	aaattagaca	ggatcaagac	tgattacaca	300
ctgagtattg	ccaacaggct	ttatggagag	cagggaattcc	caatctgtca	ggaatactta	360
gatggtgtga	ttcaatttta	ccacacgacg	attgaaagtg	ttgattttcca	aaaaaacctt	420
gaaaaatcca	gacaagagat	taacttctgg	gttgaatgtc	aatcccaagg	taaaatcaag	480
gaactcttca	gcaaggacgc	tattaatgct	gagactgtgc	tggactgggt	gaatgctgtt	540
tacttcaagg	ccaaatggga	aacatacttt	gaccatgaaa	acacggtgga	tgccactttc	600
tgtctaaatg	cgaatgaaaa	caagagtgtg	aagatgatga	cgcaaaaagg	cctctacaga	660
attggcttca	tagaggaggt	gaaggcacag	atcctggaaa	tgaggtagac	caagggggaag	720
ctcagcatgt	tcgtgctgct	gccatctcac	tctaaagata	acctgaaggg	tctggaagag	780
cttgaaagga	aaatcaccta	tgaaaaaatg	gtggcctgga	gcagctcaga	aaacatgtca	840
gaagaatcgg	tggctctgtc	cttcccccg	ttcaccctgg	aagacagcta	tgatctcaat	900
tccattttac	aagacatggg	cattacggat	atctttgatg	aaacgagggc	tgatcttact	960
ggaatctctc	caagtcccaa	tttgtaactg	tcaaaaatta	tccacaaaac	ctttgtggag	1020
gtggatgaaa	acggtaccca	ggcagctgca	gccactgggg	ctgttgtctc	ggaaagggtca	1080
ctacgatctt	gggtggaggt	taatgccaac	cacccttttc	tctttttcat	tagacacaac	1140
aaaacccaaa	ccattctctt	ttatggcagg	gtctgctctc	cttaa		1185

&lt;210&gt; 21

&lt;211&gt; 1416

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 21

atgtcgggtg	cgctgctcaa	gatcgggggtc	gtgctgagca	ccatggccat	gatcactaac	60
tggatgtccc	agacgctgcc	ctcgctgggtg	ggcctcaaca	ccaccaagct	ctcggcggcc	120
ggcggcgggg	cgctggaccg	cagcacccgc	gtgctgcccc	ccaaccctga	ggagagctgg	180
caggtgtaca	gctctgcccc	ggacagcgag	ggcaggtgta	tctgcacagt	ggtcgctcca	240
cagcagacca	tgtgttcacg	ggatgcccgc	acaaaacagc	tgaggcagct	actggagaag	300
gtgcagaaca	tgtctcaatc	catagagggtc	ttggacaggc	ggacccagag	agacttgtag	360
tacgtggaga	agatggagaa	ccaaatgaaa	ggactggagt	ccaagttcaa	acaggcgata	420
aaagcgaaaa	tggatgaact	taggcctttg	atacctgtgt	tgggaagagta	caaggccgat	480
gccaaattgg	tattgcagtt	taaagaggag	gtccagaatc	tgacgtcagt	gcttaacgag	540
ctgcaagagg	aaattggcgc	ctatgactac	gatgaacttc	agagcagagt	gtccaatctt	600
gaagaaaggc	tccgtgcatg	catgcaaaaa	ctagcttgcg	ggaagttgac	gggcatcagt	660
gaccccggtg	ctgtcaagac	ctccggctcg	agggttcggat	cctggatgac	agaccctctc	720
gcccctgaag	gcgataaccg	ggtgtggtac	atggacgggt	atcacaacaa	ccgcttcgta	780
cgtgagtaca	agtccatggt	tgacttcatg	aacacggaca	atttcacctc	ccaccgtctc	840
ccccaccctt	ggtcggggcac	ggggcaggtg	gtctacaacg	gttctatcta	cttcaacaag	900
ttccagagcc	acatcatcat	caggtttgac	ctgaagacag	agaccatcct	caagaccgcg	960

agcctggact	atgccgggta	caacaacatg	taccactacg	cctgggggtg	ccactcggac	1020
atcgacctca	tgggtggacga	gagcgggctg	tgggcccgtg	acgccacca	ccagaacgct	1080
ggcaacatcg	tgggtcagtag	gctggacccc	gtgtccctgc	agacctgca	gacctggaac	1140
acgagctacc	ccaagcgcag	cgccggggag	gccttcatca	tctgcggcac	gctgtacgtc	1200
accaacggct	actcaggggg	taccaagggtc	cactatgcat	accagacca	tgctccacc	1260
tatgaatata	tgcacatccc	attccagaac	aaatactccc	acatctccat	gctggactac	1320
aaccccaagg	accggggccct	gtatgcctgg	aacaacggcc	accagatcct	ctacaacgtg	1380
accctcttcc	acgtcatccg	ctccgacgag	ttgtag			1416

&lt;210&gt; 22

&lt;211&gt; 1458

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 22

atgtcgggtgc	cgctgctcaa	gatcgggggtc	gtgctgagca	ccatggccat	gatcactaac	60
tggatgtccc	agacgtgccc	ctcgctgggtg	ggcctcaaca	ccaccaagct	ctcggcgggc	120
ggcggcgggga	cgctggacgg	cagcaccggc	gtgctgcccc	ccaaccctga	ggagagctgg	180
caggtgtaca	gctctgcccc	ggacagcgag	ggcaggtgta	tctgcacagt	ggtcgctcca	240
cagcagacca	tgtgttcacg	ggatgcccgc	acaaaacagc	tgaggcagct	actggagaag	300
gtgcagaaca	tgtctcaatc	catagagggtc	ttggacaggc	ggacccagag	agacttgcag	360
tacgtggaga	agatggagaa	ccaaatgaaa	ggactggagt	ccaagttcaa	acagggtggag	420
gagattataa	gctacacctg	gcccaggcag	tttaaggcga	taaaagcgaa	aatggatgaa	480
cttaggcctt	tgatacctgt	gttggaagag	tacaaggccg	atgccaaatt	ggtattgcag	540
tttaaagagg	aggtccagaa	tctgacgtca	gtgcttaacg	agctgcaaga	ggaaattggc	600
gcctatgact	acgatgaact	tcagagcaga	gtgtccaatc	ttgaagaaag	gctccgtgca	660
tgcattgcaa	aactagcttg	cgggaagttg	acgggcatca	gtgaccccg	gactgtcaag	720
acctccggct	cgagggttcg	atcctggatg	acagaccctc	tgcgccctga	aggcgataac	780
cgggtgtggt	acatggacgg	ctatcacaac	aaccgcttog	tacgtgagta	caagtccatg	840
gttgacttca	tgaacacgga	caatttcacc	tcccaccgtc	tccccaccc	ctggtcgggc	900
acggggcgag	tgggtctaaa	cggttctatc	tacttcaaca	agttccagag	ccacatcatc	960
atcaggtttg	acctgaagac	agagaccatc	ctcaagaccc	gcagcctgga	ctatgccggt	1020
tacaacaaca	tgtaccacta	cgctgggggt	ggccactcgg	acatcgacct	catggtggac	1080
gagagcgggg	tgtggggcgt	gtacgccacc	aaccagaacg	ctggcaacat	cgtggtcagt	1140
aggctggacc	ccgtgtccct	gcagaccctg	cagacctgga	acacgagcta	ccccaaagcg	1200
agcgccgggg	aggccttcat	catctgcggc	acgctgtacg	tcaccaacgg	ctactcaggg	1260
ggtaccaagg	tccactatgc	ataccagacc	aatgcctcca	cctatgaata	catcgacatc	1320
ccattccaga	acaaatactc	ccacatctcc	atgctggact	acaaccccaa	ggaccggggc	1380
ctgtatgcct	ggaacaacgg	ccaccagatc	ctctacaacg	tgaccctctt	ccacgtcatc	1440
cgctccgacg	agttgtag					1458

&lt;210&gt; 23

&lt;211&gt; 861

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 23

atgtctgcatc	tgttggcgct	cttcctgcac	tgcctccctc	tggcctctgg	ggactatgac	60
atctgcaaat	cctgggtgac	cacagatgag	ggccccacct	gggagttcta	cgcttgcag	120
cccaagggtga	tgcgcctgaa	ggactacgtc	aagggtgaagg	tggagccctc	aggcatcaca	180
tgtggagacc	ccccctgagag	gttctgctcc	catgagaatc	cctacctatg	cagcaacgag	240
tgtgacgcct	ccaacccgga	cctggccccac	ccgccagggc	tcatgttcga	caaggaggag	300
gagggccttg	ccacctactg	gcagagcatc	acctggagcc	gctaccccag	cccgttgaa	360
gccaacatca	ccctttcgtg	gaacaagacc	gtggagctga	ccgacgacgt	ggtgatgacc	420
ttcgagtacg	gccggcccac	ggtcatggtc	ctggagaagt	ccctggacaa	cgggcgcacc	480
tggcagccct	accagttcta	cgcgaggac	tgcattggagg	ccttcgggtat	gtccgcccgc	540
cgggcccgcg	acatgtcatc	ctccagcgcg	caccgcgtgc	tctgcaccga	ggagtgactcg	600
cgctgggcag	gctccaagaa	ggagaagcac	gtgcgcttcg	aggtgcggga	ccgcttcgcc	660
atctttgccc	gccccgacct	gcgcaacatg	gacaacctct	acacgcggct	ggagagcgcc	720

aagggcctca aggagttctt caccctcacc gacctgcgca tgcggctgct gcgcccggcg 780  
 ctggggcgga cctatgtgca gcgggagaac ctctacaagt acttctacgc catctccaac 840  
 atcgagggtca tcggcaggta a 861

<210> 24  
 <211> 1602  
 <212> DNA  
 <213> Homo sapiens

<400> 24  
 atgctgcatc tgctggcgct cttcctgcac tgccctccctc tggcctctgg ggactatgac 60  
 atctgcaa at cctgggtgac cacagatgag ggccccacct gggagttcta cgcctgccag 120  
 cccaaggtga tgcgcctgaa ggactacgtc aaggtgaagg tggagccctc aggcatacaca 180  
 tgtggagacc cccctgagag gttctgtctc catgagaatc cctacctatg cagcaacgag 240  
 tgtgacgcct ccaaccggga cctggccac ccgcccaggc tcatgttcga caaggaggag 300  
 gagggcctgg ccacctactg gcagagcatc acctggagcc gctaccccag cccgctggaa 360  
 gccaacatca ccctttctgt gaacaagacc gtggagctga ccgacgacgt ggtgatgacc 420  
 ttgagtagc gccggccac ggtcatggtc ctggagaagt ccctggacaa cgggcgcacc 480  
 tggcagccct accagttcta cgccgaggac tgcattggagg ccttcgggtat gtccgcccgc 540  
 cgggcccgcg acatgtcatc ctccagcgcg caccgcgtgc tctgcaccga ggagtactcg 600  
 cgctgggcag gctccaagaa ggagaagcac gtgcgcttcg aggtgcggga ccgcttcgcc 660  
 atctttgccg gccccgacct gcgcaacatg gacaacctct acacgcgggt ggagagcgcc 720  
 aagggcctca aggagttctt caccctcacc gacctgcgca tgcggctgct gcgcccggcg 780  
 ctggggcgga cctatgtgca gcgggagaac ctctacaagt acttctacgc catctccaac 840  
 atcgagggtca tcggcagggt caagtgcac ctgcacgcca acctgtgctc catgcgcgag 900  
 ggcagcctgc agtgcgagtg cgagcacaac accaccggcc ccgactgcgg caagtgcag 960  
 aagaatttcc gcacccggtc ctggcgggcc ggctcctacc tgccgctgcc ccattggctct 1020  
 cccaacgcct gtacgcctcc ctccccaagg gagctgggag cagactgcga atgctacggt 1080  
 cactccaacc gctgcagcta cattgacttc ctgaatgtgg tgacctgcgt cagctgcaag 1140  
 cacaacacgc gaggtcagca ctgccagcac tgccggctgg gctactaccg caacggctcg 1200  
 gcagagctgg atgatgagaa cgtctgcatt gactgttaact gcaaccagat aggtctccgtg 1260  
 cagcaccggt gcaacgagac cggcttctgc gactgtccgc agggcgcgcc gggccccaag 1320  
 tgcgacgact gcctcccccac gcactactgg cgccagggtc gctaccccaa cgtgtgcgac 1380  
 gacgaccagc tgctgtgccaa gaacggaggc acctgcctgc agaaccagcg ctgcgcctgc 1440  
 ccgcgcggt acaccggcgt gcgctgcgag cagccccgct gcgacccgc cgacgatgac 1500  
 ggcggtctgg actgcgaccg gcgccccggg gccgccccgc gccccgccac cctgctcggc 1560  
 tgctgtctgc tgctggggct ggccgccccgc ctgggcccgt ga 1602

<210> 25  
 <211> 1488  
 <212> DNA  
 <213> Homo sapiens

<400> 25  
 atgtttgcga acagtccagg gtgctccaac atgcttcatt atgtttactg tgctgtggc 60  
 catggtttgc agctggtgag aagtgtgtca agctctgtgg atgaaggagg cacatgccat 120  
 tgtatggttc acctacccaa caaccccatc cccctggagc agctggaaca gctacaaagt 180  
 acagctcagg agctcatttg caagtatgag cagaagctgt ctagatgtgc acgcgccatt 240  
 gaagataaag acaatgaggt tctggaaatg agtcacatgc tgaagtcctg gaatcccagt 300  
 gcccttgctt ctccctatga gaaccaggc ttcaacctgc tgtgcttga gctggaggga 360  
 gcacaggagt tgggtgactca acttaaagcc atgggagggt ttagtgtggc tggggacctc 420  
 ctccaccaac ttcagagcca ggtgactaac gccagtctca cactcaaact tttggctgac 480  
 tctgaccagt gcagctttgg tgcctctccag caggagggtg atgtccttga gactcaacta 540  
 agtgaatgtg agagagaaaa ggagaaagaa ggcctttgga caccctggac caccctccc 600  
 cccgcttctt gtgcccattg aggcctccag gaagttagca aatcccttgt ggtgcagctc 660  
 actcggagag gcttctcata taaggcaggc cctggggcc gagactcagc acccaatcca 720  
 gcctcttccc tttactgggt tgctcctcta cgtacagatg gcaggctact tgactactat 780  
 cggctgcccc catctataa tgacctcgca ctgatgaaaa actatgaaga gaggaagatg 840  
 ggctatggtg atggcagtg aaacgttgtg tacaagaact ttatgtactt taactactgt 900

ggcacaagtg	acatggccaa	aatggacctt	tcctccaaca	cactgggtgct	gtggcgctctg	960
ctgcctgggtg	ccacctataa	caaccgcttt	tcctgtgctg	gtgtgccttg	gaaggactta	1020
gattttgctg	gtgatgagaa	ggggctgtgg	gttctgtatg	ccactgagga	gagcaagggc	1080
aacctgggtg	tgagtcgtct	caacgctagc	accctagaag	tggagaaaac	ctggcgctacc	1140
agccagtaca	agccagccct	gtcagggggc	ttcatggcct	gtgggggtgct	ctatgcctta	1200
cactcactga	acaccaccca	agaggagatc	ttctatgctt	ttgacaccac	caccgggcag	1260
gagcgccgcc	tcagcatcct	gttggacaag	atgctggaaa	agctgcaggg	catcaactac	1320
tgccctcag	accacaagcc	gtatgtcttc	agtgatgggt	acctgataaa	ttatgacctc	1380
accttctga	caatgaagac	caggctacca	agaccacca	ccaggaggcc	ctctggggct	1440
catgtccac	caaaacctgt	caaacctaac	gaggcttcca	gacctga		1488

&lt;210&gt; 26

&lt;211&gt; 1053

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 26

atgagaaatc	ataagaaggt	gactaacgcc	agtctcacac	tcaaactttt	ggctgactct	60
gaccagtga	gctttggtgc	tctccagcag	gaggtggatg	tccttgagag	tcaactaagt	120
gaatcttctt	gtgcccattg	aggcctccag	gaagtttagca	aatcccttgt	ggtgcagctc	180
actcggagag	gcttctcata	taaggcaggt	ccctggggcc	gagactcagc	acccaatcca	240
gcctcttccc	tttactgggt	tgtctctcta	cgtacagatg	gcagttatgg	ctgtcaccca	300
ataattctga	atgcagggac	ttggcctagg	tactttgact	actatcggct	gtgcaaatac	360
tataatgacc	tcgcactgct	gaaaaactat	gaagagagga	agatgggcta	tggtgatggc	420
agtggaaacg	ttgtgtacaa	gaactttatg	tactttaact	actgtggcac	aagtgacatg	480
gccaaaatgg	acctttcctc	caacacactg	gtgctgtggc	gtctgctgcc	tggtgccacc	540
tataacaacc	gcttttccctg	tgctgggtgtg	ccctggaagg	acttagattt	tgctggtgat	600
gagaaggggc	tgtgggttct	gtatgccact	gaggagagca	agggcaacct	ggttgtgagt	660
cgtctcaacg	ctagcaccct	agaagtggag	aaaacctggc	gtaccagcca	gtacaagcca	720
gcctctgcag	gggccttcct	ggcctgtggg	gtgctctatg	ccttacctc	actgaacacc	780
caccaagagg	agatcttcta	tgcttttgac	accaccacg	ggcaggagcg	ccgcctcagc	840
atcctgttgg	acaagatgct	ggaaaagctg	cagggcatca	actactgcc	ctcagaccac	900
aagccgtatg	tcttcagtga	tggttacctg	ataaattatg	acctcacctt	cctgacaatg	960
aagaccaggc	taccaagacc	accaccagg	aggccctctg	gggctcatgc	tccacaaaaa	1020
cctgtcaaac	ctaacgaggc	ttccagaccc	tga			1053

&lt;210&gt; 27

&lt;211&gt; 1860

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 27

atggggccgtg	gtcgagccct	tcttccatt	gagatgctgc	aactgtcctt	acgggaagaa	60
agtgcacgg	caaggatggg	ggcccaggag	cagattgggtc	tgcaggatga	gatacaagct	120
gcaaattgcag	gaattagtgg	gtccccagga	gtggacgggg	tagtggacgg	tggtatcttc	180
aggggtgacc	cggccctgac	agtgtctgtg	tgtgaagtgc	ctcctgtgag	gtcaccttcc	240
agaaccacc	cccaacttcc	tgtgcggctt	cctcgaaatc	ttgagttctc	agttcctgag	300
agaagaaccc	tgaggaacag	acttacctca	gcaaccttgg	cacctccaac	ccgacacatg	360
ctactgctgc	tgctactgct	gccaccctg	ctctgtggga	gagtgggggc	taaggaacag	420
aaggattacc	tgctgacaat	gcagaagtcc	gtgacggtgc	aggagggcct	gtgtgtctct	480
gtgctttgct	ccttctccta	ccccaaaaat	ggctggactg	cctccgatcc	agttcatggc	540
tactggttcc	gggcagggga	ccatgtaagc	cggaacattc	cagtggccac	aaacaaccca	600
gctcgagcag	tgcaggagga	gactcgggac	cgattccacc	tccttgggga	cccacagaac	660
aaggattgta	ccctgagcat	cagagacacc	agagagagtg	atgcagggac	atacgtcttt	720
tgtgtagaga	gaggaaatat	gaaatggaat	tataaatatg	accagctctc	tgtgaatgtg	780
acagccctga	ctcacatgcc	caccttctcc	atcccgggga	ccctggagtc	tgggcaccac	840
aggaacctga	cctgctctgt	gccctggggc	tgtgaacagg	ggacgcccc	cacgatcacc	900
tggatggggg	cctccgtgtc	ctccctggac	cccactatca	ctcgtctctc	gatgctcagc	960
ctcatccac	agccccagga	ccatggcacc	agcctcacct	gtcagggtgac	cttgccctggg	1020

gccggcgctga	ccatgaccag	ggctgtccga	ctcaacatat	cctatcctcc	tcagaacttg	1080
accatgactg	tcttccaagg	agatggcaca	gcatccacaa	ccttgaggaa	tggtcggcc	1140
ctttcagtcc	tggagggccca	gtccctgcac	cttgtctgtg	ctgtcgacag	caatccccct	1200
gccaggctga	gctggacctg	ggggagcctg	accctgagcc	cctcacagtc	ctcgaacctt	1260
ggggtgctgg	agctgcctcg	agtgcattgtg	aaggatgaag	gggaattcac	ctgccgagct	1320
cagaaccctc	taggtctcca	gcacatttcc	ctgagcctct	ccctgcaaaa	cgagtacaca	1380
ggcaaaatga	ggcctatatc	aggagtgcag	ctaggggcat	tcggggggagc	tgaggccaca	1440
gccctggtct	tcctgtactt	ctgcatcatc	ttcgttgtag	tgaggctcctg	caggaagaaa	1500
tcggcaaggc	cagcagtggg	cgtgggggat	acaggcatgg	aggacgcaaa	cgctgtcagg	1560
ggctcagcct	ctcagatgga	ggaaggaaact	cctgggcctc	cttcctggat	gctctctggt	1620
gcatgctggc	cccactgctc	tgcactgact	cccttctctt	cctccattca	gggacccctg	1680
attgaatccc	cggcagatga	cagcccccca	caccatgctc	cgccagccct	ggccaccccc	1740
tccccagagg	aaggagagat	ccagtatgca	tccctcagct	tccacaaagc	gaggcctcag	1800
taccacacagg	aacaggaggc	catcggctat	gagtactccg	agatcaacat	ccccaaagtga	1860

&lt;210&gt; 28

&lt;211&gt; 1473

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 28

atgctactgc	tgtgtact	gctgccaccc	ctgctctgtg	ggagagtggg	ggctaaggaa	60
cagaaggatt	acctgctgac	aatgcagaag	tccgtgacgg	tgaggagggg	cctgtgtgtc	120
tctgtgcttt	gtccttctc	ctacccccaa	aatggctgga	ctgcctccga	tccagttcat	180
ggctactggg	tccgggcagg	ggaccatgta	agccggaaca	ttccagtggc	cacaaacaac	240
ccagctcgag	cagtgcagga	ggagactcgg	gaccgattcc	acctccttgg	ggacccacag	300
aacaaggatt	gtaccctgag	catcagagac	accagagaga	gtgatgcagg	gacatacgtc	360
ttttgtgtag	agagaggaaa	tatgaaatgg	aattataaat	atgaccagct	ctctgtgaat	420
gtgacagccc	tgactcacat	gcccaccttc	tccatcccgg	ggaccctgga	gtctggccac	480
cccaggaacc	tgacctgctc	tgtgccctgg	gcctgtgaac	aggggacgcc	ccccacgac	540
acctggatgg	gggcctccgt	gtcctccctg	gacccacta	tactcgtc	ctcgatgctc	600
agcctcatcc	cacagcccca	ggaccatggc	accagcctca	cctgtcaggt	gaccttgctt	660
ggggccggcg	tgacctgac	cagggctgtc	cgactcaaca	tactctatcc	tcctcagaac	720
ttgacctga	ctgtcttcca	aggagatggc	acagcatcca	caaccttgag	gaatggctcg	780
gccttttcag	tcctggaggg	ccagtccctg	caccttgtct	gtgtgtcga	cagcaatccc	840
cctgccaggc	tgagctggac	ctggggggagc	ctgacctga	gccccacaca	gtcctcgaac	900
cttgggggtgc	tgagctggc	tcgagtgcac	gtgaaggatg	aagggggaatt	cacctgccga	960
gctcagaacc	ctctaggctc	ccagcacatt	tccttgagcc	tctccctgca	aaacgagtag	1020
acaggcaaaa	tgaggcctat	atcaggagtg	acgtagggg	cattcggggg	agctggagcc	1080
acagccctgg	tcttctgtga	cttctgcac	atcttcgttg	tagtgagggtc	ctgcaggaag	1140
aaatcgga	ggccagcagt	gggcgtgggg	gatacaggca	tgaggagacgc	aaacgctgtc	1200
aggggctcag	cctctcaggg	acccctgact	gaatcctgga	aagatggcaa	ccccctgaag	1260
aagcctcccc	cagctgttgc	cccctcgtca	ggggaggaag	gagagctcca	ttatgcaacc	1320
ctcagcttcc	ataaagtga	gcctcaggac	ccgcagggac	aggaggccac	tgacagtga	1380
tactcggaga	tcaagatcca	caagcgagaa	actgcagaga	ctcaggcctg	tttgaggaat	1440
cacaaccct	ccagcaaaaga	agtcagaggc	tga			1473

&lt;210&gt; 29

&lt;211&gt; 1389

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 29

atgctgccac	tttggactct	ttcactgctg	ctgggagcag	tagcaggaaa	agaagtttgc	60
tacgaaagac	tcggctgctt	cagtgatgac	tccccatggg	caggaattac	ggaaagaccc	120
ctccatata	tgcttgggtc	tccaaaagat	gtcaacaccc	gcttctcct	atatacta	180
gagaacccaa	acaactttca	agagatcagt	gcgggttaatt	cttcaactat	ccaagcctca	240
tattttggaa	cagacaagat	caccctgac	aacatagctg	gatggaaaac	agatggcaaa	300
tggcagagag	acatgtgcaa	tgtgttgcta	cagctggaag	atataaattg	cattaattta	360



gattggatca	acggttcacg	ggaatacatc	catgctgtaa	acaatctccg	tgttgttggg	420
gctgaggtgg	cttattttat	tgatgttctc	atgaaaaaat	ttgaatattc	cccttctaaa	480
gtgcacttga	ttggccacag	cttgggagca	cacctggctg	gggaagctgg	gtcaaggata	540
ccaggccttg	gaagaataac	tggttaagcat	gccctgcagt	tgggccttga	gtgtgcaacc	600
gagggtacc	tgttatctgc	tactctggct	aacaatgtca	acttcgtaga	tacaaatcac	660
atggatgcaa	ctcccataat	cccccagtg	atgaggggca	cttcgggaac	cagtaaccct	720
cttcctgtta	cttcctctct	gtgcttatgg	ttggctgate	ttggctcggt	ctcactcgta	780
tgtttgtggc	ctgaaatggc	ttccttcttt	gactgtaacc	atgcccgaag	ttatcaattt	840
tatgctgaaa	gcattcttaa	tcctgatgca	tttattgctt	atccttgtag	atcctacaca	900
tcttttaaag	caggaaattg	cttcttttgt	tccaaagaag	gttgcccaac	aatgggtcat	960
tttgctgata	gatttcactt	caaaaatatg	aagactaatg	gatcacatta	ttttttaaac	1020
acagggctcc	tttcccattt	tgcccgttgg	aggcacaat	tgtctgttaa	actcagtggg	1080
agcgaagtca	ctcaaggaac	tgtctttctt	cgtgtaggcg	gggcagttag	gaaaactggg	1140
gagtttgcca	ttgtcagtg	aaaacttgag	ccaggcatga	cttacacaaa	attaatcgat	1200
gcagatgtta	acgttggaaa	cattacaagt	gttcagttca	tctggaaaaa	acatttggtt	1260
gaagattctc	agaataagtt	gggagcagaa	atggtgataa	atacatctgg	gaaatatgga	1320
tataaatcta	ccttctgtag	ccaagacatt	atgggaccta	atattctcca	gaacctgaaa	1380
ccatgctaa						1389

&lt;210&gt; 30

&lt;211&gt; 768

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 30

atggtgctgc	tgctgggtgat	cctcatcccg	gtgctgggtga	gctcggccgg	cacgtcggcg	60
cactacgaga	tgctgggcac	ctgccgcag	gtctgcgacc	cctacggggg	caccaaggcg	120
cccagcaccg	ctgccacgcc	cgaccgcggc	ctcatgcagt	ccctgcccac	cttcatccag	180
ggcccccagg	gcgaggccgg	caggcccggg	aaggcgggtc	cgcgcgggcc	ccccggagag	240
ccggggccac	cgggcccat	ggggccccc	ggcgagaagg	gcgagccggg	cgccaaggcg	300
ctgcggggcc	cgccggggc	gcccggcctg	aacgcggccg	ggggccatcag	cgccgccacc	360
tacagcacgg	ggcccaagat	cgccttctac	gccggcctca	agcggcagca	tgaaggctac	420
gaggtgctca	agttcgacga	cgtggtcacc	aacctcgaa	accactacga	ccccaccacc	480
ggcaagttca	cctgctccat	cccgggcac	tacttcttca	cctaccacgt	cctgatgcgc	540
ggaggggacg	gcaccagcat	gtgggctgat	ctctgcaaaa	acaaccagg	gcgtgctagt	600
gcaattgccc	aagatgctga	tcagaattac	gactatgcc	gtaacagtg	ggttcttcat	660
ttggagccgg	gagatgaagt	ctatatcaaa	ttagatggcg	ggaaagccca	tggaggaaac	720
aacaacaaat	acagcacgtt	ttctggattt	attatttatg	ctgactga		768

&lt;210&gt; 31

&lt;211&gt; 2355

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 31

atggaggggc	acggcgggac	cccatggggc	ctggcgctgc	tgcgcacctt	cgacgcgggc	60
gagttcacgg	gctgggagaa	ggtgggctcg	ggcggtctcg	ggcaggtgta	caaggtgcgc	120
catgtccact	ggaagacctg	gctggccatc	aagtgtctcg	ccagcctgca	cgtcgacgac	180
aggagcgca	tggagctttt	ggaagaagcc	agaagatgg	agatggccaa	gtttcgctac	240
atcctgcctg	tgtatggcat	ctgccgcgaa	cctgtcggcc	tggtcatgga	gtacatggag	300
acgggctccc	tggaaaagct	gctggcttcg	gagccattgc	catgggatct	ccggttccga	360
atcatccacg	agacggcggt	gggcatgaac	ttcctgcact	gcattggccc	gccactcctg	420
cacctggacc	tcaagcccgc	gaacatcctg	ctggatgccc	actaccacgt	caagatttct	480
gattttggtc	tggccaagtg	caacgggctg	tcccactcgc	atgacctcag	catggatggc	540
ctgtttggca	caatcgecta	cctccctcca	gagcgcatca	gggagaagag	ccggctcttc	600
gacaccaagc	acgatgtata	cagcttttgc	atcgtcatct	ggggcgctgt	cacacagaag	660
aagccgtttg	cagatgagaa	gaacatcctg	cacatcatgg	tgaaggtggg	gaagggccac	720
cgccccgagc	tgccgcccgt	gtgcagagcc	cgccgcgcgc	cctgcagcca	cctgatacgc	780
ctcatgcagc	ggtgctggca	gggggatccg	cgagttaggc	ccaccttcca	agaaattact	840

tctgaaaccg	aggacctgtg	tgaaaagcct	gatgacgaag	tgaagaaaac	tgctcatgat	900
ctggacgtga	aaagccccc	ggagcccagg	agcgagggtg	tgctgcgag	gctcaagcgg	960
gcctctgccc	ccaccttcga	taacgactac	agcctctccg	agctgctctc	acagctggac	1020
tctggagttt	cccaggctgt	cgaggggccc	gaggagctca	gccgcagctc	ctctgagtcc	1080
aagctgccat	cgtccggcag	tgggaagagg	ctctcggggg	tgtctcgggt	ggactccgcc	1140
ttctcttcca	gaggatcact	gtcgtgtccc	tttgagcggg	aaccttcaac	cagcgatctg	1200
ggcaccacag	acgtccagaa	gaagaagctt	gtggatgcc	tcgtgtccgg	ggacaccagc	1260
aaactgatga	agatcctgca	gccgcaggac	gtggacctgg	cactggacag	cggtgccagc	1320
ctgctgcacc	tggcgggtgga	ggccggggcaa	gaggagtgcg	ccaagtggct	gctgctcaac	1380
aatgccaacc	ccaacctgag	caaccgtagg	ggctccacce	cgttgcacat	ggccgtggag	1440
aggagggtgc	gggggtgtcgt	ggagctcctg	ctggcgcgga	agatcagtgt	caacgccaaag	1500
gatgaggacc	agtggacagc	cctccacttt	gcagcccaga	acggggacga	gtctagcaca	1560
cggctgtgtg	tggagaagaa	cgcctcggtc	aacgagggtg	actttgaggg	ccggacgccc	1620
atgcacgtgg	cctgccagca	cgggcaggag	aatatcgtgc	gcctcctgct	gcgccgaggc	1680
gtggacgtga	gcctgcaggg	caaggatgcc	tggctgccac	tgcactacgc	tgcttggcag	1740
ggccacctgc	ccatcgtcaa	gctgctggcc	aagcagccgg	gggtgagtgt	gaacgcccag	1800
acgctggatg	ggaggacgcc	attgcacctg	gccgcacagc	gcgggcaacta	ccgctgggcc	1860
cgcactctca	tcgacctgtg	ctccgacgtc	aacgtctgca	gcctgctggc	acagacaccc	1920
ctgcacgtgg	ccgcggagac	ggggcacacg	agcactgcc	ggctgctcct	gcctcggggc	1980
gctggcaagg	aggccatgac	ctcagacggc	tacaccgctc	tgcaacctggc	tgcccgcac	2040
ggacacctgg	ccactgtcaa	gctgcttgtc	gaggagaagg	ccgatgtgct	ggcccggggg	2100
cccctgaacc	agacggcgct	gcacctggct	gccgcccacg	ggcaactcgga	ggtggtggag	2160
gagttggtca	gcgccgatgt	cattgacctg	ttcgacgagc	aggggctcag	cgcgctgcac	2220
ctggccgccc	agggccggca	cgcacagacg	gtggagactc	tgctcaggca	tggggccac	2280
atcaacctgc	agagcctcaa	gttcaggggc	ggccatggcc	ccgccgccac	gctcctgcgg	2340
cgaagcaaga	cctag					2355

&lt;210&gt; 32

&lt;211&gt; 759

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 32

atggcagccc	ccgccctgct	gtccctagca	ctgctgctgc	ccgtggggggc	ctggcccggg	60
ctgcccagga	ggccctgtgt	gcaactgctgc	cgcccggcct	ggccccctgg	accctatgcc	120
cgggtgagtg	acagggacct	gtggaggggg	gacctgtgga	gggggctgcc	tcgagtacgg	180
cccactatag	acatcgaaat	cctcaaagggt	gagaagggtg	aggccggcgt	ccgaggctcg	240
gccggcagga	gcgggaaaga	ggggccgcca	ggcgcccggg	gcctgcaggg	ccgcagaggc	300
cagaaggggc	aggtggggcc	gccggggcgc	gcgtgccgac	gtgcctacgc	cgccttctcc	360
gtggggccggc	gcgagggcct	gcacagctcc	gaccacttcc	aggcgggtgcc	cttcgacacg	420
gagctgggtga	acctggacgg	cgccttcgac	ctggccgcgg	gccgcttcc	ctgcacgggtg	480
cccggcgtct	acttcctcag	cctcaacgtg	cacacctgga	actacaagga	gacctacctg	540
cacatcatgc	tgaaccggcg	gcccgcggcc	gtgctctacg	cgcagcccag	cgagcgcagc	600
gtcatgcagg	cccagagcct	gatgctgctg	ctggcggcgg	gcgacgccgt	ctgggtgcgc	660
atgttccagc	gcgaccggga	caacgccatc	tacggcgagc	acggagacct	ctacatcacc	720
ttcagcggcc	acctggtcaa	gccggccggc	gagctgtag			759

&lt;210&gt; 33

&lt;211&gt; 1782

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 33

atgcccagct	cgctgttcgc	agacctggag	cgcaacggca	gcggcgggcg	cgggcgggcg	60
agcagcggag	ggggagagac	cctggatgac	caaagagccc	tgcagctcgc	gctcgaccag	120
ctctccctgc	tggggctgga	cagtgcagag	ggcgccctctc	tgtacgacag	cgagccgcgc	180
aagaagagcg	tgaacatgac	cgagtgcgtg	ccagtaccca	gttctgagca	tgtcgccgag	240
atcgtggggg	ggcaaggtag	gtcgaggagg	gatgggggagc	tggatcccag	cggcatctcc	300
ccagatgact	tttctgggat	tctcgggttt	ggttcggggac	gactgcagtc	actggggggag	360

ggccaggcag	ccaatgggct	gttcctcgag	cgctcgcgg	gtgggatccg	ctgcccagcc	420
cgtggcgcg	cccaggggtg	taaaatcaaa	gcgctgcgg	cgaagaccaa	tacttacatc	480
aagacccag	ttcgcgggga	ggagcctgtc	tttgttgtga	cgggcaggaa	ggaggatgtg	540
gccatggctc	ggagggagat	catctctgct	gccgagcact	tctccatgat	ccgcgcctcc	600
cggaataaga	acacggcact	caacggcgcg	gtgcctgggc	cgcccaacct	gcccgggcag	660
accaccatcc	aagtgcgggt	accctaccgc	gtggtggggc	tcgtggtggg	gccc aaaggc	720
gccacaatca	agcgcatcca	gcagcagacg	cacacgtaca	tcgtgacgcc	cagccgggat	780
aaggagccgg	tgttcgaggt	gaccggcatg	ccagagaacg	tggatcgcgc	tcgagaggag	840
attgaggcgc	acattgctct	gcgtaccggc	ggcatcattg	agctcacaga	cgagaacgac	900
ttccacgcca	acggcaccga	tgtgggcttc	gatctgcac	atgggtccgg	cggtgcttcc	960
acagactcct	atttcggcgg	cgggaccagc	agcagcgag	cggtaccaca	gcgcctggcg	1020
gactacagcc	cccctagccc	cgccctgagc	tttgcgcaca	acggaaacaa	taacaataac	1080
ggcaatgggt	acacctacac	agcgggggga	gaagcctcag	tgccatcccc	cgacggctgc	1140
cccgagctgc	agcccacttt	tgacccggtc	cccgtcccc	cacctggggc	accacttate	1200
tgggcccagt	tcgagcggtc	cccgggaggc	ggacctgcag	ctccgggtatc	ttcttctctg	1260
tcttcttctg	catcttcgtc	tgcttcttcc	tcctccgtgg	tcttccccgg	gggtggcgcc	1320
agtgcgccct	ccaacgccaa	cctggggcta	ttggtgcacc	gccggctgca	ccctggcacc	1380
agctgcccgc	gcctgtctcc	acccttgcac	atggccccgg	gggcccggaga	gcaccacctg	1440
gctcgccggg	tgcgcagcga	cccgggtgga	ggaggcctgg	cctacgccgc	ttatgccaac	1500
gggctggggg	cacagctgcc	tggtttgcag	ccgtcggaca	cgtcgggctc	ctcctcttcg	1560
tccagctcct	ctccagctc	ttcatcctct	tcctccgggc	ttcggcgtaa	aggcagccgc	1620
gactgctccg	tgtgcttcga	gagcgaagtg	attgccgcgc	tggtgccctg	tgccacaaac	1680
ctcttctgca	tggagtgcgc	caatcgcac	tgtgagaaga	gcgagcccga	gtgcccggtc	1740
tgccacaccc	cggctactca	ggccatccgc	atcttttctt	aa		1782

&lt;210&gt; 34

&lt;211&gt; 1419

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 34

atgcccagct	cgctgttcgc	agacctggag	cgcaacggca	gcggcgggcg	cggcggcggc	60
agcagcggag	ggggagagac	cctggatgac	caaagagccc	tgcagctcgc	gctcgaccag	120
ctctccctgc	tggggctgga	cagtgcagag	ggcgctctc	tgtacgacag	cgagccgcgc	180
aagaagagcg	tgaacatgac	cgagtgcgtg	ccagtaccca	gttctgagca	tgtcgccgag	240
atcgtggggc	ggcaagggtg	taaaatcaaa	gcgctgcgg	cgaagaccaa	tacttacatc	300
aagacccag	ttcgcgggga	ggagcctgtc	tttgttgtga	cgggcaggaa	ggaggatgtg	360
gccatggctc	ggagggagat	catctctgct	gccgagcact	tctccatgat	ccgcgcctcc	420
cggaataaga	acacggcact	caacggcgcg	gtgcctgggc	cgcccaacct	gcccgggcag	480
accaccatcc	aagtgcgggt	accctaccgc	gtggtggggc	tcgtggtggg	gccc aaaggc	540
gccacaatca	agcgcatcca	gcagcagacg	cacacgtaca	tcgtgacgcc	cagccgggat	600
aaggagccgg	tgttcgaggt	gaccggcatg	ccagagaacg	tggatcgcgc	tcgagaggag	660
attgaggcgc	acattgctct	gcgtaccggc	ggcatcattg	agctcacaga	cgagaacgac	720
ttccacgcca	acggcaccga	tgtgggcttc	gatctgcac	atgggtccgg	cggttccggc	780
ccaggcagcc	tctggagcaa	gcccaccccc	agcatcacgc	ccacccccgg	ccgcaagcct	840
ttctctagct	accgcaacga	cagctccagc	tcgcttgcca	gtgcttccac	agactcttat	900
ttcggcgggc	ggaccagcag	cagcgcagcg	gctaccagc	gcctggcgga	ctacagccct	960
gcgcctcca	acgccaacct	ggggctattg	gtgcaccgcc	ggctgcaccc	tggcaccagc	1020
tgcccgcgcc	tgtctccacc	cttgcacatg	gccccggggg	cgggagagca	ccacctggct	1080
cgccgggtgc	gcagcgaccc	gggtggagga	ggcctggcct	acgccgctta	tgccaacggg	1140
ctgggggcac	agctgcctgg	cttgacagcc	tcggacacgt	cgggctcctc	ctcttcgtcc	1200
agctcctcct	ccagctcttc	atcctcttcc	tccgggcttc	ggcgtaaagg	cagccgcgac	1260
tgctccgtgt	gcttcgagag	cgaagtgatt	gccgcgctgg	tgccctgtgg	ccacaacctc	1320
ttctgcatgg	agtgcgccaa	tcgcatctgt	gagaagagcg	agccccagtg	cccggctctg	1380
cacaccgcgg	tcactcaggc	catccgcac	ttttcttaa			1419

&lt;210&gt; 35

&lt;211&gt; 1824

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 35

atgtggggcc	tggtgaggct	cctgctggcc	tggctgggtg	gctggggctg	catggggcgt	60
ctggcagccc	cagcccgggc	ctgggcaggg	tcccgggaac	accagggcc	tgctctgctg	120
cggactcgaa	ggagctgggt	ctggaaccag	ttctttgtca	ttgaggaata	tgctggtcca	180
gagcctgttc	tcattggcaa	gctgcactcg	gatgttgacc	ggggagaggg	cgcaccaag	240
tacctgttga	ccggggaggg	ggcaggcacc	gtatttgtga	ttgatgaggc	cacaggcaat	300
attcatgtta	ccaagagcct	tgaccgggag	gaaaaggcgc	aatatgtgct	actggcccaa	360
gccgtggacc	gagcctccaa	ccggcccctg	gagcccccac	cagagttcat	catcaaagtg	420
caagacatca	acgacaatcc	acccattttt	ccccttgggc	cctaccatgc	caccgtgccc	480
gagatgtcca	atgtcgggac	atcagtgatc	caggtgactg	ctcacgatgc	tgatgacccc	540
agctatggga	acagtgccaa	gctggtgtac	actgttcttg	atggactgcc	tttcttctct	600
gtggaccccc	agactggagt	ggtgcgtaca	gccatcccca	acatggaccg	ggagacacag	660
gaggagtctt	tggtggtgat	ccaggccaag	gacatgggag	gccacatggg	ggggctgtca	720
ggcagcacta	cgggtgactgt	cacgctcagc	gatgtcaacg	acaaccccc	caagttccca	780
cagagcctat	accagttctc	cgtggtggag	acagctggac	ctggcacact	ggtgggccc	840
ctccggggccc	aggaccaga	cctgggggac	aacgccctga	tggcatacag	catcctggat	900
ggggaggggt	ctgaggcctt	cagcatcagc	acagacttgc	agggctcgaga	cgggctctct	960
actgtccgca	agcccctaga	ctttgagagc	cagcgtctct	actccttccg	tgctgaggcc	1020
accaacacgc	tcattgaccc	agcctatctg	cggcgagggc	ccttcaagga	tgtggcctct	1080
gtgcgtgtgg	cagtgcgaaga	tgccccagag	ccacctgcct	tcaccaggc	tgccctaccac	1140
ctgacagtgc	ctgagaacaa	ggccccgggg	accctggtag	gccagatctc	cgcggctgac	1200
ctggactccc	ctgccagccc	aatcagatac	tccatcctcc	cccactcaga	tccggagcgt	1260
tgcttctcta	tccagcccga	ggaaggcacc	atccatacag	cagcaccctc	ggatcgcgag	1320
gctcgcgcct	ggcacaacct	cactgtgctg	gctacagagc	tcgtccctta	taccctgct	1380
tatgcctcag	gggctcctcc	acccttttgt	cttcatactg	catatgaaaa	ctgcccttgt	1440
atatgtggat	atctgaatgt	gtcagtgaag	gcctatatga	atgtgcacat	gtgggccatg	1500
gtcttagtct	ttgcagaaca	caaaggagga	gggagaggac	cagggaggca	ggctgttgac	1560
ggacagaagc	agtcaactag	gtgggagctg	agccagaact	gcaattatct	cccaaagtcc	1620
agagaagggg	tccaccaggg	aaccagcatg	agagctcagg	cctctcaact	ccagggtccc	1680
agaggcacac	acaggaactg	cacacgcac	gcctgccaca	ctcgtgtgaa	tcccctctg	1740
tatcactcac	ctacacctgg	gcacagaact	acatacacct	gtggacatga	atatgcaccc	1800
tcttatgccc	agtcaaacac	ctga				1824

&lt;210&gt; 36

&lt;211&gt; 2346

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 36

atgtggggcc	tggtgaggct	cctgctggcc	tggctgggtg	gctggggctg	catggggcgt	60
ctggcagccc	cagcccgggc	ctgggcaggg	tcccgggaac	accagggcc	tgctctgctg	120
cggactcgaa	ggagctgggt	ctggaaccag	ttctttgtca	ttgaggaata	tgctggtcca	180
gagcctgttc	tcattggcaa	gctgcactcg	gatgttgacc	ggggagaggg	cgcaccaag	240
tacctgttga	ccggggaggg	ggcaggcacc	gtatttgtga	ttgatgaggc	cacaggcaat	300
attcatgtta	ccaagagcct	tgaccgggag	gaaaaggcgc	aatatgtgct	actggcccaa	360
gccgtggacc	gagcctccaa	ccggcccctg	gagcccccac	cagagttcat	catcaaagtg	420
caagacatca	acgacaatcc	acccattttt	ccccttgggc	cctaccatgc	caccgtgccc	480
gagatgtcca	atgtcgggac	atcagtgatc	caggtgactg	ctcacgatgc	tgatgacccc	540
agctatggga	acagtgccaa	gctggtgtac	actgttcttg	atggactgcc	tttcttctct	600
gtggaccccc	agactggagt	ggtgcgtaca	gccatcccca	acatggaccg	ggagacacag	660
gaggagtctt	tggtggtgat	ccaggccaag	gacatgggag	gccacatggg	ggggctgtca	720
ggcagcacta	cgggtgactgt	cacgctcagc	gatgtcaacg	acaaccccc	caagttccca	780
cagagcctat	accagttctc	cgtggtggag	acagctggac	ctggcacact	ggtgggccc	840
ctccggggccc	aggaccaga	cctgggggac	aacgccctga	tggcatacag	catcctggat	900
ggggaggggt	ctgaggcctt	cagcatcagc	acagacttgc	agggctcgaga	cgggctcctc	960
actgtccgca	agcccctaga	ctttgagagc	cagcgtctct	actccttccg	tgctgaggcc	1020
accaacacgc	tcattgaccc	agcctatctg	cggcgagggc	ccttcaagga	tgtggcctct	1080

gtgcgtgtgg	cagtgaaga	tgccccagag	ccacctgcct	tcacccaggc	tgccctaccac	1140
ctgacagtgc	ctgagaacaa	ggccccgggg	accctggtag	gccagatctc	cgcggttgac	1200
ctggactccc	ctgccagccc	aatcagatac	tccatcctcc	cccactcaga	tccggagcgt	1260
tgcttctcta	tccagcccga	ggaaggcacc	atccatacag	cagcaccctc	ggatcgcgag	1320
gctcgcgctc	ggcacaacct	cactgtgtctg	gctacagagc	tcgacagttc	tgacacaggcc	1380
tcgcgcgctg	aagtggccat	ccagaccctg	gatgagaatg	acaatgctcc	ccagctgggt	1440
gagccctacg	atacttttgt	gtgtgactct	gcagctcctg	gccagctgat	tcaggtcac	1500
cgggcccctg	acagagatga	agttggcaac	agtagccatg	tctcctttca	aggctcctctg	1560
ggcccctgat	ccaactttac	tgtccaggac	aaccgagatg	gctccgccag	cctgctgctg	1620
ccctcccgc	ctgctccacc	ccgccatgcc	ccctacttgg	ttcccataga	actgtgggac	1680
tgggggcagc	cggcgctgag	cagcaactgcc	acagtgaactg	ttagtgtgtg	ccgctgccag	1740
cctgacggct	ctgtggcatc	ctgctggcct	gaggtcacc	tctcagctgc	tggtgtcagc	1800
accggcgccc	tgcttgccat	catcacctgt	gtgggtgccc	tgcttgccct	ggtgtgtctc	1860
ttcgtggccc	tgcgggcgga	gaagcaagaa	gcaactgatg	tactggagga	ggaggacgtc	1920
cgagagaaca	tcataccta	cgacgacgag	ggcgggcgcg	aggaggacac	cgaggccttc	1980
gacatcacgg	ccttgccagaa	cccggacggg	gcgccccccc	cggcgcccgg	ccctcccgcg	2040
cggcgagagg	tggtgccccg	ggccccgggtg	tcgccccagc	ccagaccccc	cggccccgc	2100
gacgtggcgc	agctcctggc	gctgcggctc	cgcgaggcgg	acgaggacc	cggcgtaacc	2160
ccgtacgact	cgggtgcagg	gtacggctac	gagggcgcg	gctcctcttg	cggctccctc	2220
agctccctgg	gctccggcag	cgaagccggc	ggcgcccccg	gccccgcgga	gcccgtggac	2280
gactggggtc	cgctcttcgg	caccctggcc	gagctgtatg	gggccaagga	gcccccgccc	2340
ccctga						2346

&lt;210&gt; 37

&lt;211&gt; 1923

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 37

atggccagag	gccattacat	ttatgtggat	acctcctttg	gcaagcaggg	ggagaaagct	60
gtgctgctaa	gtcctgactt	acaggctgag	gaatggagct	gcctccgttt	ggtctaccag	120
ataaccacat	cttcggagtc	tctgtcagat	cccagccagc	tgaacctcta	catgagattt	180
gaagatgaaa	gctttgatcg	cttgcttttg	tcagctaagg	aaccttcaga	cagctggctc	240
atagccagct	tggatttgca	aaacagttcc	aagaaattca	agattttaat	agaagggtga	300
ctaggacagg	gaaacacagc	cagcatcgca	ctatttgaaa	tcaagatgac	aaccggctac	360
tgtattgaat	gtgactttga	agaaaatcat	ctctgtggct	ttgtgaaccg	ctggaatccc	420
aatgtgaact	ggtttgttgg	aggaggaagt	attcggaatg	tccactccat	tctcccacag	480
gatcacacct	tcaagagtga	actgggccac	tacatgtacg	tggactcagt	ttatgtgaag	540
cacttccagg	aggtggcaca	gctcatctcc	ccgttgacca	cggcccccat	ggctggctgc	600
ctgtcatttt	attaccagat	ccagcagggg	aatgacaatg	tcttttccct	ttacactcgg	660
gatgtggctg	gccttttacg	ggaaatctgg	aaagcagaca	ggccagggaa	tgctgcctgg	720
aaccttgccg	aggtcgagtt	cacatgccat	tttccctctg	aggttatttt	tgaagttgct	780
ttcaatggtc	ccaagggagg	ttatgtttgc	ctggatgata	tttcattctc	tctgttcac	840
tgccagaatc	agacagaact	tctgttcagt	gccgtggaag	ccagctgcaa	ttttgagcaa	900
gatctctgca	actttttacca	agataaagaa	ggtccagggt	ggacccgagt	gaaagtaaaa	960
ccaaacatgt	atcgggctgg	agaccacact	acaggcttag	ggtattacct	gctagccaac	1020
acaaagttca	catctcagcc	tggctacatt	ggaaggctct	atgggcccctc	cctaccagga	1080
aacttgcaat	attgtctgcg	ttttcattat	gccatctatg	gattttttaa	aatgagtgac	1140
accctagcag	tttacatctt	tgaagagaac	catgtggttc	aagagaagat	ctggtctgtg	1200
ttggagtccc	caaggggtgt	ttggatgcaa	gctgaaatca	cctttaagaa	gcccagcct	1260
accaaggtgg	ttttcatgag	cctatgcaaa	agtttctggg	actgtgggct	tgtagccctg	1320
gatgacatta	caatacaatt	gggaagctgc	tcattcttcag	agaaacttcc	acctccacct	1380
ggagagtgtg	ctttcgagca	agatgaatgt	acatttactc	aggagaaaag	aaaccggagc	1440
agctggcaca	ggaggagggg	agaaactccc	acttctatac	caggacaaa	gggagatcac	1500
actactgggg	taggctacta	catgtacatt	gaggcctccc	atatggtgta	tggaacaaaa	1560
gcacgcctct	tgtccaggcc	tctgcgagga	gtctctggaa	aacactgctt	gaccttttct	1620
taccacatgt	atggaggggg	cactggcctg	ctgagtgttt	atctgaaaaa	ggaagaagac	1680
agtgaagagt	ccctcttatg	gaggagaaga	ggtgaacaga	gcatttctctg	gctacgagca	1740
ctgattgaat	acagctgtga	gaggcaacac	cagataattt	ttgaagccat	tcgaggagta	1800

tcaataagaa gtgatattgc cattgatgat gttaaatttc aggcaggacc ctgtggagaa	1860
atggaagata caactcaaca atcatcagga tattctgagg acttaaatga aattgagtat	1920
taa	1923

<210> 38  
 <211> 2061  
 <212> DNA  
 <213> Homo sapiens

<400> 38	
atgctgttaa ggggcgtcct cctggcggtg caagccctgc agctcgccgg tgccctcgac	60
ctgcccgtcg ggtcctgtgc ctttgaagag agcacttgcg gctttgactc cgtgttggcc	120
tctctgccgt ggattttaaa tgaggaaggc cattacattt atgtggatac ctcccttggc	180
aagcaggggg agaaagctgt gctgctaagt cctgacttac aggcctgagga atggagctgc	240
ctccgttttg tctaccagat aaccacatct tcggagtcct tgctcagatcc cagccagctg	300
aacctctaca tgagatttga agatgaaagc tttgatcgct tgctttgggtc agctaaggaa	360
ccttcagaca gctggctcat agccagcttg gatttgcaaa acagttccaa gaaattcaag	420
attttaatag aaggtgtact aggcagggga aacacagcca gcatcgactc atttgaaatc	480
aagatgacaa ccggctactg tattgaatgt gactttgaag aaaatcatct ctgtggcttt	540
gtgaaccgct ggaatcccaa tgtgaactgg tttgttgagg gaggaagtat tcggaatgtc	600
cactccattc tcccacagga tcacaccttc aagagtgaac tggggcacta catgtacgtg	660
gactcagttt atgtgaagca cttccaggag gtggcacagc tcactctccc gttgaccacg	720
gccccatgg ctggctgcct gtcattttat taccagatcc agcaggggaa tgacaatgtc	780
ttttcccttt acactcggga tgtggctggc ctttacgagg aaatctggaa agcagacagg	840
ccagggaatg ctgcctggaa ccttgccggg gtcgagttca catgccattt tcctctgcag	900
gttatttttg aagttgcttt caatggctcc aagggaggtt atgttgccct ggatgatatt	960
tcattctctc ctgttctact ccagaatcag acagaacttc tgttcagtgc cgtggaagcc	1020
agctgcaatt ttgagcaaga tctctgcaac ttttaccagg ataaagaagg tccaggttgg	1080
accgagtgga aagtaaaacc aaacatgtat cgggctggag accacactac aggccttaggg	1140
tattacctgc tagccaacac aaagttcaca tctcagcctg gctacattgg aaggctctat	1200
gggcccctcc taccagggaa cttgcagtat tgtctgcgtt ttcattatgc catctatgga	1260
tttttaaaaa tgagtgcacac cctagcagtt tacatctttg aagagaacca tgtgggttcaa	1320
gagaagatct ggtctgtggt ggagtcacca aggggtgttt ggatgcaagc tgaaatcacc	1380
tttaagaagc ccatgcctac caaggtgggt ttcattgagcc tatgcaaaag tttctgggac	1440
tgtgggcttg tagccctgga tgacattaca atacaattgg gaagctgctc atcttcagag	1500
aaacttcac ctccacctgg agagtgtact ttcagcaag atgaatgtac atttactcag	1560
gagaaaagaa accggagcag ctggcacagg aggaggggag aaactcccac ttcctacaca	1620
ggaccaaagg gagatcacac tactggggta ggctactaca tgtacattga ggccctccat	1680
atggtgtatg gacaaaaagc acgcctcttg tccaggcctc tgcgaggagt ctctggaaaa	1740
cactgcttga cctttttcta ccacatgtat ggagggggca ctggcctgct gagtgtttat	1800
ctgaaaaagg aagaagacag tgaagagtcc ctcttatgga ggagaagagg tgaacagagc	1860
atttctctgc tacgagcact gattgaatac agctgtgaga ggcaacacca gataattttt	1920
gaagccattc gaggagtatc aataagaagt gatattgcca ttgatgatgt taaatttcag	1980
gcaggaccct gtggagaaat ggaagataca actcaacaat catcaggata ttctgaggac	2040
ttaaatgaaa ttgagtatta a	2061

<210> 39  
 <211> 465  
 <212> DNA  
 <213> Homo sapiens

<400> 39	
atgaccttgt ccccaacaca gccacctctg tttcacctgc cttacgtcca gaaatgcttt	60
atccctactg tggagcagct gactctgggg atcccatgcc agaatcatgg ggagatagac	120
catggccagg atatatattcc agcagagaag ctctgtcacc tgcaggattg caaggtgaac	180
cttcacagag ctgcctgcgg tgagtgtatt gttgcacca agacttccag ctcccttac	240
tgtcagggga cctgcctgac cctcaacagt gagcttcacc aatccaactt tgcactcaaa	300
gtttgcacta taagagggga gtgcctattg atctgttccg ggctctttca gacctgtagt	360
cccaccaagg tcattctctt ctccctaacg gtccaggatg acgaacgtaa gatgagcgtt	420

cactgtgtga acgcatacctt gatagagaag tgtggctgct cttga

465

<210> 40  
 <211> 277  
 <212> PRT  
 <213> Homo sapiens

<400> 40  
 Met Arg Gly Leu Val Met Ala Pro Leu Leu Ile Leu Leu Val Gly Gly  
 1 5 10 15  
 Thr Glu Ala Phe Arg Ile Cys Ala Phe Asn Ala His Arg Leu Thr Leu  
 20 25 30  
 Ala Lys Leu Thr Lys Glu Ser Val Met Asp Thr Leu Val Gln Ile Leu  
 35 40 45  
 Ala Arg Cys Asp Ile Met Val Leu Gln Glu Val Val Asp Ser Ser Gln  
 50 55 60  
 Asn Thr Val Pro Phe Leu Leu Gln Lys Leu Lys Ser Ser Arg Ser Tyr  
 65 70 75 80  
 Ser Phe Leu Asn Ser Ser Leu Leu Gly Arg Ser Thr Tyr Lys Glu Lys  
 85 90 95  
 Tyr Val Tyr Ile Tyr Arg Ser Asp Lys Thr Gln Val Leu Asn Phe Tyr  
 100 105 110  
 Gln Tyr Asn Asp Thr Asp Asp Ile Phe Ala Arg Glu Pro Phe Val Ala  
 115 120 125  
 His Phe Thr Leu Pro Ser Lys Thr Leu Pro Ser Val Val Leu Val Pro  
 130 135 140  
 Leu His Thr Thr Pro Lys Asp Val Glu Lys Glu Leu Asn Ala Leu Tyr  
 145 150 155 160  
 Asp Val Phe Leu Asp Val Tyr Gln Arg Trp Gln Asn Glu Asn Val Ile  
 165 170 175  
 Leu Leu Gly Asp Phe Asn Ala Asp Cys Ala Ser Leu Thr Lys Lys Arg  
 180 185 190  
 Leu Lys Ser Leu Leu Leu Arg Thr Lys Ala Gly Phe His Trp Val Ile  
 195 200 205  
 Pro Asp Gly Glu Asp Thr Thr Val Arg Ala Ser Thr Asn Cys Thr Tyr  
 210 215 220  
 Asp Arg Ile Val Val His Gly Gln Gly Cys Gln Met Leu Leu Lys Ala  
 225 230 235 240  
 Ala Ala Thr Phe Asp Phe Pro Lys Arg Phe Gln Leu Thr Glu Glu Glu  
 245 250 255  
 Ala Leu Arg Ile Ser Asp His Tyr Pro Val Glu Val Glu Leu Ser Gln  
 260 265 270  
 Ala Thr Pro Leu Ser  
 275

<210> 41  
 <211> 480  
 <212> PRT  
 <213> Homo sapiens

<400> 41  
 Met Leu Gly Arg Phe Gln Pro Phe Ser Leu Val Arg Ser Phe Arg Leu  
 1 5 10 15  
 Gly Phe Gly Ala Cys Cys Tyr Pro Asn Gln Lys Cys Ala Thr Gln Thr  
 20 25 30  
 Ile Arg Pro Pro Asp Ser Arg Cys Leu Val Gln Ala Val Ser Gln Asn  
 35 40 45  
 Phe Asn Phe Ala Lys Asp Val Leu Asp Gln Trp Ser Gln Leu Glu Lys  
 50 55 60

Asp Gly Leu Arg Gly Pro Tyr Pro Ala Leu Trp Lys Val Ser Ala Lys  
 65 70 75 80  
 Gly Glu Glu Asp Lys Trp Ser Phe Glu Arg Met Thr Gln Leu Ser Lys  
 85 90 95  
 Lys Ala Ala Ser Ile Leu Ser Asp Thr Cys Ala Leu Ser His Gly Asp  
 100 105 110  
 Arg Leu Met Ile Ile Leu Pro Pro Thr Pro Glu Ala Tyr Trp Ile Cys  
 115 120 125  
 Leu Ala Cys Val Arg Leu Gly Ile Thr Phe Val Pro Gly Ser Pro Gln  
 130 135 140  
 Leu Thr Ala Lys Lys Ile Arg Tyr Gln Leu Arg Met Ser Lys Ala Gln  
 145 150 155 160  
 Cys Ile Val Ala Asn Glu Ala Met Ala Pro Val Val Asn Ser Ala Val  
 165 170 175  
 Ser Asp Cys Pro Thr Leu Lys Thr Lys Leu Leu Val Ser Asp Lys Ser  
 180 185 190  
 Tyr Asp Gly Trp Leu Asp Phe Lys Lys Leu Ile Gln Val Ala Pro Pro  
 195 200 205  
 Lys Gln Thr Tyr Met Arg Thr Lys Ser Gln Asp Pro Met Ala Ile Phe  
 210 215 220  
 Phe Thr Lys Gly Thr Thr Gly Ala Pro Lys Met Val Glu Tyr Ser Gln  
 225 230 235 240  
 Tyr Gly Leu Gly Met Gly Phe Ser Gln Ala Ser Arg Arg Trp Met Asp  
 245 250 255  
 Leu Gln Pro Thr Asp Val Leu Trp Ser Leu Gly Asp Ala Phe Gly Gly  
 260 265 270  
 Ser Leu Ser Leu Ser Ala Val Leu Gly Thr Trp Phe Gln Gly Ala Cys  
 275 280 285  
 Val Phe Leu Cys His Met Pro Thr Phe Cys Pro Glu Thr Val Leu Asn  
 290 295 300  
 Val Leu Ser Arg Phe Pro Ile Thr Thr Leu Ser Ala Asn Pro Glu Met  
 305 310 315 320  
 Tyr Gln Glu Leu Leu Gln His Lys Cys Phe Thr Ser Tyr Arg Phe Lys  
 325 330 335  
 Ser Leu Lys Gln Cys Val Ala Ala Gly Gly Pro Ile Ser Pro Gly Val  
 340 345 350  
 Ile Glu Asp Trp Lys Arg Ile Thr Lys Leu Asp Ile Tyr Glu Gly Tyr  
 355 360 365  
 Gly Gln Thr Glu Thr Gly Leu Leu Cys Ala Thr Ser Lys Thr Ile Lys  
 370 375 380  
 Leu Lys Pro Ser Ser Leu Gly Lys Pro Leu Pro Tyr Ile Val Gln  
 385 390 395 400  
 Ile Val Asp Glu Asn Ser Asn Leu Leu Pro Gly Glu Glu Gly Asn  
 405 410 415  
 Ile Ala Ile Arg Ile Lys Leu Asn Gln Pro Ala Ser Leu Tyr Cys Pro  
 420 425 430  
 His Met Val Ser Trp Glu Glu Tyr Ala Ser Ala Arg Gly His Met Leu  
 435 440 445  
 Tyr Leu Thr Gly Asp Arg Gly Ile Met Asp Glu Asp Gly Tyr Phe Trp  
 450 455 460  
 Trp Ser Gly Arg Val Asp Asp Val Ala Asn Ala Leu Gly Gln Arg Leu  
 465 470 475 480

<210> 42  
 <211> 583  
 <212> PRT  
 <213> Homo sapiens

<400> 42



Met	Leu	Gly	Arg	Phe	Gln	Pro	Phe	Ser	Leu	Val	Arg	Ser	Phe	Arg	Leu
1				5					10					15	
Gly	Phe	Gly	Ala	Cys	Cys	Tyr	Pro	Asn	Gln	Lys	Cys	Ala	Thr	Gln	Thr
			20					25					30		
Ile	Arg	Pro	Pro	Asp	Ser	Arg	Cys	Leu	Val	Gln	Ala	Val	Ser	Gln	Asn
		35				40						45			
Phe	Asn	Phe	Ala	Lys	Asp	Val	Leu	Asp	Gln	Trp	Ser	Gln	Leu	Glu	Lys
	50				55						60				
Asp	Gly	Leu	Arg	Gly	Pro	Tyr	Pro	Ala	Leu	Trp	Lys	Val	Ser	Ala	Lys
65					70					75					80
Gly	Glu	Glu	Asp	Lys	Trp	Ser	Phe	Glu	Arg	Met	Thr	Gln	Leu	Ser	Lys
				85				90						95	
Lys	Ala	Ala	Ser	Ile	Leu	Ser	Asp	Thr	Cys	Ala	Leu	Ser	His	Gly	Asp
			100					105					110		
Arg	Leu	Met	Ile	Ile	Leu	Pro	Pro	Thr	Pro	Glu	Ala	Tyr	Trp	Ile	Cys
		115					120					125			
Leu	Ala	Cys	Val	Arg	Leu	Gly	Ile	Thr	Phe	Val	Pro	Gly	Ser	Pro	Gln
	130					135					140				
Leu	Thr	Ala	Lys	Lys	Ile	Arg	Tyr	Gln	Leu	Arg	Met	Ser	Lys	Ala	Gln
145					150					155					160
Cys	Ile	Val	Ala	Asn	Glu	Ala	Met	Ala	Pro	Val	Val	Asn	Ser	Ala	Val
				165					170					175	
Ser	Asp	Cys	Pro	Thr	Leu	Lys	Thr	Lys	Leu	Leu	Val	Ser	Asp	Lys	Ser
			180					185					190		
Tyr	Asp	Gly	Trp	Leu	Asp	Phe	Lys	Lys	Leu	Ile	Gln	Val	Ala	Pro	Pro
	195						200					205			
Lys	Gln	Thr	Tyr	Met	Arg	Thr	Lys	Ser	Gln	Asp	Pro	Met	Ala	Ile	Phe
	210					215					220				
Phe	Thr	Lys	Gly	Thr	Thr	Gly	Ala	Pro	Lys	Met	Val	Glu	Tyr	Ser	Gln
225					230					235					240
Tyr	Gly	Leu	Gly	Met	Gly	Phe	Ser	Gln	Ala	Ser	Arg	Arg	Trp	Met	Asp
				245					250					255	
Leu	Gln	Pro	Thr	Asp	Val	Leu	Trp	Ser	Leu	Gly	Asp	Ala	Phe	Gly	Gly
			260					265					270		
Ser	Leu	Ser	Leu	Ser	Ala	Val	Leu	Gly	Thr	Trp	Phe	Gln	Gly	Ala	Cys
		275					280					285			
Val	Phe	Leu	Cys	His	Met	Pro	Thr	Phe	Cys	Pro	Glu	Thr	Val	Leu	Asn
	290					295					300				
Val	Leu	Ser	Arg	Phe	Pro	Ile	Thr	Thr	Leu	Ser	Ala	Asn	Pro	Glu	Met
305					310					315					320
Tyr	Gln	Glu	Leu	Leu	Gln	His	Lys	Cys	Phe	Thr	Ser	Tyr	Arg	Phe	Lys
				325					330					335	
Ser	Leu	Lys	Gln	Cys	Val	Ala	Ala	Gly	Gly	Pro	Ile	Ser	Pro	Gly	Val
			340					345					350		
Ile	Glu	Asp	Trp	Lys	Arg	Ile	Thr	Lys	Leu	Asp	Ile	Tyr	Glu	Gly	Tyr
	355						360					365			
Gly	Gln	Thr	Glu	Thr	Gly	Leu	Leu	Cys	Ala	Thr	Ser	Lys	Thr	Ile	Lys
	370					375					380				
Leu	Lys	Pro	Ser	Ser	Leu	Gly	Lys	Pro	Leu	Pro	Pro	Tyr	Ile	Val	Gln
385					390					395					400
Ile	Val	Asp	Glu	Asn	Ser	Asn	Leu	Leu	Pro	Pro	Gly	Glu	Glu	Gly	Asn
				405					410					415	
Ile	Ala	Ile	Arg	Ile	Lys	Leu	Asn	Gln	Pro	Ala	Ser	Leu	Tyr	Cys	Pro
			420					425					430		
His	Met	Val	Ser	Trp	Glu	Glu	Tyr	Ala	Ser	Ala	Arg	Gly	His	Met	Leu
	435						440					445			
Tyr	Leu	Thr	Gly	Asp	Arg	Gly	Ile	Met	Asp	Glu	Asp	Gly	Tyr	Phe	Trp
	450					455					460				
Trp	Ser	Gly	Arg	Val	Asp	Asp	Val	Ala	Asn	Ala	Leu	Gly	Gln	Arg	Phe

465                      470                      475                      480  
 Ser Arg Pro Gly Ala Ala Ala Ala Ala Ser Ala Val Gly Ala Pro Pro  
                                  485                      490                      495  
 Gly Gly Trp His Ser Leu Cys Ala Ser Val Pro Ile Leu Gln Val Val  
                                  500                      505                      510  
 Lys Pro Pro Asn Val Leu Thr Pro Gln Phe Leu Ser His Asp Gln Gly  
                                  515                      520                      525  
 Gln Leu Thr Lys Glu Leu Gln Gln His Ile Lys Ser Val Thr Gly Pro  
                                  530                      535                      540  
 Cys Lys Tyr Gln Arg Lys Val Glu Phe Val Pro Glu Leu Pro Lys Thr  
 545                      550                      555                      560  
 Val Thr Gly Lys Ile Lys Arg Glu Leu Gln Val Trp Ser Asp Val Val  
                                  565                      570                      575  
 Ser Ser Glu Leu Arg Asn Asp  
                                  580

<210> 43  
 <211> 581  
 <212> PRT  
 <213> Homo sapiens

<400> 43  
 Met Pro Leu Lys His Tyr Leu Leu Leu Leu Val Gly Cys Gln Ala Trp  
   1                      5                      10                      15  
 Gly Ala Gly Leu Ala Tyr His Gly Cys Pro Ser Glu Cys Thr Cys Ser  
                                  20                      25                      30  
 Arg Ala Ser Gln Val Glu Cys Thr Gly Ala Arg Ile Val Ala Val Pro  
                                  35                      40                      45  
 Thr Pro Leu Pro Trp Asn Ala Met Ser Leu Gln Ile Leu Asn Thr His  
   50                      55                      60  
 Ile Thr Glu Leu Asn Glu Ser Pro Phe Leu Asn Ile Ser Ala Leu Ile  
 65                      70                      75                      80  
 Ala Leu Arg Ile Glu Lys Asn Glu Leu Ser Arg Ile Thr Pro Gly Ala  
                                  85                      90                      95  
 Phe Arg Asn Leu Gly Ser Leu Arg Tyr Leu Ser Leu Ala Asn Asn Lys  
                                  100                      105                      110  
 Leu Gln Val Leu Pro Ile Gly Leu Phe Gln Gly Leu Asp Ser Leu Glu  
                                  115                      120                      125  
 Ser Leu Leu Leu Ser Ser Asn Gln Leu Leu Gln Ile Gln Pro Ala His  
   130                      135                      140  
 Phe Ser Gln Cys Ser Asn Leu Lys Glu Leu Gln Leu His Gly Asn His  
 145                      150                      155                      160  
 Leu Glu Tyr Ile Pro Asp Gly Ala Phe Asp His Leu Val Gly Leu Thr  
                                  165                      170                      175  
 Lys Leu Asn Leu Gly Lys Asn Ser Leu Thr His Ile Ser Pro Arg Val  
                                  180                      185                      190  
 Phe Gln His Leu Gly Asn Leu Gln Val Leu Arg Leu Tyr Glu Asn Arg  
                                  195                      200                      205  
 Leu Thr Asp Ile Pro Met Gly Thr Phe Asp Gly Leu Val Asn Leu Gln  
   210                      215                      220  
 Glu Leu Ala Leu Gln Gln Asn Gln Ile Gly Leu Leu Ser Pro Gly Leu  
 225                      230                      235                      240  
 Phe His Asn Asn His Asn Leu Gln Arg Leu Tyr Leu Ser Asn Asn His  
                                  245                      250                      255  
 Ile Ser Gln Leu Pro Pro Ser Ile Phe Met Gln Leu Pro Gln Leu Asn  
                                  260                      265                      270  
 Arg Leu Thr Leu Phe Gly Asn Ser Leu Lys Glu Leu Ser Leu Gly Ile  
                                  275                      280                      285  
 Phe Gly Pro Met Pro Asn Leu Arg Glu Leu Trp Leu Tyr Asp Asn His

290                      295                      300  
 Ile Ser Ser Leu Pro Asp Asn Val Phe Ser Asn Leu Arg Gln Leu Gln  
 305                      310                      315                      320  
 Val Leu Ile Leu Ser Arg Asn Gln Ile Ser Phe Ile Ser Pro Gly Ala  
                                  325                      330                      335  
 Phe Asn Gly Leu Thr Glu Leu Arg Glu Leu Ser Leu His Thr Asn Ala  
                                  340                      345                      350  
 Leu Gln Asp Leu Asp Gly Asn Val Phe Arg Met Leu Ala Asn Leu Gln  
                                  355                      360                      365  
 Asn Ile Ser Leu Gln Asn Asn Arg Leu Arg Gln Leu Pro Gly Asn Ile  
                                  370                      375                      380  
 Phe Ala Asn Val Asn Gly Leu Met Ala Ile Gln Leu Gln Asn Asn Gln  
 385                      390                      395                      400  
 Leu Glu Asn Leu Pro Leu Gly Ile Phe Asp His Leu Gly Lys Leu Cys  
                                  405                      410                      415  
 Glu Leu Arg Leu Tyr Asp Asn Pro Trp Arg Cys Asp Ser Asp Ile Leu  
                                  420                      425                      430  
 Pro Leu Arg Asn Trp Leu Leu Leu Asn Gln Pro Arg Leu Gly Thr Asp  
                                  435                      440                      445  
 Thr Val Pro Val Cys Phe Ser Pro Ala Asn Val Arg Gly Gln Ser Leu  
 450                      455                      460  
 Ile Ile Ile Asn Val Asn Val Ala Val Pro Ser Val His Val Pro Glu  
 465                      470                      475                      480  
 Val Pro Ser Tyr Pro Glu Thr Pro Trp Tyr Pro Asp Thr Pro Ser Tyr  
                                  485                      490                      495  
 Pro Asp Thr Thr Ser Val Ser Ser Thr Thr Glu Leu Thr Ser Pro Val  
                                  500                      505                      510  
 Glu Asp Tyr Thr Asp Leu Thr Thr Ile Gln Val Thr Asp Asp Arg Ser  
                                  515                      520                      525  
 Val Trp Gly Met Thr His Ala His Ser Gly Leu Ala Ile Ala Ala Ile  
 530                      535                      540  
 Val Ile Gly Ile Val Ala Leu Ala Cys Ser Leu Ala Ala Cys Val Gly  
 545                      550                      555                      560  
 Cys Cys Cys Cys Lys Lys Arg Ser Gln Ala Val Leu Met Gln Met Lys  
                                  565                      570                      575  
 Ala Pro Asn Glu Cys  
                                  580

<210> 44  
 <211> 628  
 <212> PRT  
 <213> Homo sapiens

<400> 44  
 Met Pro Gly Ala Pro Asp Trp Ser Leu Asn Ser Ser Arg Asn Ala Arg  
 1                      5                      10                      15  
 Ser Leu Glu Gly Leu Pro Leu Cys Pro Trp Trp Ala Leu Phe Val Pro  
                                  20                      25                      30  
 Arg Ala Ala Ala Leu Val Gly Leu Gln Arg Lys Gln Glu Asn Ser Ser  
                                  35                      40                      45  
 Asp Ile Phe Phe Ser Ser Pro Phe Thr Val Thr Pro Asp Ala Leu Pro  
 50                      55                      60  
 Thr Ala Ile Thr Trp Glu His Ile Pro Phe Ala Lys Leu Ala Gly Leu  
 65                      70                      75                      80  
 Ile Ala Gly Pro Leu Val Glu Met Cys Arg Gln Arg Leu Ser Lys Glu  
                                  85                      90                      95  
 Phe Glu Ala Leu Lys Gly Glu Phe Arg Asp Leu Gly His Cys Leu Pro  
                                  100                      105                      110  
 Gly Ala Gln Arg Gly Asn Arg Ile Thr Lys Arg Asn Lys Cys Gly Gln

115	120	125
Ser Arg Gln Ala Leu Ile Gly Gln Arg Gln Glu Asp Ala Gly Ser Ala		
130	135	140
Pro Leu Gln Met His Pro Ser Val Ala Ala Leu Gly Ala Gly Ala Ala		
145	150	155
Leu Arg Glu Ile Gln Pro Leu Gln Arg Glu Pro Glu Leu Ser Ser Gly		
165	170	175
Pro Arg Asn Ser Arg Leu Leu Cys Trp Gly Ser Pro Ala Thr Trp Asn		
180	185	190
Pro Thr Tyr Leu Ser Arg Val Leu Gly Gln Gln Val Ala Val Thr Val		
195	200	205
Thr Glu Ala Gly Leu Gln Ala Val Pro Trp Gly Pro Ser Arg Glu Phe		
210	215	220
Asn Ala Lys Gly Ser Ser Ser Ala Ser Ile Arg Val Gly Gln Pro Gln		
225	230	235
Lys Leu Arg Leu Arg Val Gln Arg Ser Arg Arg Gln Cys Pro Pro Val		
245	250	255
Gln Ser Ser Gln Asp Leu Pro Pro Gly Gly Ser Gln Asp Gly Asp Leu		
260	265	270
Lys Glu Pro Thr Glu Arg Val Thr Arg Asp Leu Ser Ser Gly Ala Pro		
275	280	285
Arg Gly Arg Asn Leu Pro Ala Pro Asp Gln Pro Gln Pro Pro Leu Gln		
290	295	300
Arg Gly Thr Arg Leu Arg Leu Arg Gln Arg Arg Arg Arg Leu Leu Ile		
305	310	315
Lys Lys Met Pro Ala Ala Ala Thr Ile Pro Ala Asn Ser Ser Asp Ala		
325	330	335
Pro Phe Ile Arg Pro Gly Pro Gly Thr Leu Asp Gly Arg Trp Val Ser		
340	345	350
Leu His Arg Ser Gln Gln Glu Arg Lys Arg Val Met Gln Glu Ala Cys		
355	360	365
Ala Lys Tyr Arg Ala Ser Ser Ser Arg Arg Ala Val Thr Pro Arg His		
370	375	380
Val Ser Arg Ile Phe Val Glu Asp Arg His Arg Val Leu Tyr Cys Glu		
385	390	395
Val Pro Lys Ala Gly Cys Ser Asn Trp Lys Arg Val Leu Met Val Leu		
405	410	415
Ala Gly Leu Ala Ser Ser Thr Ala Asp Ile Gln His Asn Thr Val His		
420	425	430
Tyr Gly Ser Ala Leu Lys Arg Leu Asp Thr Phe Asp Arg Gln Gly Ile		
435	440	445
Leu His Arg Leu Ser Thr Tyr Thr Lys Met Leu Phe Val Arg Glu Pro		
450	455	460
Phe Glu Arg Leu Val Ser Ala Phe Arg Asp Lys Phe Glu His Pro Asn		
465	470	475
Ser Tyr Tyr His Pro Val Phe Gly Lys Ala Ile Leu Ala Arg Tyr Arg		
485	490	495
Ala Asn Ala Ser Arg Glu Ala Leu Arg Thr Gly Ser Gly Val Arg Phe		
500	505	510
Pro Glu Phe Val Gln Tyr Leu Leu Asp Val His Arg Pro Val Gly Met		
515	520	525
Asp Ile His Trp Asp His Val Ser Arg Leu Cys Ser Pro Cys Leu Ile		
530	535	540
Asp Tyr Asp Phe Val Gly Lys Phe Glu Ser Met Glu Asp Asp Ala Asn		
545	550	555
Phe Phe Leu Ser Leu Ile Arg Ala Pro Arg Asn Leu Thr Phe Pro Arg		
565	570	575
Phe Lys Asp Arg His Ser Gln Glu Ala Arg Thr Thr Ala Arg Ile Ala		
580	585	590

His Gln Tyr Phe Ala Gln Leu Ser Ala Leu Gln Arg Gln Arg Thr Tyr  
 595 600 605  
 Asp Phe Tyr Tyr Met Asp Tyr Leu Met Phe Asn Tyr Ser Lys Pro Phe  
 610 615 620  
 Ala Asp Leu Tyr  
 625

<210> 45  
 <211> 424  
 <212> PRT  
 <213> Homo sapiens

<400> 45  
 Met Thr Leu Arg Pro Gly Thr Met Arg Leu Ala Cys Met Phe Ser Ser  
 1 5 10 15  
 Ile Leu Leu Phe Gly Ala Ala Gly Leu Leu Phe Ile Ser Leu Gln  
 20 25 30  
 Asp Pro Thr Glu Leu Ala Pro Gln Gln Val Pro Gly Ile Lys Phe Asn  
 35 40 45  
 Ile Arg Pro Arg Gln Pro His His Asp Leu Pro Pro Gly Gly Ser Gln  
 50 55 60  
 Asp Gly Asp Leu Lys Glu Pro Thr Glu Arg Val Thr Arg Asp Leu Ser  
 65 70 75 80  
 Ser Gly Ala Pro Arg Gly Arg Asn Leu Pro Ala Pro Asp Gln Pro Gln  
 85 90 95  
 Pro Pro Leu Gln Arg Gly Thr Arg Leu Arg Leu Arg Gln Arg Arg Arg  
 100 105 110  
 Arg Leu Leu Ile Lys Lys Met Pro Ala Ala Ala Thr Ile Pro Ala Asn  
 115 120 125  
 Ser Ser Asp Ala Pro Phe Ile Arg Pro Gly Pro Gly Thr Leu Asp Gly  
 130 135 140  
 Arg Trp Val Ser Leu His Arg Ser Gln Gln Glu Arg Lys Arg Val Met  
 145 150 155 160  
 Gln Glu Ala Cys Ala Lys Tyr Arg Ala Ser Ser Arg Arg Ala Val  
 165 170 175  
 Thr Pro Arg His Val Ser Arg Ile Phe Val Glu Asp Arg His Arg Val  
 180 185 190  
 Leu Tyr Cys Glu Val Pro Lys Ala Gly Cys Ser Asn Trp Lys Arg Val  
 195 200 205  
 Leu Met Val Leu Ala Gly Leu Ala Ser Ser Thr Ala Asp Ile Gln His  
 210 215 220  
 Asn Thr Val His Tyr Gly Ser Ala Leu Lys Arg Leu Asp Thr Phe Asp  
 225 230 235 240  
 Arg Gln Gly Ile Leu His Arg Leu Ser Thr Tyr Thr Lys Met Leu Phe  
 245 250 255  
 Val Arg Glu Pro Phe Glu Arg Leu Val Ser Ala Phe Arg Asp Lys Phe  
 260 265 270  
 Glu His Pro Asn Ser Tyr Tyr His Pro Val Phe Gly Lys Ala Ile Leu  
 275 280 285  
 Ala Arg Tyr Arg Ala Asn Ala Ser Arg Glu Ala Leu Arg Thr Gly Ser  
 290 295 300  
 Gly Val Arg Phe Pro Glu Phe Val Gln Tyr Leu Leu Asp Val His Arg  
 305 310 315 320  
 Pro Val Gly Met Asp Ile His Trp Asp His Val Ser Arg Leu Cys Ser  
 325 330 335  
 Pro Cys Leu Ile Asp Tyr Asp Phe Val Gly Lys Phe Glu Ser Met Glu  
 340 345 350  
 Asp Asp Ala Asn Phe Phe Leu Ser Leu Ile Arg Ala Pro Arg Asn Leu  
 355 360 365

Thr Phe Pro Arg Phe Lys Asp Arg His Ser Gln Glu Ala Arg Thr Thr  
 370 375 380  
 Ala Arg Ile Ala His Gln Tyr Phe Ala Gln Leu Ser Ala Leu Gln Arg  
 385 390 395 400  
 Gln Arg Thr Tyr Asp Phe Tyr Tyr Met Asp Tyr Leu Met Phe Asn Tyr  
 405 410 415  
 Ser Lys Pro Phe Ala Asp Leu Tyr  
 420

<210> 46  
 <211> 638  
 <212> PRT  
 <213> Homo sapiens

<400> 46  
 Met Ala Gly Gly Ser Ala Thr Thr Trp Gly Tyr Pro Val Ala Leu Leu  
 1 5 10 15  
 Leu Leu Val Ala Thr Leu Gly Leu Gly Arg Trp Leu Gln Pro Asp Pro  
 20 25 30  
 Gly Leu Pro Gly Leu Arg His Ser Tyr Asp Cys Gly Ile Lys Gly Met  
 35 40 45  
 Gln Leu Leu Val Phe Pro Arg Pro Gly Gln Thr Leu Arg Phe Lys Val  
 50 55 60  
 Val Asp Glu Phe Gly Asn Arg Phe Asp Val Asn Asn Cys Ser Ile Cys  
 65 70 75 80  
 Tyr His Trp Val Thr Ser Arg Pro Gln Glu Pro Ala Val Phe Ser Ala  
 85 90 95  
 Asp Tyr Arg Gly Cys His Val Leu Glu Lys Asp Gly Arg Phe His Leu  
 100 105 110  
 Arg Val Phe Met Glu Ala Val Leu Pro Asn Gly Arg Val Asp Val Ala  
 115 120 125  
 Gln Asp Ala Thr Leu Ile Cys Pro Lys Pro Asp Pro Ser Arg Thr Leu  
 130 135 140  
 Asp Ser Gln Leu Ala Pro Pro Ala Met Phe Ser Val Ser Thr Pro Gln  
 145 150 155 160  
 Thr Leu Ser Phe Leu Pro Thr Ser Gly His Thr Ser Gln Gly Ser Gly  
 165 170 175  
 His Ala Phe Pro Ser Pro Leu Asp Pro Gly His Ser Ser Val His Pro  
 180 185 190  
 Thr Pro Ala Leu Pro Ser Pro Gly Pro Gly Pro Thr Leu Ala Thr Leu  
 195 200 205  
 Ala Gln Pro His Trp Gly Thr Leu Glu His Trp Asp Val Asn Lys Arg  
 210 215 220  
 Asp Tyr Ile Gly Thr His Leu Ser Gln Glu Gln Cys Gln Val Ala Ser  
 225 230 235 240  
 Gly His Leu Pro Cys Ile Val Arg Arg Thr Ser Lys Glu Ala Cys Gln  
 245 250 255  
 Gln Ala Gly Cys Cys Tyr Asp Asn Thr Arg Glu Val Pro Cys Tyr Tyr  
 260 265 270  
 Gly Asn Thr Ala Thr Val Gln Cys Phe Arg Asp Gly Tyr Phe Val Leu  
 275 280 285  
 Val Val Ser Gln Glu Met Ala Leu Thr His Arg Ile Thr Leu Ala Asn  
 290 295 300  
 Ile His Leu Ala Tyr Ala Pro Thr Ser Cys Ser Pro Thr Gln His Thr  
 305 310 315 320  
 Glu Ala Phe Val Val Phe Tyr Phe Pro Leu Thr His Cys Gly Thr Thr  
 325 330 335  
 Met Gln Val Ala Gly Asp Gln Leu Ile Tyr Glu Asn Trp Leu Val Ser  
 340 345 350

Gly Ile His Ile Gln Lys Gly Pro Gln Gly Ser Ile Thr Arg Asp Ser  
 355 360 365  
 Thr Phe Gln Leu His Val Arg Cys Val Phe Asn Ala Ser Asp Phe Leu  
 370 375 380  
 Pro Ile Gln Ala Ser Ile Phe Pro Pro Pro Ser Pro Ala Pro Met Thr  
 385 390 395 400  
 Gln Pro Gly Pro Leu Arg Leu Glu Leu Arg Ile Ala Lys Asp Glu Thr  
 405 410 415  
 Phe Ser Ser Tyr Tyr Gly Glu Asp Asp Tyr Pro Ile Val Arg Leu Leu  
 420 425 430  
 Arg Glu Pro Val His Val Glu Val Arg Leu Leu Gln Arg Thr Asp Pro  
 435 440 445  
 Asn Leu Val Leu Leu Leu His Gln Cys Trp Gly Ala Pro Ser Ala Asn  
 450 455 460  
 Pro Phe Gln Gln Pro Gln Trp Pro Ile Leu Ser Asp Gly Cys Pro Phe  
 465 470 475 480  
 Lys Gly Asp Ser Tyr Arg Thr Gln Met Val Ala Leu Asp Gly Ala Thr  
 485 490 495  
 Pro Phe Gln Ser His Tyr Gln Arg Phe Thr Val Ala Thr Phe Ala Leu  
 500 505 510  
 Leu Asp Ser Gly Ser Gln Arg Ala Leu Arg Gly Leu Val Tyr Leu Phe  
 515 520 525  
 Cys Ser Thr Ser Ala Cys His Thr Ser Gly Leu Glu Thr Cys Ser Thr  
 530 535 540  
 Ala Cys Ser Thr Gly Thr Thr Arg Gln Arg Arg Ser Ser Gly His Arg  
 545 550 555 560  
 Asn Asp Thr Ala Arg Pro Gln Asp Ile Val Ser Ser Pro Gly Pro Val  
 565 570 575  
 Gly Phe Glu Asp Ser Tyr Gly Gln Glu Pro Thr Leu Gly Pro Thr Asp  
 580 585 590  
 Ser Asn Gly Asn Ser Ser Leu Arg Pro Leu Leu Trp Ala Val Leu Leu  
 595 600 605  
 Leu Pro Ala Val Ala Leu Val Leu Gly Phe Gly Val Phe Val Gly Leu  
 610 615 620  
 Ser Gln Thr Trp Ala Gln Lys Leu Trp Glu Ser Asn Arg Gln  
 625 630 635

<210> 47  
 <211> 229  
 <212> PRT  
 <213> Homo sapiens

<400> 47  
 Met Lys Pro Leu Ala Gln Leu Leu Leu Phe Leu Leu Gln Phe Gln Lys  
 1 5 10 15  
 Gly Asn Leu Val Ser Gln Ser Ser Ser Thr Pro Leu Met Val Asn Gly  
 20 25 30  
 Val Leu Gly Glu Ser Val Thr Leu Pro Leu Glu Phe Pro Ala Gly Glu  
 35 40 45  
 Arg Ile Gln Phe Ile Thr Trp Leu Cys Asn Gly Thr Ser Phe Ala Phe  
 50 55 60  
 Leu Glu Pro Tyr Glu Gly Lys Ser Pro Lys Ile Tyr Val Thr His Pro  
 65 70 75 80  
 Lys Trp Gln Lys Arg Leu Ser Phe Thr Gln Ser Tyr Ser Pro Gln Leu  
 85 90 95  
 Ser Asn Leu Glu Met Glu Asn Ile Gly Phe Tyr Ser Ala Gln Ile Ala  
 100 105 110  
 Thr Glu Thr Ser Ala Lys Leu Ser Ser Tyr Thr Leu Arg Ile Phe Lys  
 115 120 125

Gln Leu Pro Arg Pro Gln Val Arg Val Asp Ser Ile Ile Ser Glu Asn  
 130 135 140  
 Gly Ile Cys Asn Ala Ile Leu Arg Cys Ser Val Glu Glu Gly Gly Glu  
 145 150 155 160  
 Thr Ile Thr Tyr Glu Trp Thr Ser Met Gly Pro Gly Ala Ala Val Ser  
 165 170 175  
 His Val Gly Leu His Asp Leu Asp Trp Ile Tyr Thr Cys Thr Ala Leu  
 180 185 190  
 Asn Pro Val Ser Tyr Ser Asn Ser Thr Leu Thr Leu Ala Ala Gln Leu  
 195 200 205  
 Cys Ala Ser Lys Ser Pro Leu Leu Val Ser Leu Ala Pro Leu Gly Asn  
 210 215 220  
 Val Leu Ser Gly Leu  
 225

<210> 48  
 <211> 310  
 <212> PRT  
 <213> Homo sapiens

<400> 48  
 Met Lys Pro Leu Ala Gln Leu Leu Leu Phe Leu Leu Gln Phe Gln Lys  
 1 5 10 15  
 Gly Asn Leu Val Ser Gln Ser Ser Ser Thr Pro Leu Met Val Asn Gly  
 20 25 30  
 Val Leu Gly Glu Ser Val Thr Leu Pro Leu Glu Phe Pro Ala Gly Glu  
 35 40 45  
 Arg Ile Gln Phe Ile Thr Trp Leu Cys Asn Gly Thr Ser Phe Ala Phe  
 50 55 60  
 Leu Glu Pro Tyr Glu Gly Lys Ser Pro Lys Ile Tyr Val Thr His Pro  
 65 70 75 80  
 Lys Trp Gln Lys Arg Leu Ser Phe Thr Gln Ser Tyr Ser Pro Gln Leu  
 85 90 95  
 Ser Asn Leu Glu Met Glu Asn Ile Gly Phe Tyr Ser Ala Gln Ile Ala  
 100 105 110  
 Thr Glu Thr Ser Ala Lys Leu Ser Ser Tyr Thr Leu Arg Ile Phe Lys  
 115 120 125  
 Gln Leu Pro Arg Pro Gln Val Arg Val Asp Ser Ile Ile Ser Glu Asn  
 130 135 140  
 Gly Ile Cys Asn Ala Ile Leu Arg Cys Ser Val Glu Glu Gly Gly Glu  
 145 150 155 160  
 Thr Ile Thr Tyr Glu Trp Thr Ser Met Gly Pro Gly Ala Ala Val Ser  
 165 170 175  
 His Val Gly Leu His Asp Leu Asp Trp Ile Tyr Thr Cys Thr Ala Leu  
 180 185 190  
 Asn Pro Val Ser Tyr Ser Asn Ser Thr Leu Thr Leu Ala Ala Gln Leu  
 195 200 205  
 Cys Ala Ser Ser Lys Ala Ala Glu Gly Thr Tyr Cys Pro Val Lys Trp  
 210 215 220  
 Ile Phe Leu Gly Asn Arg Leu Leu Leu Leu Val Phe Leu Gly Val Leu  
 225 230 235 240  
 Arg Thr Trp His Ile Gln Ala Gln Val Leu Ser Lys Pro Leu Arg Pro  
 245 250 255  
 Asn Ser Gly Glu Leu Val Asn Leu Ser Ser Ile Pro Tyr Pro Trp Glu  
 260 265 270  
 Pro Ser His Thr Ala Asp Ala Thr Trp Leu Gly Lys Trp Gly Gly Ser  
 275 280 285  
 Glu Gly Glu Arg Lys Ser Thr Trp Asn Ile Ser Thr Thr Lys Arg His  
 290 295 300



Trp Lys Ser Phe Tyr Lys  
305 310

<210> 49  
<211> 841  
<212> PRT  
<213> Homo sapiens

<400> 49

Met	Lys	Leu	Trp	Ile	His	Leu	Phe	Tyr	Ser	Ser	Leu	Leu	Ala	Cys	Ile
1				5					10					15	
Ser	Leu	His	Ser	Gln	Thr	Pro	Val	Leu	Ser	Ser	Arg	Gly	Ser	Cys	Asp
			20					25					30		
Ser	Leu	Cys	Asn	Cys	Glu	Glu	Lys	Asp	Gly	Thr	Met	Leu	Ile	Asn	Cys
		35					40					45			
Glu	Ala	Lys	Gly	Ile	Lys	Met	Val	Ser	Glu	Ile	Ser	Val	Pro	Pro	Ser
	50					55					60				
Arg	Pro	Phe	Gln	Leu	Ser	Leu	Leu	Asn	Asn	Gly	Leu	Thr	Met	Leu	His
65				70						75					80
Thr	Asn	Asp	Phe	Ser	Gly	Leu	Thr	Asn	Ala	Ile	Ser	Ile	His	Leu	Gly
			85					90					95		
Phe	Asn	Asn	Ile	Ala	Asp	Ile	Glu	Ile	Gly	Ala	Phe	Asn	Gly	Leu	Gly
			100					105					110		
Leu	Leu	Lys	Gln	Leu	His	Ile	Asn	His	Asn	Ser	Leu	Glu	Ile	Leu	Lys
		115					120					125			
Glu	Asp	Thr	Phe	His	Gly	Leu	Glu	Asn	Leu	Glu	Phe	Leu	Gln	Ala	Asp
	130					135					140				
Asn	Asn	Phe	Ile	Thr	Val	Ile	Glu	Pro	Ser	Ala	Phe	Ser	Lys	Leu	Asn
145					150					155					160
Arg	Leu	Lys	Val	Leu	Ile	Leu	Asn	Asp	Asn	Ala	Ile	Glu	Ser	Leu	Pro
			165					170						175	
Pro	Asn	Ile	Phe	Arg	Phe	Val	Pro	Leu	Thr	His	Leu	Asp	Leu	Arg	Gly
			180					185					190		
Asn	Gln	Leu	Gln	Thr	Leu	Pro	Tyr	Val	Gly	Phe	Leu	Glu	His	Ile	Gly
	195						200					205			
Arg	Ile	Leu	Asp	Leu	Gln	Leu	Glu	Asp	Asn	Lys	Trp	Ala	Cys	Asn	Cys
	210					215					220				
Asp	Leu	Leu	Gln	Leu	Lys	Thr	Trp	Leu	Glu	Asn	Met	Pro	Pro	Gln	Ser
225					230					235					240
Ile	Ile	Gly	Asp	Val	Val	Cys	Asn	Ser	Pro	Pro	Phe	Phe	Lys	Gly	Ser
			245					250						255	
Ile	Leu	Ser	Arg	Leu	Lys	Lys	Glu	Ser	Ile	Cys	Pro	Thr	Pro	Pro	Val
			260					265					270		
Tyr	Glu	Glu	His	Glu	Asp	Pro	Ser	Gly	Ser	Leu	His	Leu	Ala	Ala	Thr
	275						280					285			
Ser	Ser	Ile	Asn	Asp	Ser	Arg	Met	Ser	Thr	Lys	Thr	Thr	Ser	Ile	Leu
	290					295					300				
Lys	Leu	Pro	Thr	Lys	Ala	Pro	Gly	Leu	Ile	Pro	Tyr	Ile	Thr	Lys	Pro
305					310					315					320
Ser	Thr	Gln	Leu	Pro	Gly	Pro	Tyr	Cys	Pro	Ile	Pro	Cys	Asn	Cys	Lys
			325					330						335	
Val	Leu	Ser	Pro	Ser	Gly	Leu	Leu	Ile	His	Cys	Gln	Glu	Arg	Asn	Ile
			340					345					350		
Glu	Ser	Leu	Ser	Asp	Leu	Arg	Pro	Pro	Pro	Gln	Asn	Pro	Arg	Lys	Leu
	355					360						365			
Ile	Leu	Ala	Gly	Asn	Ile	Ile	His	Ser	Leu	Met	Lys	Ser	Asp	Leu	Val
	370					375					380				
Glu	Tyr	Phe	Thr	Leu	Glu	Met	Leu	His	Leu	Gly	Asn	Asn	Arg	Ile	Glu
385					390					395					400

Val Leu Glu Glu Gly Ser Phe Met Asn Leu Thr Arg Leu Gln Lys Leu  
 405 410 415  
 Tyr Leu Asn Gly Asn His Leu Thr Lys Leu Ser Lys Gly Met Phe Leu  
 420 425 430  
 Gly Leu His Asn Leu Glu Tyr Leu Tyr Leu Glu Tyr Asn Ala Ile Lys  
 435 440 445  
 Glu Ile Leu Pro Gly Thr Phe Asn Pro Met Pro Lys Leu Lys Val Leu  
 450 455 460  
 Tyr Leu Asn Asn Asn Leu Leu Gln Val Leu Pro His Ile Phe Ser  
 465 470 475 480  
 Gly Val Pro Leu Thr Lys Val Asn Leu Lys Thr Asn Gln Phe Thr His  
 485 490 495  
 Leu Pro Val Ser Asn Ile Leu Asp Asp Leu Asp Leu Leu Thr Gln Ile  
 500 505 510  
 Asp Leu Glu Asp Asn Pro Trp Asp Cys Ser Cys Asp Leu Val Gly Leu  
 515 520 525  
 Gln Gln Trp Ile Gln Lys Leu Ser Lys Asn Thr Val Thr Asp Asp Ile  
 530 535 540  
 Leu Cys Thr Ser Pro Gly His Leu Asp Lys Lys Glu Leu Lys Ala Leu  
 545 550 555 560  
 Asn Ser Glu Ile Leu Cys Pro Gly Leu Val Asn Asn Pro Ser Met Pro  
 565 570 575  
 Thr Gln Thr Ser Tyr Leu Met Val Thr Thr Pro Ala Thr Thr Thr Asn  
 580 585 590  
 Thr Ala Asp Thr Ile Leu Arg Ser Leu Thr Asp Ala Val Pro Leu Ser  
 595 600 605  
 Val Leu Ile Leu Gly Leu Leu Ile Met Phe Ile Thr Ile Val Phe Cys  
 610 615 620  
 Ala Ala Gly Ile Val Val Leu Val Leu His Arg Arg Arg Tyr Lys  
 625 630 635 640  
 Lys Lys Gln Val Asp Glu Gln Met Arg Asp Asn Ser Pro Val His Leu  
 645 650 655  
 Gln Tyr Ser Met Tyr Gly His Lys Thr Thr His His Thr Thr Glu Arg  
 660 665 670  
 Pro Ser Ala Ser Leu Tyr Glu Gln His Met Val Ser Pro Met Val His  
 675 680 685  
 Val Tyr Arg Ser Pro Ser Phe Gly Pro Lys His Leu Glu Glu Glu Glu  
 690 695 700  
 Glu Arg Asn Glu Lys Glu Gly Ser Asp Ala Lys His Leu Gln Arg Ser  
 705 710 715 720  
 Leu Leu Glu Gln Glu Asn His Ser Pro Leu Thr Gly Ser Asn Met Lys  
 725 730 735  
 Tyr Lys Thr Thr Asn Gln Ser Thr Glu Phe Leu Ser Phe Gln Asp Ala  
 740 745 750  
 Ser Ser Leu Tyr Arg Asn Ile Leu Glu Lys Glu Arg Glu Leu Gln Gln  
 755 760 765  
 Leu Gly Ile Thr Glu Tyr Leu Arg Lys Asn Ile Ala Gln Leu Gln Pro  
 770 775 780  
 Asp Met Glu Ala His Tyr Pro Gly Ala His Glu Glu Leu Lys Leu Met  
 785 790 795 800  
 Glu Thr Leu Met Tyr Ser Arg Pro Arg Lys Val Leu Val Glu Gln Thr  
 805 810 815  
 Lys Asn Glu Tyr Phe Glu Leu Lys Ala Asn Leu His Ala Glu Pro Asp  
 820 825 830  
 Tyr Leu Glu Val Leu Glu Gln Gln Thr  
 835 840

&lt;210&gt; 50

&lt;211&gt; 241

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 50

```

Met Gly Asn Pro Gly Leu Ala Trp Leu Val Leu Leu Gly Leu Val Leu
 1          5          10          15
Leu Leu Ser Ser Phe Met Glu Arg Gly Gly His Ser Pro Ser Pro Ala
          20          25          30
Ala Leu Ser Ala Met Glu Asn Leu Ile Thr Tyr Ala Val Gln Lys Gly
          35          40          45
His Leu Ser Ser Ser Tyr Val Gln Pro Leu Leu Val Lys Gly Glu Asn
          50          55          60
Cys Leu Ala Pro Arg Gln Lys Thr Ser Leu Lys Lys Ala Cys Pro Gly
65          70          75          80
Val Val Pro Arg Ser Val Trp Gly Ala Arg Glu Thr His Cys Pro Arg
          85          90          95
Met Thr Leu Pro Ala Lys Tyr Gly Ile Ile Ile His Thr Ala Gly Arg
          100          105          110
Thr Cys Asn Ile Ser Asp Glu Cys Arg Leu Leu Val Arg Asp Ile Gln
          115          120          125
Ser Phe Tyr Ile Asp Arg Leu Lys Ser Cys Asp Ile Gly Tyr Asn Phe
          130          135          140
Leu Val Gly Gln Asp Gly Ala Ile Tyr Glu Gly Val Gly Trp Asn Val
145          150          155          160
Gln Gly Ser Ser Thr Pro Gly Tyr Asp Asp Ile Ala Leu Gly Ile Thr
          165          170          175
Phe Met Gly Thr Phe Thr Gly Ile Pro Pro Asn Ala Ala Ala Leu Glu
          180          185          190
Ala Ala Gln Asp Leu Ile Gln Cys Ala Met Val Lys Gly Tyr Leu Thr
          195          200          205
Pro Asn Tyr Leu Leu Val Gly His Ser Asp Val Ala Arg Thr Leu Ser
210          215          220
Pro Gly Gln Ala Leu Tyr Asn Ile Ile Ser Thr Trp Pro His Phe Lys
225          230          235          240
His

```

&lt;210&gt; 51

&lt;211&gt; 369

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 51

```

Met Leu Pro Trp Leu Leu Val Phe Ser Ala Leu Gly Leu Gln Ala Trp
 1          5          10          15
Gly Asp Ser Ser Trp Asn Lys Thr Gln Ala Lys Gln Val Ser Glu Gly
          20          25          30
Leu Gln Tyr Leu Phe Glu Asn Ile Ser Gln Leu Thr Glu Lys Asp Val
          35          40          45
Ser Thr Thr Val Ser Arg Lys Ala Trp Gly Ala Glu Ala Val Gly Cys
50          55          60
Ser Ile Gln Leu Thr Thr Pro Val Asn Val Leu Val Ile His His Val
65          70          75          80
Pro Gly Leu Glu Cys His Asp Arg Thr Val Cys Ser Gln Arg Leu Arg
          85          90          95
Glu Leu Gln Ala His His Val His Asn Asn Ser Gly Cys Asp Val Ala
          100          105          110
Tyr Asn Phe Leu Val Gly Asp Asp Gly Arg Val Tyr Glu Gly Val Gly
          115          120          125

```

Trp Asn Ile Gln Gly Val His Thr Gln Gly Tyr Asn Asn Ile Ser Leu  
 130 135 140  
 Gly Phe Ala Phe Phe Gly Thr Lys Lys Gly His Ser Pro Ser Pro Ala  
 145 150 155 160  
 Ala Leu Ser Ala Met Glu Asn Leu Ile Thr Tyr Ala Val Gln Lys Gly  
 165 170 175  
 His Leu Ser Ser Ser Tyr Val Gln Pro Leu Leu Val Lys Gly Glu Asn  
 180 185 190  
 Cys Leu Ala Pro Arg Gln Lys Thr Ser Leu Lys Lys Ala Cys Pro Gly  
 195 200 205  
 Val Val Pro Arg Ser Val Trp Gly Ala Arg Glu Thr His Cys Pro Arg  
 210 215 220  
 Met Thr Leu Pro Ala Lys Tyr Gly Ile Ile Ile His Thr Ala Gly Arg  
 225 230 235 240  
 Thr Cys Asn Ile Ser Asp Glu Cys Arg Leu Leu Val Arg Asp Ile Gln  
 245 250 255  
 Ser Phe Tyr Ile Asp Arg Leu Lys Ser Cys Asp Ile Gly Tyr Asn Phe  
 260 265 270  
 Leu Val Gly Gln Asp Gly Ala Ile Tyr Glu Gly Val Gly Trp Asn Val  
 275 280 285  
 Gln Gly Ser Ser Thr Pro Gly Tyr Asp Asp Ile Ala Leu Gly Ile Thr  
 290 295 300  
 Phe Met Gly Thr Phe Thr Gly Ile Pro Pro Asn Ala Ala Ala Leu Glu  
 305 310 315 320  
 Ala Ala Gln Asp Leu Ile Gln Cys Ala Met Val Lys Gly Tyr Leu Thr  
 325 330 335  
 Pro Asn Tyr Leu Leu Val Gly His Ser Asp Val Ala Arg Thr Leu Ser  
 340 345 350  
 Pro Gly Gln Ala Leu Tyr Asn Ile Ile Ser Thr Trp Pro His Phe Lys  
 355 360 365  
 His

<210> 52  
 <211> 382  
 <212> PRT  
 <213> Homo sapiens

<400> 52  
 Met Ala Pro Arg Ala Gly Gln Pro Gly Leu Gln Gly Leu Leu Leu Val  
 1 5 10 15  
 Ala Ala Ala Leu Ser Gln Pro Ala Ala Pro Cys Pro Phe Gln Cys Tyr  
 20 25 30  
 Cys Phe Gly Gly Pro Lys Leu Leu Leu Arg Cys Ala Ser Gly Ala Glu  
 35 40 45  
 Leu Arg Gln Pro Pro Arg Asp Val Pro Pro Asp Ala Arg Asn Leu Thr  
 50 55 60  
 Ile Val Gly Ala Asn Leu Thr Val Leu Arg Ala Ala Ala Phe Ala Gly  
 65 70 75 80  
 Gly Asp Gly Asp Gly Asp Gln Ala Ala Gly Val Arg Leu Pro Leu Leu  
 85 90 95  
 Ser Ala Leu Arg Leu Thr His Asn His Ile Glu Val Val Glu Asp Gly  
 100 105 110  
 Ala Phe Asp Gly Leu Pro Ser Leu Ala Ala Leu Asp Leu Ser His Asn  
 115 120 125  
 Pro Leu Arg Ala Leu Gly Gly Gly Ala Phe Arg Gly Leu Pro Ala Leu  
 130 135 140  
 Arg Ser Leu Gln Leu Asn His Ala Leu Val Arg Gly Gly Pro Ala Leu  
 145 150 155 160

Leu Ala Ala Leu Asp Ala Ala Leu Ala Pro Leu Ala Glu Leu Arg Leu  
 165 170 175  
 Leu Gly Leu Ala Gly Asn Ala Leu Ser Arg Leu Pro Pro Ala Ala Leu  
 180 185 190  
 Arg Leu Ala Arg Leu Glu Gln Leu Asp Val Arg Leu Asn Ala Leu Ala  
 195 200 205  
 Gly Leu Asp Pro Asp Glu Leu Arg Ala Leu Glu Arg Asp Gly Gly Leu  
 210 215 220  
 Pro Gly Pro Arg Leu Leu Leu Ala Asp Asn Pro Leu Arg Cys Gly Cys  
 225 230 235 240  
 Ala Ala Arg Pro Leu Leu Ala Trp Leu Arg Asn Ala Thr Glu Arg Val  
 245 250 255  
 Pro Asp Ser Arg Arg Leu Arg Cys Ala Ala Pro Arg Ala Leu Leu Asp  
 260 265 270  
 Arg Pro Leu Leu Asp Leu Asp Gly Ala Arg Leu Arg Cys Ala Asp Ser  
 275 280 285  
 Gly Ala Asp Ala Arg Gly Glu Glu Ala Glu Ala Ala Gly Pro Glu Leu  
 290 295 300  
 Glu Ala Ser Tyr Val Phe Phe Gly Leu Val Leu Ala Leu Ile Gly Leu  
 305 310 315 320  
 Ile Phe Leu Met Val Leu Tyr Leu Asn Arg Arg Gly Ile Gln Arg Trp  
 325 330 335  
 Met Arg Asn Leu Arg Glu Ala Cys Arg Asp Gln Met Glu Gly Tyr His  
 340 345 350  
 Tyr Arg Tyr Glu Gln Asp Ala Asp Pro Arg Arg Ala Pro Ala Pro Ala  
 355 360 365  
 Ala Pro Ala Gly Ser Arg Ala Thr Ser Pro Gly Ser Gly Leu  
 370 375 380

<210> 53  
 <211> 185  
 <212> PRT  
 <213> Homo sapiens

<400> 53  
 Met Met Leu Leu Leu Leu Cys Leu Gly Leu Thr Leu Val Cys Ala Gln  
 1 5 10 15  
 Glu Glu Glu Asn Asn Asp Ala Val Thr Ser Asn Phe Asp Leu Ser Lys  
 20 25 30  
 Ile Ser Gly Glu Trp Tyr Ser Val Leu Leu Ala Ser Asp Cys Arg Glu  
 35 40 45  
 Lys Ile Glu Glu Asp Gly Ser Met Arg Val Phe Val Lys His Ile Asp  
 50 55 60  
 Tyr Leu Gly Asn Ser Ser Leu Thr Phe Lys Leu His Glu Ile Glu Asn  
 65 70 75 80  
 Gly Asn Cys Thr Glu Ile Asn Leu Ala Cys Lys Pro Thr Glu Lys Asn  
 85 90 95  
 Ala Ile Cys Ser Thr Asp Tyr Asn Gly Leu Asn Val Ile Asp Ile Leu  
 100 105 110  
 Glu Thr Asp Tyr Asp Asn Tyr Ile Tyr Phe Tyr Asn Lys Asn Ile Lys  
 115 120 125  
 Asn Gly Glu Thr Phe Leu Met Leu Glu Leu Tyr Val Arg Thr Pro Asp  
 130 135 140  
 Val Ser Ser Gln Leu Lys Glu Arg Phe Val Lys Tyr Cys Glu Glu His  
 145 150 155 160  
 Gly Ile Asp Lys Glu Asn Ile Phe Asp Leu Thr Lys Val Asp Arg Cys  
 165 170 175  
 Leu Gln Ala Arg Asp Glu Gly Ala Ala  
 180 185

<210> 54  
 <211> 586  
 <212> PRT  
 <213> Homo sapiens

<400> 54  
 Met His Tyr Asn Leu Gln Gly Pro Thr Arg Arg Ile Arg Ile Ser Leu  
 1 5 10 15  
 Leu Asn Asp Gly Gly Leu Lys Ile Ala Asn Val Thr Lys Ala Asp Ala  
 20 25 30  
 Gly Thr Tyr Thr Cys Met Ala Glu Asn Gln Phe Gly Lys Ala Asn Gly  
 35 40 45  
 Thr Thr His Leu Val Val Thr Glu Pro Thr Arg Ile Thr Leu Ala Pro  
 50 55 60  
 Ser Asn Met Asp Val Ser Val Gly Glu Ser Val Ile Leu Pro Cys Gln  
 65 70 75 80  
 Val Gln His Asp Pro Leu Leu Asp Ile Ile Phe Thr Trp Tyr Phe Asn  
 85 90 95  
 Gly Ala Leu Ala Asp Phe Lys Lys Asp Gly Ser His Phe Glu Lys Val  
 100 105 110  
 Gly Gly Ser Ser Ser Gly Asp Leu Met Ile Arg Asn Ile Gln Leu Lys  
 115 120 125  
 His Ser Gly Lys Tyr Val Cys Met Val Gln Thr Gly Val Asp Ser Val  
 130 135 140  
 Ser Ser Ala Ala Asp Leu Ile Val Arg Gly Ser Pro Gly Pro Pro Glu  
 145 150 155 160  
 Asn Val Lys Val Asp Glu Ile Thr Asp Thr Thr Ala Gln Leu Ser Trp  
 165 170 175  
 Lys Glu Gly Lys Asp Asn His Ser Pro Val Ile Ser Tyr Ser Ile Gln  
 180 185 190  
 Ala Arg Thr Pro Phe Ser Val Gly Trp Gln Thr Val Thr Thr Val Pro  
 195 200 205  
 Glu Val Ile Asp Gly Lys Thr His Thr Ala Thr Val Val Glu Leu Asn  
 210 215 220  
 Pro Trp Val Glu Tyr Glu Phe Arg Val Val Ala Ser Asn Lys Ile Gly  
 225 230 235 240  
 Gly Gly Glu Pro Ser Leu Pro Ser Glu Lys Val Arg Thr Glu Glu Ala  
 245 250 255  
 Val Pro Glu Val Pro Pro Ser Glu Val Asn Gly Gly Gly Gly Ser Arg  
 260 265 270  
 Ser Glu Leu Val Ile Thr Trp Asp Pro Val Pro Glu Glu Leu Gln Asn  
 275 280 285  
 Gly Glu Gly Phe Gly Tyr Val Val Ala Phe Arg Pro Leu Gly Val Thr  
 290 295 300  
 Thr Trp Ile Gln Thr Val Val Thr Ser Pro Asp Thr Pro Arg Tyr Val  
 305 310 315 320  
 Phe Arg Asn Glu Ser Ile Val Pro Tyr Ser Pro Tyr Glu Val Lys Val  
 325 330 335  
 Gly Val Tyr Asn Asn Lys Gly Glu Gly Pro Phe Ser Pro Val Thr Thr  
 340 345 350  
 Val Phe Ser Ala Glu Glu Glu Pro Thr Val Ala Pro Ser Gln Val Ser  
 355 360 365  
 Ala Asn Ser Leu Ser Ser Ser Glu Ile Glu Val Ser Trp Asn Thr Ile  
 370 375 380  
 Pro Trp Lys Leu Ser Asn Gly His Leu Leu Gly Tyr Glu Val Arg Tyr  
 385 390 395 400  
 Trp Asn Gly Gly Gly Lys Glu Glu Ser Ser Ser Lys Met Lys Val Ala  
 405 410 415

Gly Asn Glu Thr Ser Ala Arg Leu Arg Gly Leu Lys Ser Asn Leu Ala  
 420 425 430  
 Tyr Tyr Thr Ala Val Arg Ala Tyr Asn Ser Ala Gly Ala Gly Pro Phe  
 435 440 445  
 Ser Ala Thr Val Asn Val Thr Thr Lys Lys Thr Pro Pro Ser Gln Pro  
 450 455 460  
 Pro Gly Asn Val Val Trp Asn Ala Thr Asp Thr Lys Val Leu Leu Asn  
 465 470 475 480  
 Trp Glu Gln Val Lys Ala Met Glu Asn Glu Ser Glu Val Thr Gly Tyr  
 485 490 495  
 Lys Val Phe Tyr Arg Thr Ser Ser Gln Asn Asn Val Gln Val Leu Asn  
 500 505 510  
 Thr Asn Lys Thr Ser Ala Glu Leu Val Leu Pro Ile Lys Glu Asp Tyr  
 515 520 525  
 Ile Ile Glu Val Lys Ala Thr Thr Asp Gly Gly Asp Gly Thr Ser Ser  
 530 535 540  
 Glu Gln Ile Arg Ile Pro Arg Ile Thr Ser Met Asp Ala Arg Gly Ser  
 545 550 555 560  
 Thr Ser Ala Ile Ser Asn Val His Pro Met Ser Ser Tyr Met Pro Ile  
 565 570 575  
 Val Leu Phe Leu Ile Val Tyr Val Leu Trp  
 580 585

<210> 55  
 <211> 1026  
 <212> PRT  
 <213> Homo sapiens

<400> 55  
 Met Leu Val Val Glu Arg Val Met Val Leu Pro Ile Gly Phe Pro Leu  
 1 5 10 15  
 Gly Val Ser Asp Ser Thr Leu His Gly Pro Ile Phe Ile Gln Glu  
 20 25 30  
 Pro Ser Pro Val Met Phe Pro Leu Asp Ser Glu Glu Lys Lys Val Lys  
 35 40 45  
 Leu Asn Cys Glu Val Lys Gly Asn Pro Lys Pro His Ile Arg Trp Lys  
 50 55 60  
 Leu Asn Gly Thr Asp Val Asp Thr Gly Met Asp Phe Arg Tyr Ser Val  
 65 70 75 80  
 Val Glu Gly Ser Leu Leu Ile Asn Asn Pro Asn Lys Thr Gln Asp Ala  
 85 90 95  
 Gly Thr Tyr Gln Cys Thr Ala Thr Asn Ser Phe Gly Thr Ile Val Ser  
 100 105 110  
 Arg Glu Ala Lys Leu Gln Phe Ala Tyr Leu Asp Asn Phe Lys Thr Arg  
 115 120 125  
 Thr Arg Ser Thr Val Ser Val Arg Arg Gly Gln Gly Met Val Leu Leu  
 130 135 140  
 Cys Gly Pro Pro Pro His Ser Gly Glu Leu Ser Tyr Ala Trp Ile Phe  
 145 150 155 160  
 Asn Glu Tyr Pro Ser Tyr Gln Asp Asn Arg Arg Phe Val Ser Gln Glu  
 165 170 175  
 Thr Gly Asn Leu Tyr Ile Ala Lys Val Glu Lys Ser Asp Val Gly Asn  
 180 185 190  
 Tyr Thr Cys Val Val Thr Asn Thr Val Thr Asn His Lys Val Leu Gly  
 195 200 205  
 Pro Pro Thr Pro Leu Ile Leu Arg Asn Asp Gly Val Met Gly Glu Tyr  
 210 215 220  
 Glu Pro Lys Ile Glu Val Gln Phe Pro Glu Thr Val Pro Thr Ala Lys  
 225 230 235 240

Gly Ala Thr Val Lys Leu Glu Cys Phe Ala Leu Gly Asn Pro Val Pro  
 245 250 255  
 Thr Ile Ile Trp Arg Arg Ala Asp Gly Lys Pro Ile Ala Arg Lys Ala  
 260 265 270  
 Arg Arg His Lys Ser Asn Gly Ile Leu Glu Ile Pro Asn Phe Gln Gln  
 275 280 285  
 Glu Asp Ala Gly Leu Tyr Glu Cys Val Ala Glu Asn Ser Arg Gly Lys  
 290 295 300  
 Asn Val Ala Arg Gly Gln Leu Thr Phe Tyr Ala Gln Pro Asn Trp Ile  
 305 310 315 320  
 Gln Lys Ile Asn Asp Ile His Val Ala Met Glu Glu Asn Val Phe Trp  
 325 330 335  
 Glu Cys Lys Ala Asn Gly Arg Pro Lys Pro Thr Tyr Lys Trp Leu Lys  
 340 345 350  
 Asn Gly Glu Pro Leu Leu Thr Arg Asp Arg Ile Gln Ile Glu Gln Gly  
 355 360 365  
 Thr Leu Asn Ile Thr Ile Val Asn Leu Ser Asp Ala Gly Met Tyr Gln  
 370 375 380  
 Cys Leu Ala Glu Asn Lys His Gly Val Ile Phe Ser Asn Ala Glu Leu  
 385 390 395 400  
 Ser Val Ile Ala Val Gly Pro Asp Phe Ser Arg Thr Leu Leu Lys Arg  
 405 410 415  
 Val Thr Leu Val Lys Val Gly Gly Glu Val Val Ile Glu Cys Lys Pro  
 420 425 430  
 Lys Ala Ser Pro Lys Pro Val Tyr Thr Trp Lys Lys Gly Arg Asp Ile  
 435 440 445  
 Leu Lys Glu Asn Glu Arg Ile Thr Ile Ser Glu Asp Gly Asn Leu Arg  
 450 455 460  
 Ile Ile Asn Val Thr Lys Ser Asp Ala Gly Ser Tyr Thr Cys Ile Ala  
 465 470 475 480  
 Thr Asn His Phe Gly Thr Ala Ser Ser Thr Gly Asn Leu Val Val Lys  
 485 490 495  
 Asp Pro Thr Arg Val Met Val Pro Pro Ser Ser Met Asp Val Thr Val  
 500 505 510  
 Gly Glu Ser Ile Val Leu Pro Cys Gln Val Thr His Asp His Ser Leu  
 515 520 525  
 Asp Ile Val Phe Thr Trp Ser Phe Asn Gly His Leu Ile Asp Phe Asp  
 530 535 540  
 Arg Asp Gly Asp His Phe Glu Arg Val Gly Gly Asp Ser Ala Gly Asp  
 545 550 555 560  
 Leu Met Ile Arg Asn Ile Gln Leu Lys His Ala Gly Lys Tyr Val Cys  
 565 570 575  
 Met Val Gln Thr Ser Val Asp Arg Leu Ser Ala Ala Ala Asp Leu Ile  
 580 585 590  
 Val Arg Gly Pro Pro Gly Pro Pro Glu Ala Val Thr Ile Asp Glu Ile  
 595 600 605  
 Thr Asp Thr Thr Ala Gln Leu Ser Trp Arg Pro Gly Pro Asp Asn His  
 610 615 620  
 Ser Pro Ile Thr Met Tyr Val Ile Gln Ala Arg Thr Pro Phe Ser Val  
 625 630 635 640  
 Gly Trp Gln Ala Val Ser Thr Val Pro Glu Leu Ile Asp Gly Lys Thr  
 645 650 655  
 Phe Thr Ala Thr Val Val Gly Leu Asn Pro Trp Val Glu Tyr Glu Phe  
 660 665 670  
 Arg Thr Val Ala Ala Asn Val Ile Gly Ile Gly Glu Pro Ser Arg Pro  
 675 680 685  
 Ser Glu Lys Arg Arg Thr Glu Glu Ala Leu Pro Glu Val Thr Pro Ala  
 690 695 700  
 Asn Val Ser Gly Gly Gly Gly Ser Lys Ser Glu Leu Val Ile Thr Trp



```
<210> 56
<211> 844
<212> PRT
<213> Homo sapiens
```

41/69

42/69

Cys Leu Ala Arg His Leu Val Ala Thr Arg Thr Cys Thr Val Thr Pro  
 565 570 575  
 Glu Ala Pro Arg Glu Val Leu Leu His Pro Leu Val Ala Glu Thr Arg  
 580 585 590  
 Leu Gly Glu Ala Glu Val Ala Leu Glu Ala Ser Gly Cys Pro Pro Pro  
 595 600 605  
 Ser Arg Ala Ser Trp Ala Arg Glu Gly Arg Pro Leu Ala Pro Gly Gly  
 610 615 620  
 Gly Ser Arg Leu Arg Leu Ser Gln Asp Gly Arg Lys Leu His Ile Gly  
 625 630 635 640  
 Asn Phe Ser Leu Asp Trp Asp Leu Gly Asn Tyr Ser Val Leu Cys Ser  
 645 650 655  
 Gly Ala Leu Gly Ala Gly Gly Asp Gln Ile Thr Leu Ile Asp Gly Pro  
 660 665 670  
 Ala Leu Gly Arg Thr Ser Thr Tyr Arg Asp Trp Val Ser Leu Leu Ile  
 675 680 685  
 Leu Gly Pro Gln Glu Arg Ser Ala Val Val Pro Leu Pro Pro Arg Asn  
 690 695 700  
 Pro Gly Thr Trp Thr Phe Arg Ile Leu Pro Ile Leu Gly Gly Gln Pro  
 705 710 715 720  
 Gly Thr Pro Ser Gln Ser Arg Val Tyr Arg Ala Gly Pro Thr Leu Ser  
 725 730 735  
 His Gly Ala Ile Ala Gly Ile Val Leu Gly Ser Leu Leu Gly Leu Ala  
 740 745 750  
 Leu Leu Ala Val Leu Leu Leu Leu Cys Ile Cys Cys Leu Cys Arg Phe  
 755 760 765  
 Arg Gly Lys Thr Pro Glu Lys Lys Lys His Pro Ser Thr Leu Val Pro  
 770 775 780  
 Val Val Thr Pro Ser Glu Lys Lys Met His Ser Val Thr Pro Val Glu  
 785 790 795 800  
 Ile Ser Trp Pro Leu Asp Leu Lys Val Pro Leu Glu Asp His Ser Ser  
 805 810 815  
 Thr Arg Ala Tyr Gln Ala Thr Asp Pro Ser Ser Val Val Ser Val Gly  
 820 825 830  
 Gly Gly Ser Lys Thr Val Arg Ala Ala Thr Gln Val  
 835 840

<210> 57  
 <211> 782  
 <212> PRT  
 <213> Homo sapiens

<400> 57  
 Met Asp Asn Pro Gln Ala Leu Pro Leu Phe Leu Leu Leu Ala Ser Leu  
 1 5 10 15  
 Val Gly Ile Leu Thr Leu Arg Ala Ser Ser Gly Leu Gln Gln Thr Asn  
 20 25 30  
 Phe Ser Ser Ala Phe Ser Ser Asp Ser Lys Ser Ser Ser Gln Gly Leu  
 35 40 45  
 Gly Val Glu Val Pro Ser Ile Lys Pro Pro Ser Trp Lys Val Pro Asp  
 50 55 60  
 Gln Phe Leu Asp Ser Lys Ala Ser Ala Gly Ile Ser Asp Ser Ser Trp  
 65 70 75 80  
 Phe Pro Glu Ala Leu Ser Ser Asn Met Ser Gly Ser Phe Trp Ser Asn  
 85 90 95  
 Val Ser Ala Glu Gly Gln Asp Leu Ser Pro Val Ser Pro Phe Ser Glu  
 100 105 110  
 Thr Pro Gly Ser Glu Val Phe Pro Asp Ile Ser Asp Pro Gln Val Pro  
 115 120 125

Ala Lys Asp Pro Lys Pro Ser Phe Thr Val Lys Thr Pro Ala Ser Asn  
 130 135 140  
 Ile Ser Thr Gln Val Ser His Thr Lys Leu Ser Val Glu Ala Pro Asp  
 145 150 155 160  
 Ser Lys Phe Ser Pro Asp Asp Met Asp Leu Lys Leu Ser Ala Gln Ser  
 165 170 175  
 Pro Glu Ser Lys Phe Ser Ala Glu Thr His Ser Ala Ala Ser Phe Pro  
 180 185 190  
 Gln Gln Val Gly Gly Pro Leu Ala Val Leu Val Gly Thr Thr Ile Arg  
 195 200 205  
 Leu Pro Leu Val Pro Ile Pro Asn Pro Gly Pro Pro Thr Ser Leu Val  
 210 215 220  
 Val Trp Arg Arg Gly Ser Lys Val Leu Ala Ala Gly Gly Leu Gly Pro  
 225 230 235 240  
 Gly Ala Pro Leu Ile Ser Leu Asp Pro Ala His Arg Asp His Leu Arg  
 245 250 255  
 Phe Asp Gln Ala Arg Gly Val Leu Glu Leu Ala Ser Ala Gln Leu Asp  
 260 265 270  
 Asp Ala Gly Val Tyr Thr Ala Glu Val Ile Arg Ala Gly Val Ser Gln  
 275 280 285  
 Gln Thr His Glu Phe Thr Val Gly Val Tyr Glu Pro Leu Pro Gln Leu  
 290 295 300  
 Ser Val Gln Pro Lys Ala Pro Glu Thr Glu Glu Gly Ala Ala Glu Leu  
 305 310 315 320  
 Arg Leu Arg Cys Leu Gly Trp Gly Pro Gly Arg Gly Glu Leu Ser Trp  
 325 330 335  
 Ser Arg Asp Gly Arg Ala Leu Glu Ala Ala Glu Ser Glu Gly Ala Glu  
 340 345 350  
 Thr Pro Arg Met Arg Ser Glu Gly Asp Gln Leu Leu Ile Val Arg Pro  
 355 360 365  
 Val Arg Ser Asp His Ala Arg Tyr Thr Cys Arg Val Arg Ser Pro Phe  
 370 375 380  
 Gly His Arg Glu Ala Ala Asp Val Ser Val Phe Tyr Gly Pro Asp  
 385 390 395 400  
 Pro Pro Thr Ile Thr Val Ser Ser Asp Arg Asp Ala Ala Pro Ala Arg  
 405 410 415  
 Phe Val Thr Ala Gly Ser Asn Val Thr Leu Arg Cys Ala Ala Ala Ser  
 420 425 430  
 Arg Pro Pro Ala Asp Ile Thr Trp Ser Leu Ala Asp Pro Ala Glu Ala  
 435 440 445  
 Ala Val Pro Ala Gly Ser Arg Leu Leu Leu Pro Ala Val Gly Pro Gly  
 450 455 460  
 His Ala Gly Thr Tyr Ala Cys Leu Ala Ala Asn Pro Arg Thr Gly Arg  
 465 470 475 480  
 Arg Arg Arg Ser Leu Leu Asn Leu Thr Val Ala Asp Leu Pro Pro Gly  
 485 490 495  
 Ala Pro Gln Cys Ser Val Glu Gly Gly Pro Gly Asp Arg Ser Leu Arg  
 500 505 510  
 Phe Arg Cys Ser Trp Pro Gly Gly Ala Pro Ala Ala Ser Leu Gln Phe  
 515 520 525  
 Gln Gly Leu Pro Glu Gly Ile Arg Ala Gly Pro Val Ser Ser Val Leu  
 530 535 540  
 Leu Ala Ala Val Pro Ala His Pro Arg Leu Ser Gly Val Pro Ile Thr  
 545 550 555 560  
 Cys Leu Ala Arg His Leu Val Ala Thr Arg Thr Cys Thr Val Thr Pro  
 565 570 575  
 Glu Ala Pro Arg Glu Val Leu Leu His Pro Leu Val Ala Glu Thr Arg  
 580 585 590  
 Leu Gly Glu Ala Glu Val Ala Leu Glu Ala Ser Gly Cys Pro Pro Pro

595	600	605
Ser Arg Ala Ser Trp Ala Arg Glu Gly Arg Pro Leu Ala Pro Gly Gly		
610	615	620
Gly Ser Arg Leu Arg Leu Ser Gln Asp Gly Arg Lys Leu His Ile Gly		
625	630	635
Asn Phe Ser Leu Asp Trp Asp Leu Gly Asn Tyr Ser Val Leu Cys Ser		
645	650	655
Gly Ala Leu Gly Ala Gly Gly Asp Gln Ile Thr Leu Ile Gly Pro Thr		
660	665	670
Leu Ser His Gly Ala Ile Ala Gly Ile Val Leu Gly Ser Leu Leu Gly		
675	680	685
Leu Ala Leu Leu Ala Val Leu Leu Leu Cys Ile Cys Cys Leu Cys		
690	695	700
Arg Phe Arg Gly Lys Thr Pro Glu Lys Lys Lys His Pro Ser Thr Leu		
705	710	715
Val Pro Val Val Thr Pro Ser Glu Lys Lys Met His Ser Val Thr Pro		
725	730	735
Val Glu Ile Ser Trp Pro Leu Asp Leu Lys Val Pro Leu Glu Asp His		
740	745	750
Ser Ser Thr Arg Ala Tyr Gln Ala Thr Asp Pro Ser Ser Val Val Ser		
755	760	765
Val Gly Gly Gly Ser Lys Thr Val Arg Ala Ala Thr Gln Val		
770	775	780

<210> 58  
 <211> 262  
 <212> PRT  
 <213> Homo sapiens

<400> 58
Met Asp Ser Leu Val Thr Ala Asn Thr Lys Phe Cys Phe Asp Leu Phe
1 5 10 15
Gln Glu Ile Gly Lys Asp Asp Arg His Lys Asn Ile Phe Phe Ser Pro
20 25 30
Leu Ser Leu Ser Ala Ala Leu Gly Met Val Arg Leu Gly Ala Arg Ser
35 40 45
Asp Ser Ala His Gln Ile Asp Glu Ala Gly Ser Leu Asn Asn Glu Ser
50 55 60
Gly Leu Val Ser Cys Tyr Phe Gly Gln Leu Leu Ser Lys Leu Asp Arg
65 70 75 80
Ile Lys Thr Asp Tyr Thr Leu Ser Ile Ala Asn Arg Leu Tyr Gly Glu
85 90 95
Gln Glu Phe Pro Ile Cys Gln Glu Tyr Leu Asp Gly Val Ile Gln Phe
100 105 110
Tyr His Thr Thr Ile Glu Ser Val Asp Phe Gln Lys Asn Pro Glu Lys
115 120 125
Ser Arg Gln Glu Ile Asn Phe Trp Val Glu Cys Gln Ser Gln Gly Lys
130 135 140
Ile Lys Glu Leu Phe Ser Lys Asp Ala Ile Asn Ala Glu Thr Val Leu
145 150 155 160
Val Leu Val Asn Ala Val Tyr Phe Lys Ala Lys Trp Glu Thr Tyr Phe
165 170 175
Asp His Glu Asn Thr Val Asp Ala Pro Phe Cys Leu Asn Ala Asn Glu
180 185 190
Asn Lys Ser Val Lys Met Met Thr Gln Lys Gly Leu Tyr Arg Ile Gly
195 200 205
Phe Ile Glu Glu Val Lys Ala Gln Ile Leu Glu Met Arg Tyr Thr Lys
210 215 220
Gly Lys Leu Ser Met Phe Val Leu Leu Pro Ser His Ser Lys Asp Asn

```

225          230          235          240
Leu Lys Gly Leu Glu Glu Val Asn Leu His Phe His Ile Ser Thr Lys
          245          250          255
Tyr Leu Met Ile Asp Leu
          260

```

```
<210> 59
<211> 394
<212> PRT
<213> Homo sapiens
```

<400> 59															
Met 1	Asp	Ser	Leu	Val 5	Thr	Ala	Asn	Thr	Lys 10	Phe	Cys	Phe	Asp	Leu 15	Phe
Gln	Glu	Ile	Gly 20	Lys	Asp	Asp	Arg	His 25	Lys	Asn	Ile	Phe	Phe 30	Ser	Pro
Leu	Ser	Leu	Ser 35	Ala	Ala	Leu	Gly 40	Met	Val	Arg	Leu	Gly 45	Ala	Arg	Ser
Asp	Ser 50	Ala	His	Gln	Ile	Asp 55	Glu	Val	Leu	His	Phe 60	Asn	Lys	Thr	Thr
Glu 65	Pro	Leu	Asp	Gln	Gln	Ala 70	Gly	Ser	Leu	Asn	Asn	Glu	Ser	Gly	Leu 80
Val	Ser	Cys	Tyr	Phe 85	Gly	Gln	Leu	Leu 90	Ser	Lys	Leu	Asp	Arg	Ile	Lys 95
Thr	Asp	Tyr	Thr 100	Leu	Ser	Ile	Ala	Asn 105	Arg	Leu	Tyr	Gly	Glu	Gln	Glu
Phe	Pro	Ile	Cys 115	Gln	Glu	Tyr	Leu	Asp 120	Gly	Val	Ile	Gln	Phe	Tyr	His
Thr	Thr 130	Ile	Glu	Ser	Val	Asp 135	Phe	Gln	Lys	Asn	Pro	Glu	Lys	Ser	Arg
Gln 145	Glu	Ile	Asn	Phe	Trp	Val 150	Glu	Cys	Gln	Ser	Gln	Gly	Lys	Ile	Lys 160
Glu	Leu	Phe	Ser	Lys 165	Asp	Ala	Ile	Asn	Ala 170	Glu	Thr	Val	Leu	Val	Leu 175
Val	Asn	Ala	Val 180	Tyr	Phe	Lys	Ala	Lys 185	Trp	Glu	Thr	Tyr	Phe	Asp	His
Glu	Asn 195	Thr	Val	Asp	Ala	Pro	Phe	Cys 200	Leu	Asn	Ala	Asn	Glu	Asn	Lys
Ser	Val 210	Lys	Met	Met	Thr	Gln	Lys	Gly 215	Leu	Tyr	Arg	Ile	Gly	Phe	Ile
Glu 225	Glu	Val	Lys	Ala	Gln	Ile	Leu	Glu	Met	Arg	Tyr	Thr	Lys	Gly	Lys 240
Leu	Ser	Met	Phe	Val	Leu	Leu	Pro	Ser	His	Ser	Lys	Asp	Asn	Leu	Lys 255
Gly	Leu	Glu	Glu 260	Leu	Glu	Arg	Lys	Ile	Thr	Tyr	Glu	Lys	Met	Val	Ala
Trp	Ser 275	Ser	Ser	Glu	Asn	Met	Ser	Glu	Glu	Ser	Val	Val	Leu	Ser	Phe
Pro	Arg 290	Phe	Thr	Leu	Glu	Asp	Ser	Tyr	Asp	Leu	Asn	Ser	Ile	Leu	Gln
Asp 305	Met	Gly	Ile	Thr	Asp	Ile	Phe	Asp	Glu	Thr	Arg	Ala	Asp	Leu	Thr 320
Gly	Ile	Ser	Pro	Ser	Pro	Asn	Leu	Tyr	Leu	Ser	Lys	Ile	Ile	His	Lys 335
Thr	Phe	Val	Glu	Val	Asp	Glu	Asn	Gly	Thr	Gln	Ala	Ala	Ala	Ala	Thr 350
Gly	Ala	Val	Val	Ser	Glu	Arg	Ser	Leu	Arg	Ser	Trp	Val	Glu	Phe	Asn 365
Ala	Asn	His	Pro	Phe	Leu	Phe	Phe	Ile	Arg	His	Asn	Lys	Thr	Gln	Thr

```

370          375          380
Ile Leu Phe Tyr Gly Arg Val Cys Ser Pro
385          390

<210> 60
<211> 471
<212> PRT
<213> Homo sapiens

<400> 60
Met Ser Val Pro Leu Leu Lys Ile Gly Val Val Leu Ser Thr Met Ala
1      5      10      15
Met Ile Thr Asn Trp Met Ser Gln Thr Leu Pro Ser Leu Val Gly Leu
20     25     30
Asn Thr Thr Lys Leu Ser Ala Ala Gly Gly Gly Thr Leu Asp Arg Ser
35     40     45
Thr Gly Val Leu Pro Thr Asn Pro Glu Glu Ser Trp Gln Val Tyr Ser
50     55     60
Ser Ala Gln Asp Ser Glu Gly Arg Cys Ile Cys Thr Val Val Ala Pro
65     70     75     80
Gln Gln Thr Met Cys Ser Arg Asp Ala Arg Thr Lys Gln Leu Arg Gln
85     90     95
Leu Leu Glu Lys Val Gln Asn Met Ser Gln Ser Ile Glu Val Leu Asp
100    105    110
Arg Arg Thr Gln Arg Asp Leu Gln Tyr Val Glu Lys Met Glu Asn Gln
115    120    125
Met Lys Gly Leu Glu Ser Lys Phe Lys Gln Ala Ile Lys Ala Lys Met
130    135    140
Asp Glu Leu Arg Pro Leu Ile Pro Val Leu Glu Tyr Lys Ala Asp
145    150    155    160
Ala Lys Leu Val Leu Gln Phe Lys Glu Glu Val Gln Asn Leu Thr Ser
165    170    175
Val Leu Asn Glu Leu Gln Glu Glu Ile Gly Ala Tyr Asp Tyr Asp Glu
180    185    190
Leu Gln Ser Arg Val Ser Asn Leu Glu Glu Arg Leu Arg Ala Cys Met
195    200    205
Gln Lys Leu Ala Cys Gly Lys Leu Thr Gly Ile Ser Asp Pro Val Thr
210    215    220
Val Lys Thr Ser Gly Ser Arg Phe Gly Ser Trp Met Thr Asp Pro Leu
225    230    235    240
Ala Pro Glu Gly Asp Asn Arg Val Trp Tyr Met Asp Gly Tyr His Asn
245    250    255
Asn Arg Phe Val Arg Glu Tyr Lys Ser Met Val Asp Phe Met Asn Thr
260    265    270
Asp Asn Phe Thr Ser His Arg Leu Pro His Pro Trp Ser Gly Thr Gly
275    280    285
Gln Val Val Tyr Asn Gly Ser Ile Tyr Phe Asn Lys Phe Gln Ser His
290    295    300
Ile Ile Ile Arg Phe Asp Leu Lys Thr Glu Thr Ile Leu Lys Thr Arg
305    310    315    320
Ser Leu Asp Tyr Ala Gly Tyr Asn Asn Met Tyr His Tyr Ala Trp Gly
325    330    335
Gly His Ser Asp Ile Asp Leu Met Val Asp Glu Ser Gly Leu Trp Ala
340    345    350
Val Tyr Ala Thr Asn Gln Asn Ala Gly Asn Ile Val Val Ser Arg Leu
355    360    365
Asp Pro Val Ser Leu Gln Thr Leu Gln Thr Trp Asn Thr Ser Tyr Pro
370    375    380
Lys Arg Ser Ala Gly Glu Ala Phe Ile Ile Cys Gly Thr Leu Tyr Val

```

385					390					395				400	
Thr	Asn	Gly	Tyr	Ser	Gly	Gly	Thr	Lys	Val	His	Tyr	Ala	Tyr	Gln	Thr
				405					410					415	
Asn	Ala	Ser	Thr	Tyr	Glu	Tyr	Ile	Asp	Ile	Pro	Phe	Gln	Asn	Lys	Tyr
			420					425					430		
Ser	His	Ile	Ser	Met	Leu	Asp	Tyr	Asn	Pro	Lys	Asp	Arg	Ala	Leu	Tyr
		435					440					445			
Ala	Trp	Asn	Asn	Gly	His	Gln	Ile	Leu	Tyr	Asn	Val	Thr	Leu	Phe	His
	450					455					460				
Val	Ile	Arg	Ser	Asp	Glu	Leu									
465						470									

<210> 61  
 <211> 485  
 <212> PRT  
 <213> Homo sapiens

<400> 61

Met	Ser	Val	Pro	Leu	Leu	Lys	Ile	Gly	Val	Val	Leu	Ser	Thr	Met	Ala
1				5					10					15	
Met	Ile	Thr	Asn	Trp	Met	Ser	Gln	Thr	Leu	Pro	Ser	Leu	Val	Gly	Leu
			20					25					30		
Asn	Thr	Thr	Lys	Leu	Ser	Ala	Ala	Gly	Gly	Gly	Thr	Leu	Asp	Arg	Ser
		35					40					45			
Thr	Gly	Val	Leu	Pro	Thr	Asn	Pro	Glu	Glu	Ser	Trp	Gln	Val	Tyr	Ser
	50					55				60					
Ser	Ala	Gln	Asp	Ser	Glu	Gly	Arg	Cys	Ile	Cys	Thr	Val	Val	Ala	Pro
65					70					75					80
Gln	Gln	Thr	Met	Cys	Ser	Arg	Asp	Ala	Arg	Thr	Lys	Gln	Leu	Arg	Gln
			85						90					95	
Leu	Leu	Glu	Lys	Val	Gln	Asn	Met	Ser	Gln	Ser	Ile	Glu	Val	Leu	Asp
			100					105					110		
Arg	Arg	Thr	Gln	Arg	Asp	Leu	Gln	Tyr	Val	Glu	Lys	Met	Glu	Asn	Gln
		115					120					125			
Met	Lys	Gly	Leu	Glu	Ser	Lys	Phe	Lys	Gln	Val	Glu	Glu	Ile	Ile	Ser
	130					135					140				
Tyr	Thr	Trp	Pro	Arg	Gln	Phe	Lys	Ala	Ile	Lys	Ala	Lys	Met	Asp	Glu
145					150					155				160	
Leu	Arg	Pro	Leu	Ile	Pro	Val	Leu	Glu	Glu	Tyr	Lys	Ala	Asp	Ala	Lys
			165					170						175	
Leu	Val	Leu	Gln	Phe	Lys	Glu	Glu	Val	Gln	Asn	Leu	Thr	Ser	Val	Leu
		180						185					190		
Asn	Glu	Leu	Gln	Glu	Glu	Ile	Gly	Ala	Tyr	Asp	Tyr	Asp	Glu	Leu	Gln
	195					200						205			
Ser	Arg	Val	Ser	Asn	Leu	Glu	Arg	Leu	Arg	Ala	Cys	Met	Gln	Lys	
	210					215					220				
Leu	Ala	Cys	Gly	Lys	Leu	Thr	Gly	Ile	Ser	Asp	Pro	Val	Thr	Val	Lys
225					230					235					240
Thr	Ser	Gly	Ser	Arg	Phe	Gly	Ser	Trp	Met	Thr	Asp	Pro	Leu	Ala	Pro
				245					250					255	
Glu	Gly	Asp	Asn	Arg	Val	Trp	Tyr	Met	Asp	Gly	Tyr	His	Asn	Asn	Arg
			260					265					270		
Phe	Val	Arg	Glu	Tyr	Lys	Ser	Met	Val	Asp	Phe	Met	Asn	Thr	Asp	Asn
		275					280					285			
Phe	Thr	Ser	His	Arg	Leu	Pro	His	Pro	Trp	Ser	Gly	Thr	Gly	Gln	Val
	290					295					300				
Val	Tyr	Asn	Gly	Ser	Ile	Tyr	Phe	Asn	Lys	Phe	Gln	Ser	His	Ile	Ile
305					310					315				320	
Ile	Arg	Phe	Asp	Leu	Lys	Thr	Glu	Thr	Ile	Leu	Lys	Thr	Arg	Ser	Leu



```
<210> 62
<211> 286
<212> PRT
<213> Homo sapiens
```

	<400>			62														
Met 1	Leu	His	Leu	Leu 5	Ala	Leu	Phe	Leu	His 10	Cys	Leu	Pro	Leu	Ala 15	Ser			
Gly	Asp	Tyr	Asp 20	Ile	Cys	Lys	Ser	Trp 25	Val	Thr	Thr	Asp 30	Glu	Gly	Pro			
Thr	Trp	Glu 35	Phe	Tyr	Ala	Cys	Gln 40	Pro	Lys	Val	Met	Arg 45	Leu	Lys	Asp			
Tyr	Val 50	Lys	Val	Lys	Val	Glu 55	Pro	Ser	Gly	Ile	Thr 60	Cys	Gly	Asp	Pro			
Pro 65	Glu	Arg	Phe	Cys	Ser 70	His	Glu	Asn	Pro	Tyr 75	Leu	Cys	Ser	Asn	Glu 80			
Cys	Asp	Ala	Ser	Asn 85	Pro	Asp	Leu	Ala	His 90	Pro	Pro	Arg	Leu	Met 95	Phe			
Asp	Lys	Glu	Glu 100	Glu	Gly	Leu	Ala	Thr 105	Tyr	Trp	Gln	Ser	Ile	Thr 110	Trp			
Ser	Arg	Tyr 115	Pro	Ser	Pro	Leu	Glu 120	Ala	Asn	Ile	Thr 125	Leu	Ser	Trp	Asn			
Lys	Thr 130	Val	Glu	Leu	Thr	Asp 135	Asp	Val	Val	Met	Thr 140	Phe	Glu	Tyr	Gly			
Arg 145	Pro	Thr	Val	Met	Val	Leu	Glu	Lys	Ser	Leu	Asp 155	Asn	Gly	Arg	Thr 160			
Trp	Gln	Pro	Tyr	Gln 165	Phe	Tyr	Ala	Glu	Asp 170	Cys	Met	Glu	Ala	Phe 175	Gly			
Met	Ser	Ala	Arg 180	Arg	Ala	Arg	Asp	Met 185	Ser	Ser	Ser	Ser	Ala	His 190	Arg			
Val	Leu	Cys 195	Thr	Glu	Glu	Tyr	Ser 200	Arg	Trp	Ala	Gly	Ser	Lys	Lys	Glu			
Lys	His 210	Val	Arg	Phe	Glu	Val 215	Arg	Asp	Arg	Phe	Ala 220	Ile	Phe	Ala	Gly			
Pro 225	Asp	Leu	Arg	Asn	Met 230	Asp	Asn	Leu	Tyr	Thr 235	Arg	Leu	Glu	Ser	Ala 240			
Lys	Gly	Leu	Lys	Glu	Phe	Phe	Thr	Leu	Thr	Asp	Leu	Arg	Met	Arg	Leu			

				245					250				255				
Leu	Arg	Pro	Ala	Leu	Gly	Gly	Thr	Tyr	Val	Gln	Arg	Glu	Asn	Leu	Tyr		
			260					265					270				
Lys	Tyr	Phe	Tyr	Ala	Ile	Ser	Asn	Ile	Glu	Val	Ile	Gly	Arg				
		275					280					285					

<210> 63  
 <211> 533  
 <212> PRT  
 <213> Homo sapiens

<400> 63

Met	Leu	His	Leu	Leu	Ala	Leu	Phe	Leu	His	Cys	Leu	Pro	Leu	Ala	Ser		
1			5					10					15				
Gly	Asp	Tyr	Asp	Ile	Cys	Lys	Ser	Trp	Val	Thr	Thr	Asp	Glu	Gly	Pro		
			20				25					30					
Thr	Trp	Glu	Phe	Tyr	Ala	Cys	Gln	Pro	Lys	Val	Met	Arg	Leu	Lys	Asp		
		35				40					45						
Tyr	Val	Lys	Val	Lys	Val	Glu	Pro	Ser	Gly	Ile	Thr	Cys	Gly	Asp	Pro		
	50				55					60							
Pro	Glu	Arg	Phe	Cys	Ser	His	Glu	Asn	Pro	Tyr	Leu	Cys	Ser	Asn	Glu		
65				70					75					80			
Cys	Asp	Ala	Ser	Asn	Pro	Asp	Leu	Ala	His	Pro	Pro	Arg	Leu	Met	Phe		
			85					90					95				
Asp	Lys	Glu	Glu	Glu	Gly	Leu	Ala	Thr	Tyr	Trp	Gln	Ser	Ile	Thr	Trp		
		100					105					110					
Ser	Arg	Tyr	Pro	Ser	Pro	Leu	Glu	Ala	Asn	Ile	Thr	Leu	Ser	Trp	Asn		
	115				120							125					
Lys	Thr	Val	Glu	Leu	Thr	Asp	Val	Val	Met	Thr	Phe	Glu	Tyr	Gly			
	130				135					140							
Arg	Pro	Thr	Val	Met	Val	Leu	Glu	Lys	Ser	Leu	Asp	Asn	Gly	Arg	Thr		
145				150					155					160			
Trp	Gln	Pro	Tyr	Gln	Phe	Tyr	Ala	Glu	Asp	Cys	Met	Glu	Ala	Phe	Gly		
			165					170						175			
Met	Ser	Ala	Arg	Arg	Ala	Arg	Asp	Met	Ser	Ser	Ser	Ser	Ala	His	Arg		
		180					185						190				
Val	Leu	Cys	Thr	Glu	Glu	Tyr	Ser	Arg	Trp	Ala	Gly	Ser	Lys	Lys	Glu		
	195				200						205						
Lys	His	Val	Arg	Phe	Glu	Val	Arg	Asp	Arg	Phe	Ala	Ile	Phe	Ala	Gly		
	210				215					220							
Pro	Asp	Leu	Arg	Asn	Met	Asp	Asn	Leu	Tyr	Thr	Arg	Leu	Glu	Ser	Ala		
225				230					235					240			
Lys	Gly	Leu	Lys	Glu	Phe	Phe	Thr	Leu	Thr	Asp	Leu	Arg	Met	Arg	Leu		
			245					250					255				
Leu	Arg	Pro	Ala	Leu	Gly	Gly	Thr	Tyr	Val	Gln	Arg	Glu	Asn	Leu	Tyr		
		260					265						270				
Lys	Tyr	Phe	Tyr	Ala	Ile	Ser	Asn	Ile	Glu	Val	Ile	Gly	Arg	Cys	Lys		
	275					280						285					
Cys	Asn	Leu	His	Ala	Asn	Leu	Cys	Ser	Met	Arg	Glu	Gly	Ser	Leu	Gln		
	290				295						300						
Cys	Glu	Cys	Glu	His	Asn	Thr	Thr	Gly	Pro	Asp	Cys	Gly	Lys	Cys	Lys		
305				310					315					320			
Lys	Asn	Phe	Arg	Thr	Arg	Ser	Trp	Arg	Ala	Gly	Ser	Tyr	Leu	Pro	Leu		
			325					330					335				
Pro	His	Gly	Ser	Pro	Asn	Ala	Cys	Thr	Pro	Pro	Ser	Pro	Arg	Glu	Leu		
		340					345					350					
Gly	Ala	Asp	Cys	Glu	Cys	Tyr	Gly	His	Ser	Asn	Arg	Cys	Ser	Tyr	Ile		
	355				360						365						
Asp	Phe	Leu	Asn	Val	Val	Thr	Cys	Val	Ser	Cys	Lys	His	Asn	Thr	Arg		

370	375	380
Gly Gln His Cys Gln His Cys Arg Leu Gly Tyr Tyr Arg Asn Gly Ser		
385	390	395
Ala Glu Leu Asp Asp Glu Asn Val Cys Ile Glu Cys Asn Cys Asn Gln		400
	405	410
Ile Gly Ser Val His Asp Arg Cys Asn Glu Thr Gly Phe Cys Glu Cys		415
	420	425
Arg Glu Gly Ala Ala Gly Pro Lys Cys Asp Asp Cys Leu Pro Thr His		430
	435	440
Tyr Trp Arg Gln Gly Cys Tyr Pro Asn Val Cys Asp Asp Asp Gln Leu		445
	450	455
Leu Cys Gln Asn Gly Gly Thr Cys Leu Gln Asn Gln Arg Cys Ala Cys		460
465	470	475
Pro Arg Gly Tyr Thr Gly Val Arg Cys Glu Gln Pro Arg Cys Asp Pro		480
	485	490
Ala Asp Asp Asp Gly Gly Leu Asp Cys Asp Arg Ala Pro Gly Ala Ala		495
	500	505
Pro Arg Pro Ala Thr Leu Leu Gly Cys Leu Leu Leu Leu Gly Leu Ala		510
	515	520
Ala Arg Leu Gly Arg		525
530		

<210> 64  
 <211> 495  
 <212> PRT  
 <213> Homo sapiens

<400> 64
Met Phe Ala Asn Ser Pro Gly Cys Ser Asn Met Leu His Tyr Val Tyr
1 5 10 15
Cys Ala Cys Gly His Gly Leu Gln Leu Val Arg Ser Val Ser Ser Ser
20 25 30
Val Asp Glu Gly Gly Thr Cys His Cys Met Val His Leu Pro Asn Asn
35 40 45
Pro Ile Pro Leu Glu Gln Leu Glu Gln Leu Gln Ser Thr Ala Gln Glu
50 55 60
Leu Ile Cys Lys Tyr Glu Gln Lys Leu Ser Arg Cys Ala Arg Ala Ile
65 70 75 80
Glu Asp Lys Asp Asn Glu Val Leu Glu Met Ser His Met Leu Lys Ser
85 90 95
Trp Asn Pro Ser Ala Leu Ala Ser Pro Tyr Glu Asn Pro Gly Phe Asn
100 105 110
Leu Leu Cys Leu Glu Leu Glu Gly Ala Gln Glu Leu Val Thr Gln Leu
115 120 125
Lys Ala Met Gly Gly Val Ser Val Ala Gly Asp Leu Leu His Gln Leu
130 135 140
Gln Ser Gln Val Thr Asn Ala Ser Leu Thr Leu Lys Leu Leu Ala Asp
145 150 155 160
Ser Asp Gln Cys Ser Phe Gly Ala Leu Gln Glu Val Asp Val Leu
165 170 175
Glu Ser Gln Leu Ser Glu Cys Glu Arg Glu Lys Glu Lys Glu Gly Leu
180 185 190
Trp Thr Pro Trp Thr Thr Pro Pro Ala Ser Cys Ala His Gly Gly
195 200 205
Leu Gln Glu Val Ser Lys Ser Leu Val Val Gln Leu Thr Arg Arg Gly
210 215 220
Phe Ser Tyr Lys Ala Gly Pro Trp Gly Arg Asp Ser Ala Pro Asn Pro
225 230 235 240
Ala Ser Ser Leu Tyr Trp Val Ala Pro Leu Arg Thr Asp Gly Arg Tyr

```
<210> 65
<211> 350
<212> PRT
<213> Homo sapiens
```

	<400> 65														
Met 1	Arg	Asn	His	Lys 5	Lys	Val	Thr	Asn	Ala 10	Ser	Leu	Thr	Leu	Lys 15	Leu
Leu	Ala	Asp	Ser	Asp	Gln	Cys	Ser	Phe	Gly	Ala	Leu	Gln	Gln	Glu	Val
			20					25					30		
Asp	Val	Leu	Glu	Ser	Gln	Leu	Ser	Glu	Ser	Ser	Cys	Ala	His	Gly	Gly
		35						40				45			
Leu	Gln	Glu	Val	Ser	Lys	Ser	Leu	Val	Val	Gln	Leu	Thr	Arg	Arg	Gly
		50				55					60				
Phe 65	Ser	Tyr	Lys	Ala	Gly	Pro	Trp	Gly	Arg	Asp	Ser	Ala	Pro	Asn	Pro
					70					75				80	
Ala	Ser	Ser	Leu	Tyr	Trp	Val	Ala	Pro	Leu	Arg	Thr	Asp	Gly	Ser	Tyr
				85					90					95	
Gly	Cys	His	Pro	Ile	Ile	Leu	Asn	Ala	Gly	Thr	Trp	Pro	Arg	Tyr	Phe
			100					105					110		
Asp	Tyr	Tyr	Arg	Leu	Cys	Lys	Ser	Tyr	Asn	Asp	Leu	Ala	Leu	Leu	Lys
		115						120				125			
Asn	Tyr	Glu	Glu	Arg	Lys	Met	Gly	Tyr	Gly	Asp	Gly	Ser	Gly	Asn	Val
		130				135					140				
Val 145	Tyr	Lys	Asn	Phe	Met	Tyr	Phe	Asn	Tyr	Cys	Gly	Thr	Ser	Asp	Met
					150					155					160
Ala	Lys	Met	Asp	Leu	Ser	Ser	Asn	Thr	Leu	Val	Leu	Trp	Arg	Leu	Leu

Pro Gly Ala	Thr Tyr Asn Asn Arg Phe Ser Cys Ala Gly Val Pro Trp	165	170	175
	180	185	190	
Lys Asp Leu Asp Phe Ala Gly Asp Glu Lys Gly Leu Trp Val Leu Tyr		200	205	
Ala Thr Glu Glu Ser Lys Gly Asn Leu Val Val Ser Arg Leu Asn Ala		215	220	
Ser Thr Leu Glu Val Glu Lys Thr Trp Arg Thr Ser Gln Tyr Lys Pro		230	235	240
Ala Leu Ser Gly Ala Phe Met Ala Cys Gly Val Leu Tyr Ala Leu His		245	250	255
Ser Leu Asn Thr His Gln Glu Glu Ile Phe Tyr Ala Phe Asp Thr Thr		260	265	270
Thr Gly Gln Glu Arg Arg Leu Ser Ile Leu Leu Asp Lys Met Leu Glu		275	280	285
Lys Leu Gln Gly Ile Asn Tyr Cys Pro Ser Asp His Lys Pro Tyr Val		295	300	
Phe Ser Asp Gly Tyr Leu Ile Asn Tyr Asp Leu Thr Phe Leu Thr Met		310	315	320
Lys Thr Arg Leu Pro Arg Pro Pro Thr Arg Arg Pro Ser Gly Ala His		325	330	335
Ala Pro Pro Lys Pro Val Lys Pro Asn Glu Ala Ser Arg Pro		340	345	350

<210> 66  
 <211> 619  
 <212> PRT  
 <213> Homo sapiens

<400> 66

Met Gly Arg Gly Arg Ala Leu Leu Pro Ile Glu Met Leu Gln Leu Ser		5	10	15
Leu Arg Glu Glu Ser Asp Thr Ala Arg Met Gly Ala Gln Glu Gln Ile		20	25	30
Gly Leu Gln Asp Glu Ile Gln Ala Ala Asn Ala Gly Ile Ser Gly Ser		35	40	45
Pro Gly Val Asp Gly Val Val Asp Gly Gly Ser Ser Arg Gly Asp Pro		50	55	60
Ala Leu Thr Val Ser Val Cys Glu Val Pro Pro Val Arg Ser Pro Phe		65	70	75
Arg Thr His Pro Gln Leu Pro Val Arg Leu Pro Arg Asn Leu Glu Phe		85	90	95
Ser Val Pro Glu Arg Arg Thr Leu Arg Asn Arg Leu Thr Ser Ala Thr		100	105	110
Leu Ala Pro Pro Thr Arg His Met Leu Leu Leu Leu Leu Leu Pro		115	120	125
Pro Leu Leu Cys Gly Arg Val Gly Ala Lys Glu Gln Lys Asp Tyr Leu		130	135	140
Leu Thr Met Gln Lys Ser Val Thr Val Gln Glu Gly Leu Cys Val Ser		145	150	155
Val Leu Cys Ser Phe Ser Tyr Pro Gln Asn Gly Trp Thr Ala Ser Asp		165	170	175
Pro Val His Gly Tyr Trp Phe Arg Ala Gly Asp His Val Ser Arg Asn		180	185	190
Ile Pro Val Ala Thr Asn Asn Pro Ala Arg Ala Val Gln Glu Glu Thr		195	200	205
Arg Asp Arg Phe His Leu Leu Gly Asp Pro Gln Asn Lys Asp Cys Thr		210	215	220
Leu Ser Ile Arg Asp Thr Arg Glu Ser Asp Ala Gly Thr Tyr Val Phe				

225					230					235					240
Cys	Val	Glu	Arg	Gly	Asn	Met	Lys	Trp	Asn	Tyr	Lys	Tyr	Asp	Gln	Leu
				245					250					255	
Ser	Val	Asn	Val	Thr	Ala	Leu	Thr	His	Met	Pro	Thr	Phe	Ser	Ile	Pro
			260					265					270		
Gly	Thr	Leu	Glu	Ser	Gly	His	Pro	Arg	Asn	Leu	Thr	Cys	Ser	Val	Pro
		275					280					285			
Trp	Ala	Cys	Glu	Gln	Gly	Thr	Pro	Pro	Thr	Ile	Thr	Trp	Met	Gly	Ala
	290					295					300				
Ser	Val	Ser	Ser	Leu	Asp	Pro	Thr	Ile	Thr	Arg	Ser	Ser	Met	Leu	Ser
305					310					315					320
Leu	Ile	Pro	Gln	Pro	Gln	Asp	His	Gly	Thr	Ser	Leu	Thr	Cys	Gln	Val
			325					330					335		
Thr	Leu	Pro	Gly	Ala	Gly	Val	Thr	Met	Thr	Arg	Ala	Val	Arg	Leu	Asn
			340					345					350		
Ile	Ser	Tyr	Pro	Pro	Gln	Asn	Leu	Thr	Met	Thr	Val	Phe	Gln	Gly	Asp
		355					360					365			
Gly	Thr	Ala	Ser	Thr	Thr	Leu	Arg	Asn	Gly	Ser	Ala	Leu	Ser	Val	Leu
	370					375					380				
Glu	Gly	Gln	Ser	Leu	His	Leu	Val	Cys	Ala	Val	Asp	Ser	Asn	Pro	Pro
385					390					395					400
Ala	Arg	Leu	Ser	Trp	Thr	Trp	Gly	Ser	Leu	Thr	Leu	Ser	Pro	Ser	Gln
				405					410					415	
Ser	Ser	Asn	Leu	Gly	Val	Leu	Glu	Leu	Pro	Arg	Val	His	Val	Lys	Asp
		420						425					430		
Glu	Gly	Glu	Phe	Thr	Cys	Arg	Ala	Gln	Asn	Pro	Leu	Gly	Ser	Gln	His
		435					440					445			
Ile	Ser	Leu	Ser	Leu	Ser	Leu	Gln	Asn	Glu	Tyr	Thr	Gly	Lys	Met	Arg
	450					455					460				
Pro	Ile	Ser	Gly	Val	Thr	Leu	Gly	Ala	Phe	Gly	Gly	Ala	Gly	Ala	Thr
465					470					475					480
Ala	Leu	Val	Phe	Leu	Tyr	Phe	Cys	Ile	Ile	Phe	Val	Val	Val	Arg	Ser
			485						490					495	
Cys	Arg	Lys	Lys	Ser	Ala	Arg	Pro	Ala	Val	Gly	Val	Gly	Asp	Thr	Gly
			500					505					510		
Met	Glu	Asp	Ala	Asn	Ala	Val	Arg	Gly	Ser	Ala	Ser	Gln	Met	Glu	Glu
		515					520					525			
Gly	Thr	Pro	Gly	Pro	Pro	Ser	Trp	Met	Leu	Ser	Gly	Ala	Cys	Trp	Pro
	530					535					540				
His	Cys	Ser	Ala	Leu	Thr	Pro	Phe	Ser	Ser	Ser	Ile	Gln	Gly	Pro	Leu
545					550					555					560
Ile	Glu	Ser	Pro	Ala	Asp	Asp	Ser	Pro	Pro	His	His	Ala	Pro	Pro	Ala
			565						570					575	
Leu	Ala	Thr	Pro	Ser	Pro	Glu	Glu	Gly	Glu	Ile	Gln	Tyr	Ala	Ser	Leu
		580					585						590		
Ser	Phe	His	Lys	Ala	Arg	Pro	Gln	Tyr	Pro	Gln	Glu	Gln	Glu	Ala	Ile
	595						600					605			
Gly	Tyr	Glu	Tyr	Ser	Glu	Ile	Asn	Ile	Pro	Lys					
	610					615									

&lt;210&gt; 67

&lt;211&gt; 490

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 67

Met	Leu	Leu	Leu	Leu	Leu	Leu	Leu	Pro	Pro	Leu	Leu	Cys	Gly	Arg	Val
1				5				10						15	
Gly	Ala	Lys	Glu	Gln	Lys	Asp	Tyr	Leu	Leu	Thr	Met	Gln	Lys	Ser	Val

55/69

<210> 68  
 <211> 462  
 <212> PRT  
 <213> Homo sapiens

<400> 68  
 Met Leu Pro Leu Trp Thr Leu Ser Leu Leu Leu Gly Ala Val Ala Gly  
 1 5 10 15  
 Lys Glu Val Cys Tyr Glu Arg Leu Gly Cys Phe Ser Asp Asp Ser Pro  
 20 25 30  
 Trp Ser Gly Ile Thr Glu Arg Pro Leu His Ile Leu Pro Trp Ser Pro  
 35 40 45  
 Lys Asp Val Asn Thr Arg Phe Leu Leu Tyr Thr Asn Glu Asn Pro Asn  
 50 55 60  
 Asn Phe Gln Glu Ile Ser Ala Val Asn Ser Ser Thr Ile Gln Ala Ser  
 65 70 75 80  
 Tyr Phe Gly Thr Asp Lys Ile Thr Arg Ile Asn Ile Ala Gly Trp Lys  
 85 90 95  
 Thr Asp Gly Lys Trp Gln Arg Asp Met Cys Asn Val Leu Leu Gln Leu  
 100 105 110  
 Glu Asp Ile Asn Cys Ile Asn Leu Asp Trp Ile Asn Gly Ser Arg Glu  
 115 120 125  
 Tyr Ile His Ala Val Asn Asn Leu Arg Val Val Gly Ala Glu Val Ala  
 130 135 140  
 Tyr Phe Ile Asp Val Leu Met Lys Lys Phe Glu Tyr Ser Pro Ser Lys  
 145 150 155 160  
 Val His Leu Ile Gly His Ser Leu Gly Ala His Leu Ala Gly Glu Ala  
 165 170 175  
 Gly Ser Arg Ile Pro Gly Leu Gly Arg Ile Thr Gly Lys His Ala Leu  
 180 185 190  
 Gln Leu Gly Leu Glu Cys Ala Thr Glu Gly Tyr Leu Leu Ser Ala Thr  
 195 200 205  
 Leu Ala Asn Asn Val Asn Phe Val Asp Thr Asn His Met Asp Ala Thr  
 210 215 220  
 Pro Ile Ile Pro Gln Trp Met Arg Gly Thr Ser Gly Thr Ser Asn Pro  
 225 230 235 240  
 Leu Pro Val Thr Ser Ser Leu Cys Leu Trp Leu Ala Asp Leu Gly Ser  
 245 250 255  
 Val Ser Leu Val Cys Leu Trp Pro Glu Met Ala Ser Phe Phe Asp Cys  
 260 265 270  
 Asn His Ala Arg Ser Tyr Gln Phe Tyr Ala Glu Ser Ile Leu Asn Pro  
 275 280 285  
 Asp Ala Phe Ile Ala Tyr Pro Cys Arg Ser Tyr Thr Ser Phe Lys Ala  
 290 295 300  
 Gly Asn Cys Phe Phe Cys Ser Lys Glu Gly Cys Pro Thr Met Gly His  
 305 310 315 320  
 Phe Ala Asp Arg Phe His Phe Lys Asn Met Lys Thr Asn Gly Ser His  
 325 330 335  
 Tyr Phe Leu Asn Thr Gly Ser Leu Ser Pro Phe Ala Arg Trp Arg His  
 340 345 350  
 Lys Leu Ser Val Lys Leu Ser Gly Ser Glu Val Thr Gln Gly Thr Val  
 355 360 365  
 Phe Leu Arg Val Gly Gly Ala Val Arg Lys Thr Gly Glu Phe Ala Ile  
 370 375 380  
 Val Ser Gly Lys Leu Glu Pro Gly Met Thr Tyr Thr Lys Leu Ile Asp  
 385 390 395 400  
 Ala Asp Val Asn Val Gly Asn Ile Thr Ser Val Gln Phe Ile Trp Lys  
 405 410 415



Lys His Leu Phe Glu Asp Ser Gln Asn Lys Leu Gly Ala Glu Met Val  
 420 425 430  
 Ile Asn Thr Ser Gly Lys Tyr Gly Tyr Lys Ser Thr Phe Cys Ser Gln  
 435 440 445  
 Asp Ile Met Gly Pro Asn Ile Leu Gln Asn Leu Lys Pro Cys  
 450 455 460

<210> 69  
 <211> 255  
 <212> PRT  
 <213> Homo sapiens

<400> 69  
 Met Val Leu Leu Leu Val Ile Leu Ile Pro Val Leu Val Ser Ser Ala  
 1 5 10 15  
 Gly Thr Ser Ala His Tyr Glu Met Leu Gly Thr Cys Arg Met Val Cys  
 20 25 30  
 Asp Pro Tyr Gly Gly Thr Lys Ala Pro Ser Thr Ala Ala Thr Pro Asp  
 35 40 45  
 Arg Gly Leu Met Gln Ser Leu Pro Thr Phe Ile Gln Gly Pro Lys Gly  
 50 55 60  
 Glu Ala Gly Arg Pro Gly Lys Ala Gly Pro Arg Gly Pro Pro Gly Glu  
 65 70 75 80  
 Pro Gly Pro Pro Gly Pro Met Gly Pro Pro Gly Glu Lys Gly Glu Pro  
 85 90 95  
 Gly Arg Gln Gly Leu Pro Gly Pro Pro Gly Ala Pro Gly Leu Asn Ala  
 100 105 110  
 Ala Gly Ala Ile Ser Ala Ala Thr Tyr Ser Thr Gly Pro Lys Ile Ala  
 115 120 125  
 Phe Tyr Ala Gly Leu Lys Arg Gln His Glu Gly Tyr Glu Val Leu Lys  
 130 135 140  
 Phe Asp Asp Val Val Thr Asn Leu Gly Asn His Tyr Asp Pro Thr Thr  
 145 150 155 160  
 Gly Lys Phe Thr Cys Ser Ile Pro Gly Ile Tyr Phe Phe Thr Tyr His  
 165 170 175  
 Val Leu Met Arg Gly Gly Asp Gly Thr Ser Met Trp Ala Asp Leu Cys  
 180 185 190  
 Lys Asn Asn Gln Val Arg Ala Ser Ala Ile Ala Gln Asp Ala Asp Gln  
 195 200 205  
 Asn Tyr Asp Tyr Ala Ser Asn Ser Val Val Leu His Leu Glu Pro Gly  
 210 215 220  
 Asp Glu Val Tyr Ile Lys Leu Asp Gly Gly Lys Ala His Gly Gly Asn  
 225 230 235 240  
 Asn Asn Lys Tyr Ser Thr Phe Ser Gly Phe Ile Ile Tyr Ala Asp  
 245 250 255

<210> 70  
 <211> 784  
 <212> PRT  
 <213> Homo sapiens

<400> 70  
 Met Glu Gly Asp Gly Gly Thr Pro Trp Ala Leu Ala Leu Leu Arg Thr  
 1 5 10 15  
 Phe Asp Ala Gly Glu Phe Thr Gly Trp Glu Lys Val Gly Ser Gly Gly  
 20 25 30  
 Phe Gly Gln Val Tyr Lys Val Arg His Val His Trp Lys Thr Trp Leu  
 35 40 45  
 Ala Ile Lys Cys Ser Pro Ser Leu His Val Asp Asp Arg Glu Arg Met

50		55		60	
Glu Leu Leu Glu Glu Ala Lys Lys Met Glu Met Ala Lys Phe Arg Tyr					
65		70		75	80
Ile Leu Pro Val Tyr Gly Ile Cys Arg Glu Pro Val Gly Leu Val Met					
	85		90		95
Glu Tyr Met Glu Thr Gly Ser Leu Glu Lys Leu Leu Ala Ser Glu Pro					
	100		105		110
Leu Pro Trp Asp Leu Arg Phe Arg Ile Ile His Glu Thr Ala Val Gly					
	115		120		125
Met Asn Phe Leu His Cys Met Ala Pro Pro Leu Leu His Leu Asp Leu					
	130		135		140
Lys Pro Ala Asn Ile Leu Leu Asp Ala His Tyr His Val Lys Ile Ser					
	145		150		155
Asp Phe Gly Leu Ala Lys Cys Asn Gly Leu Ser His Ser His Asp Leu					
	165		170		175
Ser Met Asp Gly Leu Phe Gly Thr Ile Ala Tyr Leu Pro Pro Glu Arg					
	180		185		190
Ile Arg Glu Lys Ser Arg Leu Phe Asp Thr Lys His Asp Val Tyr Ser					
	195		200		205
Phe Ala Ile Val Ile Trp Gly Val Leu Thr Gln Lys Lys Pro Phe Ala					
	210		215		220
Asp Glu Lys Asn Ile Leu His Ile Met Val Lys Val Val Lys Gly His					
	225		230		235
Arg Pro Glu Leu Pro Pro Val Cys Arg Ala Arg Pro Arg Ala Cys Ser					
	245		250		255
His Leu Ile Arg Leu Met Gln Arg Cys Trp Gln Gly Asp Pro Arg Val					
	260		265		270
Arg Pro Thr Phe Gln Glu Ile Thr Ser Glu Thr Glu Asp Leu Cys Glu					
	275		280		285
Lys Pro Asp Asp Glu Val Lys Glu Thr Ala His Asp Leu Asp Val Lys					
	290		295		300
Ser Pro Pro Glu Pro Arg Ser Glu Val Val Pro Ala Arg Leu Lys Arg					
	305		310		315
Ala Ser Ala Pro Thr Phe Asp Asn Asp Tyr Ser Leu Ser Glu Leu Leu					
	325		330		335
Ser Gln Leu Asp Ser Gly Val Ser Gln Ala Val Glu Gly Pro Glu Glu					
	340		345		350
Leu Ser Arg Ser Ser Ser Glu Ser Lys Leu Pro Ser Ser Gly Ser Gly					
	355		360		365
Lys Arg Leu Ser Gly Val Ser Ser Val Asp Ser Ala Phe Ser Ser Arg					
	370		375		380
Gly Ser Leu Ser Leu Ser Phe Glu Arg Glu Pro Ser Thr Ser Asp Leu					
	385		390		395
Gly Thr Thr Asp Val Gln Lys Lys Lys Leu Val Asp Ala Ile Val Ser					
	405		410		415
Gly Asp Thr Ser Lys Leu Met Lys Ile Leu Gln Pro Gln Asp Val Asp					
	420		425		430
Leu Ala Leu Asp Ser Gly Ala Ser Leu Leu His Leu Ala Val Glu Ala					
	435		440		445
Gly Gln Glu Glu Cys Ala Lys Trp Leu Leu Leu Asn Asn Ala Asn Pro					
	450		455		460
Asn Leu Ser Asn Arg Arg Gly Ser Thr Pro Leu His Met Ala Val Glu					
	465		470		475
Arg Arg Val Arg Gly Val Val Glu Leu Leu Leu Ala Arg Lys Ile Ser					
	485		490		495
Val Asn Ala Lys Asp Glu Asp Gln Trp Thr Ala Leu His Phe Ala Ala					
	500		505		510
Gln Asn Gly Asp Glu Ser Ser Thr Arg Leu Leu Leu Glu Lys Asn Ala					
	515		520		525

Ser Val Asn Glu Val Asp Phe Glu Gly Arg Thr Pro Met His Val Ala  
 530 535 540  
 Cys Gln His Gly Gln Glu Asn Ile Val Arg Ile Leu Leu Arg Arg Gly  
 545 550 555 560  
 Val Asp Val Ser Leu Gln Gly Lys Asp Ala Trp Leu Pro Leu His Tyr  
 565 570 575  
 Ala Ala Trp Gln Gly His Leu Pro Ile Val Lys Leu Leu Ala Lys Gln  
 580 585 590  
 Pro Gly Val Ser Val Asn Ala Gln Thr Leu Asp Gly Arg Thr Pro Leu  
 595 600 605  
 His Leu Ala Ala Gln Arg Gly His Tyr Arg Val Ala Arg Ile Leu Ile  
 610 615 620  
 Asp Leu Cys Ser Asp Val Asn Val Cys Ser Leu Leu Ala Gln Thr Pro  
 625 630 635 640  
 Leu His Val Ala Ala Glu Thr Gly His Thr Ser Thr Ala Arg Leu Leu  
 645 650 655  
 Leu His Arg Gly Ala Gly Lys Glu Ala Met Thr Ser Asp Gly Tyr Thr  
 660 665 670  
 Ala Leu His Leu Ala Ala Arg Asn Gly His Leu Ala Thr Val Lys Leu  
 675 680 685  
 Leu Val Glu Glu Lys Ala Asp Val Leu Ala Arg Gly Pro Leu Asn Gln  
 690 695 700  
 Thr Ala Leu His Leu Ala Ala Ala His Gly His Ser Glu Val Val Glu  
 705 710 715 720  
 Glu Leu Val Ser Ala Asp Val Ile Asp Leu Phe Asp Glu Gln Gly Leu  
 725 730 735  
 Ser Ala Leu His Leu Ala Ala Gln Gly Arg His Ala Gln Thr Val Glu  
 740 745 750  
 Thr Leu Leu Arg His Gly Ala His Ile Asn Leu Gln Ser Leu Lys Phe  
 755 760 765  
 Gln Gly Gly His Gly Pro Ala Ala Thr Leu Leu Arg Arg Ser Lys Thr  
 770 775 780

<210> 71  
 <211> 252  
 <212> PRT  
 <213> Homo sapiens

<400> 71  
 Met Ala Ala Pro Ala Leu Leu Leu Leu Ala Leu Leu Leu Pro Val Gly  
 1 5 10 15  
 Ala Trp Pro Gly Leu Pro Arg Arg Pro Cys Val His Cys Cys Arg Pro  
 20 25 30  
 Ala Trp Pro Pro Gly Pro Tyr Ala Arg Val Ser Asp Arg Asp Leu Trp  
 35 40 45  
 Arg Gly Asp Leu Trp Arg Gly Leu Pro Arg Val Arg Pro Thr Ile Asp  
 50 55 60  
 Ile Glu Ile Leu Lys Gly Glu Lys Gly Glu Ala Gly Val Arg Gly Arg  
 65 70 75 80  
 Ala Gly Arg Ser Gly Lys Glu Gly Pro Pro Gly Ala Arg Gly Leu Gln  
 85 90 95  
 Gly Arg Arg Gly Gln Lys Gly Gln Val Gly Pro Pro Gly Ala Ala Cys  
 100 105 110  
 Arg Arg Ala Tyr Ala Ala Phe Ser Val Gly Arg Arg Glu Gly Leu His  
 115 120 125  
 Ser Ser Asp His Phe Gln Ala Val Pro Phe Asp Thr Glu Leu Val Asn  
 130 135 140  
 Leu Asp Gly Ala Phe Asp Leu Ala Ala Gly Arg Phe Leu Cys Thr Val  
 145 150 155 160

```
<210> 72
<211> 593
<212> PRT
<213> Homo sapiens
```

60/69

Thr Asp Ser Tyr Phe Gly Gly Gly Thr Ser Ser Ser Ala Ala Ala Thr  
 325 330 335  
 Gln Arg Leu Ala Asp Tyr Ser Pro Pro Ser Pro Ala Leu Ser Phe Ala  
 340 345 350  
 His Asn Gly Asn Asn Asn Asn Asn Gly Asn Gly Tyr Thr Tyr Thr Ala  
 355 360 365  
 Gly Gly Glu Ala Ser Val Pro Ser Pro Asp Gly Cys Pro Glu Leu Gln  
 370 375 380  
 Pro Thr Phe Asp Pro Ala Pro Ala Pro Pro Pro Gly Ala Pro Leu Ile  
 385 390 395 400  
 Trp Ala Gln Phe Glu Arg Ser Pro Gly Gly Gly Pro Ala Ala Pro Val  
 405 410 415  
 Ser Ser Ser Cys Ser Ser Ser Ala Ser Ser Ser Ala Ser Ser Ser Ser  
 420 425 430  
 Val Val Phe Pro Gly Gly Gly Ala Ser Ala Pro Ser Asn Ala Asn Leu  
 435 440 445  
 Gly Leu Leu Val His Arg Arg Leu His Pro Gly Thr Ser Cys Pro Arg  
 450 455 460  
 Leu Ser Pro Pro Leu His Met Ala Pro Gly Ala Gly Glu His His Leu  
 465 470 475 480  
 Ala Arg Arg Val Arg Ser Asp Pro Gly Gly Gly Gly Leu Ala Tyr Ala  
 485 490 495  
 Ala Tyr Ala Asn Gly Leu Gly Ala Gln Leu Pro Gly Leu Gln Pro Ser  
 500 505 510  
 Asp Thr Ser Gly Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser  
 515 520 525  
 Ser Ser Ser Ser Gly Leu Arg Arg Lys Gly Ser Arg Asp Cys Ser Val  
 530 535 540  
 Cys Phe Glu Ser Glu Val Ile Ala Ala Leu Val Pro Cys Gly His Asn  
 545 550 555 560  
 Leu Phe Cys Met Glu Cys Ala Asn Arg Ile Cys Glu Lys Ser Glu Pro  
 565 570 575  
 Glu Cys Pro Val Cys His Thr Ala Val Thr Gln Ala Ile Arg Ile Phe  
 580 585 590  
 Ser

<210> 73  
 <211> 472  
 <212> PRT  
 <213> Homo sapiens

<400> 73  
 Met Pro Ser Ser Leu Phe Ala Asp Leu Glu Arg Asn Gly Ser Gly Gly  
 1 5 10 15  
 Gly Gly Gly Gly Ser Ser Gly Gly Gly Glu Thr Leu Asp Asp Gln Arg  
 20 25 30  
 Ala Leu Gln Leu Ala Leu Asp Gln Leu Ser Leu Leu Gly Leu Asp Ser  
 35 40 45  
 Asp Glu Gly Ala Ser Leu Tyr Asp Ser Glu Pro Arg Lys Lys Ser Val  
 50 55 60  
 Asn Met Thr Glu Cys Val Pro Val Pro Ser Ser Glu His Val Ala Glu  
 65 70 75 80  
 Ile Val Gly Arg Gln Gly Cys Lys Ile Lys Ala Leu Arg Ala Lys Thr  
 85 90 95  
 Asn Thr Tyr Ile Lys Thr Pro Val Arg Gly Glu Glu Pro Val Phe Val  
 100 105 110  
 Val Thr Gly Arg Lys Glu Asp Val Ala Met Ala Arg Arg Glu Ile Ile  
 115 120 125

Ser Ala Ala Glu His Phe Ser Met Ile Arg Ala Ser Arg Asn Lys Asn  
 130 135 140  
 Thr Ala Leu Asn Gly Ala Val Pro Gly Pro Pro Asn Leu Pro Gly Gln  
 145 150 155 160  
 Thr Thr Ile Gln Val Arg Val Pro Tyr Arg Val Val Gly Leu Val Val  
 165 170 175  
 Gly Pro Lys Gly Ala Thr Ile Lys Arg Ile Gln Gln Gln Thr His Thr  
 180 185 190  
 Tyr Ile Val Thr Pro Ser Arg Asp Lys Glu Pro Val Phe Glu Val Thr  
 195 200 205  
 Gly Met Pro Glu Asn Val Asp Arg Ala Arg Glu Glu Ile Glu Ala His  
 210 215 220  
 Ile Ala Leu Arg Thr Gly Gly Ile Ile Glu Leu Thr Asp Glu Asn Asp  
 225 230 235 240  
 Phe His Ala Asn Gly Thr Asp Val Gly Phe Asp Leu His His Gly Ser  
 245 250 255  
 Gly Gly Ser Gly Pro Gly Ser Leu Trp Ser Lys Pro Thr Pro Ser Ile  
 260 265 270  
 Thr Pro Thr Pro Gly Arg Lys Pro Phe Ser Ser Tyr Arg Asn Asp Ser  
 275 280 285  
 Ser Ser Ser Leu Gly Ser Ala Ser Thr Asp Ser Tyr Phe Gly Gly Gly  
 290 295 300  
 Thr Ser Ser Ser Ala Ala Ala Thr Gln Arg Leu Ala Asp Tyr Ser Pro  
 305 310 315 320  
 Ala Pro Ser Asn Ala Asn Leu Gly Leu Leu Val His Arg Arg Leu His  
 325 330 335  
 Pro Gly Thr Ser Cys Pro Arg Leu Ser Pro Pro Leu His Met Ala Pro  
 340 345 350  
 Gly Ala Gly Glu His His Leu Ala Arg Arg Val Arg Ser Asp Pro Gly  
 355 360 365  
 Gly Gly Gly Leu Ala Tyr Ala Ala Tyr Ala Asn Gly Leu Gly Ala Gln  
 370 375 380  
 Leu Pro Gly Leu Gln Pro Ser Asp Thr Ser Gly Ser Ser Ser Ser  
 385 390 395 400  
 Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Gly Leu Arg Arg Lys  
 405 410 415  
 Gly Ser Arg Asp Cys Ser Val Cys Phe Glu Ser Glu Val Ile Ala Ala  
 420 425 430  
 Leu Val Pro Cys Gly His Asn Leu Phe Cys Met Glu Cys Ala Asn Arg  
 435 440 445  
 Ile Cys Glu Lys Ser Glu Pro Glu Cys Pro Val Cys His Thr Ala Val  
 450 455 460  
 Thr Gln Ala Ile Arg Ile Phe Ser  
 465 470

<210> 74  
 <211> 607  
 <212> PRT  
 <213> Homo sapiens

<400> 74  
 Met Trp Gly Leu Val Arg Leu Leu Leu Ala Trp Leu Gly Gly Trp Gly  
 1 5 10 15  
 Cys Met Gly Arg Leu Ala Ala Pro Ala Arg Ala Trp Ala Gly Ser Arg  
 20 25 30  
 Glu His Pro Gly Pro Ala Leu Leu Arg Thr Arg Arg Ser Trp Val Trp  
 35 40 45  
 Asn Gln Phe Phe Val Ile Glu Glu Tyr Ala Gly Pro Glu Pro Val Leu  
 50 55 60

Ile	Gly	Lys	Leu	His	Ser	Asp	Val	Asp	Arg	Gly	Glu	Gly	Arg	Thr	Lys	65	70	75	80
Tyr	Leu	Leu	Thr	Gly	Glu	Gly	Ala	Gly	Thr	Val	Phe	Val	Ile	Asp	Glu	85	90		95
Ala	Thr	Gly	Asn	Ile	His	Val	Thr	Lys	Ser	Leu	Asp	Arg	Glu	Glu	Lys	100	105		110
Ala	Gln	Tyr	Val	Leu	Leu	Ala	Gln	Ala	Val	Asp	Arg	Ala	Ser	Asn	Arg	115	120		125
Pro	Leu	Glu	Pro	Pro	Ser	Glu	Phe	Ile	Ile	Lys	Val	Gln	Asp	Ile	Asn	130	135		140
Asp	Asn	Pro	Pro	Ile	Phe	Pro	Leu	Gly	Pro	Tyr	His	Ala	Thr	Val	Pro	145	150		155
Glu	Met	Ser	Asn	Val	Gly	Thr	Ser	Val	Ile	Gln	Val	Thr	Ala	His	Asp	165	170		175
Ala	Asp	Asp	Pro	Ser	Tyr	Gly	Asn	Ser	Ala	Lys	Leu	Val	Tyr	Thr	Val	180	185		190
Leu	Asp	Gly	Leu	Pro	Phe	Phe	Ser	Val	Asp	Pro	Gln	Thr	Gly	Val	Val	195	200		205
Arg	Thr	Ala	Ile	Pro	Asn	Met	Asp	Arg	Glu	Thr	Gln	Glu	Glu	Phe	Leu	210	215		220
Val	Val	Ile	Gln	Ala	Lys	Asp	Met	Gly	Gly	His	Met	Gly	Gly	Leu	Ser	225	230		235
Gly	Ser	Thr	Thr	Val	Thr	Val	Thr	Leu	Ser	Asp	Val	Asn	Asp	Asn	Pro	245	250		255
Pro	Lys	Phe	Pro	Gln	Ser	Leu	Tyr	Gln	Phe	Ser	Val	Val	Glu	Thr	Ala	260	265		270
Gly	Pro	Gly	Thr	Leu	Val	Gly	Arg	Leu	Arg	Ala	Gln	Asp	Pro	Asp	Leu	275	280		285
Gly	Asp	Asn	Ala	Leu	Met	Ala	Tyr	Ser	Ile	Leu	Asp	Gly	Glu	Gly	Ser	290	295		300
Glu	Ala	Phe	Ser	Ile	Ser	Thr	Asp	Leu	Gln	Gly	Arg	Asp	Gly	Leu	Leu	305	310		315
Thr	Val	Arg	Lys	Pro	Leu	Asp	Phe	Glu	Ser	Gln	Arg	Ser	Tyr	Ser	Phe	325	330		335
Arg	Val	Glu	Ala	Thr	Asn	Thr	Leu	Ile	Asp	Pro	Ala	Tyr	Leu	Arg	Arg	340	345		350
Gly	Pro	Phe	Lys	Asp	Val	Ala	Ser	Val	Arg	Val	Ala	Val	Gln	Asp	Ala	355	360		365
Pro	Glu	Pro	Pro	Ala	Phe	Thr	Gln	Ala	Ala	Tyr	His	Leu	Thr	Val	Pro	370	375		380
Glu	Asn	Lys	Ala	Pro	Gly	Thr	Leu	Val	Gly	Gln	Ile	Ser	Ala	Ala	Asp	385	390		395
Leu	Asp	Ser	Pro	Ala	Ser	Pro	Ile	Arg	Tyr	Ser	Ile	Leu	Pro	His	Ser	405	410		415
Asp	Pro	Glu	Arg	Cys	Phe	Ser	Ile	Gln	Pro	Glu	Glu	Gly	Thr	Ile	His	420	425		430
Thr	Ala	Ala	Pro	Leu	Asp	Arg	Glu	Ala	Arg	Ala	Trp	His	Asn	Leu	Thr	435	440		445
Val	Leu	Ala	Thr	Glu	Leu	Val	Pro	Tyr	Thr	Pro	Ala	Tyr	Ala	Ser	Gly	450	455		460
Ala	Pro	Pro	Pro	Phe	Cys	Leu	His	Thr	Ala	Tyr	Glu	Asn	Cys	Pro	Cys	465	470		475
Ile	Cys	Gly	Tyr	Leu	Asn	Val	Ser	Val	Lys	Ala	Tyr	Met	Asn	Val	His	485	490		495
Met	Trp	Ala	Met	Val	Leu	Val	Phe	Ala	Glu	His	Lys	Gly	Gly	Gly	Arg	500	505		510
Gly	Pro	Gly	Arg	Gln	Ala	Val	Asp	Gly	Gln	Lys	Gln	Ser	Thr	Arg	Trp	515	520		525
Glu	Leu	Ser	Gln	Asn	Cys	Asn	Tyr	Leu	Pro	Lys	Ser	Arg	Glu	Gly	Val				

530	535	540
His Pro Gly Thr Ser Met Arg Ala Gln Ala Ser Gln Leu Gln Gly Ser		
545	550	555
Arg Gly Thr His Arg Asn Cys Thr Arg Ile Ala Cys His Thr Arg Val		560
	565	570
Asn Pro Ile Leu Tyr His Ser Pro Thr Pro Gly His Arg Thr Thr Tyr		575
	580	585
Thr Cys Gly His Glu Tyr Ala Pro Ser Tyr Ala Glu Ser Asn Thr		590
595	600	605

<210> 75  
 <211> 781  
 <212> PRT  
 <213> Homo sapiens

<400> 75

Met Trp Gly Leu Val Arg Leu Leu Leu Ala Trp Leu Gly Gly Trp Gly	
1 5 10 15	
Cys Met Gly Arg Leu Ala Ala Pro Ala Arg Ala Trp Ala Gly Ser Arg	
20 25 30	
Glu His Pro Gly Pro Ala Leu Leu Arg Thr Arg Arg Ser Trp Val Trp	
35 40 45	
Asn Gln Phe Phe Val Ile Glu Glu Tyr Ala Gly Pro Glu Pro Val Leu	
50 55 60	
Ile Gly Lys Leu His Ser Asp Val Asp Arg Gly Glu Gly Arg Thr Lys	
65 70 75 80	
Tyr Leu Leu Thr Gly Glu Gly Ala Gly Thr Val Phe Val Ile Asp Glu	
85 90 95	
Ala Thr Gly Asn Ile His Val Thr Lys Ser Leu Asp Arg Glu Glu Lys	
100 105 110	
Ala Gln Tyr Val Leu Leu Ala Gln Ala Val Asp Arg Ala Ser Asn Arg	
115 120 125	
Pro Leu Glu Pro Pro Ser Glu Phe Ile Ile Lys Val Gln Asp Ile Asn	
130 135 140	
Asp Asn Pro Pro Ile Phe Pro Leu Gly Pro Tyr His Ala Thr Val Pro	
145 150 155 160	
Glu Met Ser Asn Val Gly Thr Ser Val Ile Gln Val Thr Ala His Asp	
165 170 175	
Ala Asp Asp Pro Ser Tyr Gly Asn Ser Ala Lys Leu Val Tyr Thr Val	
180 185 190	
Leu Asp Gly Leu Pro Phe Phe Ser Val Asp Pro Gln Thr Gly Val Val	
195 200 205	
Arg Thr Ala Ile Pro Asn Met Asp Arg Glu Thr Gln Glu Glu Phe Leu	
210 215 220	
Val Val Ile Gln Ala Lys Asp Met Gly Gly His Met Gly Gly Leu Ser	
225 230 235 240	
Gly Ser Thr Thr Val Thr Val Thr Leu Ser Asp Val Asn Asp Asn Pro	
245 250 255	
Pro Lys Phe Pro Gln Ser Leu Tyr Gln Phe Ser Val Val Glu Thr Ala	
260 265 270	
Gly Pro Gly Thr Leu Val Gly Arg Leu Arg Ala Gln Asp Pro Asp Leu	
275 280 285	
Gly Asp Asn Ala Leu Met Ala Tyr Ser Ile Leu Asp Gly Glu Gly Ser	
290 295 300	
Glu Ala Phe Ser Ile Ser Thr Asp Leu Gln Gly Arg Asp Gly Leu Leu	
305 310 315 320	
Thr Val Arg Lys Pro Leu Asp Phe Glu Ser Gln Arg Ser Tyr Ser Phe	
325 330 335	
Arg Val Glu Ala Thr Asn Thr Leu Ile Asp Pro Ala Tyr Leu Arg Arg	



```
<210> 76
<211> 640
<212> PRT
```

&lt;213&gt; Homo sapiens

&lt;400&gt; 76

Met	Ala	Arg	Gly	His	Tyr	Ile	Tyr	Val	Asp	Thr	Ser	Phe	Gly	Lys	Gln
1				5					10					15	
Gly	Glu	Lys	Ala	Val	Leu	Leu	Ser	Pro	Asp	Leu	Gln	Ala	Glu	Glu	Trp
			20					25					30		
Ser	Cys	Leu	Arg	Leu	Val	Tyr	Gln	Ile	Thr	Thr	Ser	Ser	Glu	Ser	Leu
	35						40					45			
Ser	Asp	Pro	Ser	Gln	Leu	Asn	Leu	Tyr	Met	Arg	Phe	Glu	Asp	Glu	Ser
	50					55					60				
Phe	Asp	Arg	Leu	Leu	Trp	Ser	Ala	Lys	Glu	Pro	Ser	Asp	Ser	Trp	Leu
65					70					75					80
Ile	Ala	Ser	Leu	Asp	Leu	Gln	Asn	Ser	Ser	Lys	Lys	Phe	Lys	Ile	Leu
				85					90					95	
Ile	Glu	Gly	Val	Leu	Gly	Gln	Gly	Asn	Thr	Ala	Ser	Ile	Ala	Leu	Phe
			100					105					110		
Glu	Ile	Lys	Met	Thr	Thr	Gly	Tyr	Cys	Ile	Glu	Cys	Asp	Phe	Glu	Glu
		115					120					125			
Asn	His	Leu	Cys	Gly	Phe	Val	Asn	Arg	Trp	Asn	Pro	Asn	Val	Asn	Trp
	130					135					140				
Phe	Val	Gly	Gly	Gly	Ser	Ile	Arg	Asn	Val	His	Ser	Ile	Leu	Pro	Gln
145					150					155					160
Asp	His	Thr	Phe	Lys	Ser	Glu	Leu	Gly	His	Tyr	Met	Tyr	Val	Asp	Ser
				165					170					175	
Val	Tyr	Val	Lys	His	Phe	Gln	Glu	Val	Ala	Gln	Leu	Ile	Ser	Pro	Leu
			180					185					190		
Thr	Thr	Ala	Pro	Met	Ala	Gly	Cys	Leu	Ser	Phe	Tyr	Tyr	Gln	Ile	Gln
		195					200						205		
Gln	Gly	Asn	Asp	Asn	Val	Phe	Ser	Leu	Tyr	Thr	Arg	Asp	Val	Ala	Gly
	210					215					220				
Leu	Tyr	Glu	Glu	Ile	Trp	Lys	Ala	Asp	Arg	Pro	Gly	Asn	Ala	Ala	Trp
225					230					235					240
Asn	Leu	Ala	Glu	Val	Glu	Phe	Thr	Cys	His	Phe	Pro	Leu	Gln	Val	Ile
				245					250					255	
Phe	Glu	Val	Ala	Phe	Asn	Gly	Pro	Lys	Gly	Gly	Tyr	Val	Ala	Leu	Asp
			260					265					270		
Asp	Ile	Ser	Phe	Ser	Pro	Val	His	Cys	Gln	Asn	Gln	Thr	Glu	Leu	Leu
		275					280					285			
Phe	Ser	Ala	Val	Glu	Ala	Ser	Cys	Asn	Phe	Glu	Gln	Asp	Leu	Cys	Asn
	290					295					300				
Phe	Tyr	Gln	Asp	Lys	Glu	Gly	Pro	Gly	Trp	Thr	Arg	Val	Lys	Val	Lys
305				310						315					320
Pro	Asn	Met	Tyr	Arg	Ala	Gly	Asp	His	Thr	Thr	Gly	Leu	Gly	Tyr	Tyr
				325					330					335	
Leu	Leu	Ala	Asn	Thr	Lys	Phe	Thr	Ser	Gln	Pro	Gly	Tyr	Ile	Gly	Arg
			340					345					350		
Leu	Tyr	Gly	Pro	Ser	Leu	Pro	Gly	Asn	Leu	Gln	Tyr	Cys	Leu	Arg	Phe
		355					360					365			
His	Tyr	Ala	Ile	Tyr	Gly	Phe	Leu	Lys	Met	Ser	Asp	Thr	Leu	Ala	Val
	370					375					380				
Tyr	Ile	Phe	Glu	Glu	Asn	His	Val	Val	Gln	Glu	Lys	Ile	Trp	Ser	Val
385					390					395					400
Leu	Glu	Ser	Pro	Arg	Gly	Val	Trp	Met	Gln	Ala	Glu	Ile	Thr	Phe	Lys
				405					410					415	
Lys	Pro	Met	Pro	Thr	Lys	Val	Val	Phe	Met	Ser	Leu	Cys	Lys	Ser	Phe
			420					425					430		
Trp	Asp	Cys	Gly	Leu	Val	Ala	Leu	Asp	Asp	Ile	Thr	Ile	Gln	Leu	Gly
		435					440						445		

Ser Cys Ser Ser Ser Glu Lys Leu Pro Pro Pro Pro Gly Glu Cys Thr  
 450 455 460  
 Phe Glu Gln Asp Glu Cys Thr Phe Thr Gln Glu Lys Arg Asn Arg Ser  
 465 470 475 480  
 Ser Trp His Arg Arg Arg Gly Glu Thr Pro Thr Ser Tyr Thr Gly Pro  
 485 490 495  
 Lys Gly Asp His Thr Thr Gly Val Gly Tyr Tyr Met Tyr Ile Glu Ala  
 500 505 510  
 Ser His Met Val Tyr Gly Gln Lys Ala Arg Leu Leu Ser Arg Pro Leu  
 515 520 525  
 Arg Gly Val Ser Gly Lys His Cys Leu Thr Phe Phe Tyr His Met Tyr  
 530 535 540  
 Gly Gly Gly Thr Gly Leu Leu Ser Val Tyr Leu Lys Lys Glu Glu Asp  
 545 550 555 560  
 Ser Glu Glu Ser Leu Leu Trp Arg Arg Arg Gly Glu Gln Ser Ile Ser  
 565 570 575  
 Trp Leu Arg Ala Leu Ile Glu Tyr Ser Cys Glu Arg Gln His Gln Ile  
 580 585 590  
 Ile Phe Glu Ala Ile Arg Gly Val Ser Ile Arg Ser Asp Ile Ala Ile  
 595 600 605  
 Asp Asp Val Lys Phe Gln Ala Gly Pro Cys Gly Glu Met Glu Asp Thr  
 610 615 620  
 Thr Gln Gln Ser Ser Gly Tyr Ser Glu Asp Leu Asn Glu Ile Glu Tyr  
 625 630 635 640

<210> 77  
 <211> 686  
 <212> PRT  
 <213> Homo sapiens

<400> 77  
 Met Leu Leu Arg Gly Val Leu Leu Ala Leu Gln Ala Leu Gln Leu Ala  
 1 5 10 15  
 Gly Ala Leu Asp Leu Pro Ala Gly Ser Cys Ala Phe Glu Glu Ser Thr  
 20 25 30  
 Cys Gly Phe Asp Ser Val Leu Ala Ser Leu Pro Trp Ile Leu Asn Glu  
 35 40 45  
 Glu Gly His Tyr Ile Tyr Val Asp Thr Ser Phe Gly Lys Gln Gly Glu  
 50 55 60  
 Lys Ala Val Leu Leu Ser Pro Asp Leu Gln Ala Glu Glu Trp Ser Cys  
 65 70 75 80  
 Leu Arg Leu Val Tyr Gln Ile Thr Thr Ser Ser Glu Ser Leu Ser Asp  
 85 90 95  
 Pro Ser Gln Leu Asn Leu Tyr Met Arg Phe Glu Asp Glu Ser Phe Asp  
 100 105 110  
 Arg Leu Leu Trp Ser Ala Lys Glu Pro Ser Asp Ser Trp Leu Ile Ala  
 115 120 125  
 Ser Leu Asp Leu Gln Asn Ser Ser Lys Lys Phe Lys Ile Leu Ile Glu  
 130 135 140  
 Gly Val Leu Gly Gln Gly Asn Thr Ala Ser Ile Ala Leu Phe Glu Ile  
 145 150 155 160  
 Lys Met Thr Thr Gly Tyr Cys Ile Glu Cys Asp Phe Glu Glu Asn His  
 165 170 175  
 Leu Cys Gly Phe Val Asn Arg Trp Asn Pro Asn Val Asn Trp Phe Val  
 180 185 190  
 Gly Gly Gly Ser Ile Arg Asn Val His Ser Ile Leu Pro Gln Asp His  
 195 200 205  
 Thr Phe Lys Ser Glu Leu Gly His Tyr Met Tyr Val Asp Ser Val Tyr  
 210 215 220

Val	Lys	His	Phe	Gln	Glu	Val	Ala	Gln	Leu	Ile	Ser	Pro	Leu	Thr	Thr		
225					230					235						240	
Ala	Pro	Met	Ala	Gly	Cys	Leu	Ser	Phe	Tyr	Tyr	Gln	Ile	Gln	Gln	Gly		
				245					250						255		
Asn	Asp	Asn	Val	Phe	Ser	Leu	Tyr	Thr	Arg	Asp	Val	Ala	Gly	Leu	Tyr		
			260					265						270			
Glu	Glu	Ile	Trp	Lys	Ala	Asp	Arg	Pro	Gly	Asn	Ala	Ala	Trp	Asn	Leu		
		275					280							285			
Ala	Glu	Val	Glu	Phe	Thr	Cys	His	Phe	Pro	Leu	Gln	Val	Ile	Phe	Glu		
	290					295					300						
Val	Ala	Phe	Asn	Gly	Pro	Lys	Gly	Gly	Tyr	Val	Ala	Leu	Asp	Asp	Ile		
305					310					315					320		
Ser	Phe	Ser	Pro	Val	His	Cys	Gln	Asn	Gln	Thr	Glu	Leu	Leu	Phe	Ser		
				325					330						335		
Ala	Val	Glu	Ala	Ser	Cys	Asn	Phe	Glu	Gln	Asp	Leu	Cys	Asn	Phe	Tyr		
			340					345						350			
Gln	Asp	Lys	Glu	Gly	Pro	Gly	Trp	Thr	Arg	Val	Lys	Val	Lys	Pro	Asn		
		355					360							365			
Met	Tyr	Arg	Ala	Gly	Asp	His	Thr	Thr	Gly	Leu	Gly	Tyr	Tyr	Leu	Leu		
	370					375								380			
Ala	Asn	Thr	Lys	Phe	Thr	Ser	Gln	Pro	Gly	Tyr	Ile	Gly	Arg	Leu	Tyr		
385					390					395					400		
Gly	Pro	Ser	Leu	Pro	Gly	Asn	Leu	Gln	Tyr	Cys	Leu	Arg	Phe	His	Tyr		
				405					410						415		
Ala	Ile	Tyr	Gly	Phe	Leu	Lys	Met	Ser	Asp	Thr	Leu	Ala	Val	Tyr	Ile		
			420					425						430			
Phe	Glu	Glu	Asn	His	Val	Val	Gln	Glu	Lys	Ile	Trp	Ser	Val	Leu	Glu		
		435					440							445			
Ser	Pro	Arg	Gly	Val	Trp	Met	Gln	Ala	Glu	Ile	Thr	Phe	Lys	Lys	Pro		
	450					455								460			
Met	Pro	Thr	Lys	Val	Val	Phe	Met	Ser	Leu	Cys	Lys	Ser	Phe	Trp	Asp		
465					470					475					480		
Cys	Gly	Leu	Val	Ala	Leu	Asp	Asp	Ile	Thr	Ile	Gln	Leu	Gly	Ser	Cys		
				485					490						495		
Ser	Ser	Ser	Glu	Lys	Leu	Pro	Pro	Pro	Pro	Gly	Glu	Cys	Thr	Phe	Glu		
			500					505						510			
Gln	Asp	Glu	Cys	Thr	Phe	Thr	Gln	Glu	Lys	Arg	Asn	Arg	Ser	Ser	Trp		
		515					520							525			
His	Arg	Arg	Arg	Gly	Glu	Thr	Pro	Thr	Ser	Tyr	Thr	Gly	Pro	Lys	Gly		
	530					535								540			
Asp	His	Thr	Thr	Gly	Val	Gly	Tyr	Tyr	Met	Tyr	Ile	Glu	Ala	Ser	His		
545					550					555					560		
Met	Val	Tyr	Gly	Gln	Lys	Ala	Arg	Leu	Leu	Ser	Arg	Pro	Leu	Arg	Gly		
				565					570						575		
Val	Ser	Gly	Lys	His	Cys	Leu	Thr	Phe	Tyr	His	Met	Tyr	Gly	Gly			
			580					585						590			
Gly	Thr	Gly	Leu	Leu	Ser	Val	Tyr	Leu	Lys	Lys	Glu	Glu	Asp	Ser	Glu		
		595					600							605			
Glu	Ser	Leu	Leu	Trp	Arg	Arg	Gly	Glu	Gln	Ser	Ile	Ser	Trp	Leu			
	610					615								620			
Arg	Ala	Leu	Ile	Glu	Tyr	Ser	Cys	Glu	Arg	Gln	His	Gln	Ile	Ile	Phe		
625					630					635					640		
Glu	Ala	Ile	Arg	Gly	Val	Ser	Ile	Arg	Ser	Asp	Ile	Ala	Ile	Asp	Asp		
				645						650					655		
Val	Lys	Phe	Gln	Ala	Gly	Pro	Cys	Gly	Glu	Met	Glu	Asp	Thr	Thr	Gln		
			660					665						670			
Gln	Ser	Ser	Gly	Tyr	Ser	Glu	Asp	Leu	Asn	Glu	Ile	Glu	Tyr				
			675				680							685			

<210> 78  
 <211> 154  
 <212> PRT  
 <213> Homo sapiens

<400> 78  
 Met Thr Leu Ser Pro Thr Gln Pro Pro Leu Phe His Leu Pro Tyr Val  
 1 5 10 15  
 Gln Lys Cys Phe Ile Pro Thr Val Glu Gln Leu Thr Leu Gly Ile Pro  
 20 25 30  
 Cys Gln Asn His Gly Glu Ile Asp His Gly Gln Asp Ile Phe Pro Ala  
 35 40 45  
 Glu Lys Leu Cys His Leu Gln Asp Cys Lys Val Asn Leu His Arg Ala  
 50 55 60  
 Ala Cys Gly Glu Cys Ile Val Ala Pro Lys Thr Ser Ser Phe Pro Tyr  
 65 70 75 80  
 Cys Gln Gly Thr Cys Leu Thr Leu Asn Ser Glu Leu His Gln Ser Asn  
 85 90 95  
 Phe Ala Leu Lys Val Cys Thr Ile Arg Gly Glu Cys Leu Leu Ile Cys  
 100 105 110  
 Ser Trp Leu Phe Gln Thr Cys Ser Pro Thr Lys Val Ile Leu Phe Ser  
 115 120 125  
 Leu Thr Val Gln Asp Asp Glu Arg Lys Met Ser Val His Cys Val Asn  
 130 135 140  
 Ala Ser Leu Ile Glu Lys Cys Gly Cys Ser .  
 145 150

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/US01/13360

**A. CLASSIFICATION OF SUBJECT MATTER**

IPC(7) : C07H 21/04; C12P 21/06; C12N 9/00, 1/20, 15/00

US CL : 435/69.1, 183, 252.2, 320.1; 536/23.2

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 435/69.1, 183, 252.2, 320.1; 536/23.2

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

BIOSIS, CAPLUS, MEDLINE, EMBASE, GENBANK, SCISEARCH

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A, P	CARNINCI, P et al. Normalization and subtraction of cap-trapper-selected cDNAs to prepare full-length cDNA libraries for rapid discovery of new genes, <i>Genome Res.</i> , October 2000, Vol.10, No.10, pages 1617-1630, see entire article.	1-7
A, P	WO 00/55350 A1 (HUMAN GENOME SCIENCES, INC.) 21 September 2000 (21-9-00).	1-7
A	WO 95/30428 A1 (HUMAN GENOME SCIENCES, INC.) 16 November 1995 (11-16-95).	1-7
A	US 5,830,744 A (ROSEN et al.) 03 November 1998 (11-03-98).	1-7

☐ Further documents are listed in the continuation of Box C.
 ☐ See patent family annex.

* Special categories of cited documents:	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A" document defining the general state of the art which is not considered to be of particular relevance	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"E" earlier document published on or after the international filing date	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Z" document member of the same patent family
"O" document referring to an oral disclosure, use, exhibition or other means	
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

07 JULY 2001

Date of mailing of the international search report

02 AUG 2001

 Name and mailing address of the ISA/US  
 Commissioner of Patents and Trademarks  
 Box PCT  
 Washington, D.C. 20231

Facsimile No. (703) 305-9230

Authorized officer

MANJUNATH RAO

Telephone No. (703) 308-0198

# INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US01/13360

## Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:
  
2. ☐ Claims Nos.:  
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
  
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

Please See Extra Sheet.

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
  
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:  
1-7, SEQ ID NO:1 and 40

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.  
☐ No protest accompanied the payment of additional search fees.

# INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US01/13360

## BOX II. OBSERVATIONS WHERE UNITY OF INVENTION WAS LACKING

This ISA found multiple inventions as follows:

This application contains claims directed to more than one species of the generic invention. These species are deemed to lack Unity of Invention because they are not so linked as to form a single inventive concept under PCT Rule 13.1. In order for more than one species to be searched, the appropriate additional search fees must be paid. The species are as follows:

- 1) Polynucleotide sequences with SEQ ID NOs 1 through 39.
- 2) Polypeptide sequences with SEQ ID NOs: 40-78.

The following claims are generic: Claims 1-7

The species listed above do not relate to a single inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons: Each of the above polynucleotide and polypeptide sequences are patentably distinct from each other as they have different structure and function.